# October 1985 Issue 65 Vol. 7, No. 10 \$3,75 Canada @

\$2.95

The Leading Magazine Of Home, Educational, And Recreational Computing

### Atari 520 ST A Hands-On Report




The Commodore 1541 Save-With-Replace Bug: **Proof That It's Real** And How To Avoid It

The Witching Hour **Haunting Strategy Game** For Commodore 64, Atari, Apple, IBM PC/PCII, 71-99/11

**Pull-Down Menus Add Mac-Style Features** To Your II+, IIe, IIc.

**Lightning Renumber** For Atari **Powerful Tool For BASIC Programmers** 





Today, there are more Apples in schools than any other computer.

Unfortunately, there are still more kids in schools than Apples.

So innocent youngsters (like your own) may have to fend off packs of bully nerds to get some time on a computer.

Which is why it makes good sense to buy them an Apple<sup>®</sup> IIc Personal Computer of their very own.


The IIc is just like the leading computer in education, the Apple IIe. Only smaller. About the size of a three-ring notebook, to be exact.

Of course, since the IIc is the

legitimate offspring of the IIe, it can access the world's largest library of educational software. Everything from Stickybear Shapes™ for preschoolers to SAT test which you might be interested in yourself.

For example, 3-in-1 integrated business software. Home accounting and tax programs. Diet and fitness programs.








With a IIc, your kid can do something constructive after school. Like learn to write stories. Or learn to fly: Or even learn something slightly more advanced. Like multivariable calculus.

preparation programs for college hopefuls.

In fact, the IIc can run over 10,000 programs in all. More than a few of

Not to mention fun programs for the whole family Like "Genetic Mapping" and "Enzyme Kinetics."



And the Apple IIc comes complete with most everything you need to start computing in one box.

Including a free 4-diskette course to teach you how — when your kids get tired of your questions.

As well as a long list of built-in features that would add about \$800 to the cost of a smaller-minded computer.

128K of internal memory—twice the power of the average office computer. time comes. A built-in half-high 140K disk drive

that could drive up the price of a lesssenior machine considerably.

And built-in electronics for adding accessories like a printer, a modem, an AppleMouse or an extra disk drive when the

He can even run away from bome.

In its optional carrying case, the

So while your children's shoe sizes

and appetites continue to grow at an alarming rate, there's one thing you

know can keep up with them. Their Apple IIc.

To learn more about it, visit any authorized Apple dealer. Or talk to your own computer experts.

As soon as they get

home from school.



## Earth will be destroyed in 12 minutes to make way for a hyperspace bypass.

Should you hitchhike into the next galaxy? Or stay and drink beer?



the destruc-

tion of your

home and planet.

EDLY DEMOLISHED. YOU WAKE UP WITH A

YOU HAVE DIED.

HANGOVER THAT LASTS FOR ALL ETERNITY.

You communicate—and the story responds—in full sentences. Which means that at every turn, you have literally thousands of alternatives. So if you decide it might be wise, for instance, to wrap a towel around your head, you just say so:

WRAP THE TOWEL AROUND MY HEAD

#### And the story responds:

THE RAVENOUS BUGBLATTER BEAST OF TRAAL IS COMPLETELY BEWILDERED, IT IS SO DIM IT THINKS IF YOU CAN'T SEE IT, IT CAN'T SEE YOU.

But be careful about what you say. Or one moment you might be strapped down, forced to endure a reading of the third worst poetry in the galaxy; the next you could be hurtling through space with Marvin the Paranoid Android aboard a stolen spaceship.

And simply staying alive from one zany situation to the next will require every proton of puzzle solving prowess your mere mortal mind can muster. Even simple tasks can put you at wit's end:

#### **>OPEN THE DOOR**

#### And the story responds:

THE DOOR EXPLAINS, IN A HAUGHTY
TONE, THAT THE ROOM IS OCCUPIED BY A
SUPER-INTELLIGENT ROBOT AND THAT
LESSER BEINGS (BY WHICH IT MEANS YOU)
ARE NOT TO BE ADMITTED, "SHOW ME SOME
TINY EXAMPLE OF YOUR INTELLIGENCE,"
IT SAYS, "AND MAYBE, JUST MAYBE I MIGHT
RECONSIDER,"









Other interactive science fiction stories from Infocom include PLANETFALL," in which you're stranded on a mysterious deserted world. STARCROSS," a puzzling challenge issued eons ago and light-years away. SUSPENDED," the race to stabilize an entire planet's life support systems. And A MIND FOREVER VOYAGING," a radically new work of serious science fiction in which you explore the future of mankind.

But don't panic. You'll be accompanied every light-year of the way by your trusty Hitchhiker's Guide, which you can always depend on for up-to-the-nanosecond information. Well, almost always:


>CONSULT THE HITCHHIKER'S GUIDE
ABOUT THE MOLECULAR HYPERWAVE
PINCER

#### And the story responds:

SORRY, THAT PORTION OF OUR SUB-ETHA DATABASE WAS ACCIDENTALLY DELETED LAST NIGHT DURING A WILD OFFICE PARTY.

So put down that beer, take that towel off your head, open the door, hitchhike down to your local software store today and pick up THE HITCH-HIKER'S GUIDE TO THE GALAXY. Before they put that bypass in.

Still not convinced? Try our Sampler Disk which includes portions of four different types of stories for a paltry \$7.95. If it doesn't get you hooked on the addictive pleasures of Infocom, return it for a full refund. If it does, you can apply the price toward any Infocom story. You can't lose!



#### INFOCOM

For more information call 1-800-262-6868. Or write to us at 125 CambridgePark Dr., Cambridge, MA 02140.

#### IF YOU CAN FIND A BETTER PROGRAM WE'LL BUY IT FOR YOU!\*



#### WORD WRITER With Spell Checker

#### Now with 85,000 word Spelling

- An efficient, 80-column professional word processing system which includes a spelling checker and built-in calculator.
- · Contains all the features you'll need for everyday word processing, plus most of the sophisticated features found in more expensive programs: document chaining, form letter printout, page separations, horizontal and vertical scrolling, and more.

#### With Timeworks you get more power for your dollor

You can use each program alone. Or interface this trio - one at a time if you like - into a completely integrated productivity system that delivers all the power and features most of you will ever need . . . at a cost that lets you enjoy their use.

Look for these and other Timeworks programs at your favorite dealer. Or contact Timeworks, 444 Lake Cook Road, Deerfield, IL 60015, Phone: (312) 948-9200.

#### DATA MANAGER 2

#### Foster, mare efficient, mare versotile

- A complete general information storage and retrieval system with report-writing, graphics, statistics, and label-making capabilities.
- . Exclusive X-SEARCH, X-SORT, and X-CHART features allow you to crosssearch any category of information; sort items alphabetically, numerically, or by date: break down statistical information into categories; and graphically view your results.

#### With Timeworks you get more thon softwore

#### You Get Our Customer Technical Support Team

At the other end of our toll-free hotline, you'll find our full-time Customer Technical Support Team. Free of charge to all registered users.

You Get Our Liberal Trade-Up Policy You'll find the details inside each package.

#### SWIFTCALC with SIDEWAYS

#### New easy-to-use spreadsheet for hame and small business use

- 250 rows and up to 250 columns (128K) version) provide up to 62,500 cells (locations on the spreadsheet) in which to place information.
- · Performs mathematical functions up to 17 digits. Allows the use of minimum and maximum values, averages, sums. integers, absolute values and exponential notation.

#### \* With Timeworks you get our **Money Book Guorontee**

If you can find anything that works better for you, simply send us your Timeworks program, your paid receipt, and the name of the program you want, along with your check or credit card number for any retail price difference. If it's available, we'll buy it for you.\*\*

Available for Apple, IBM, Commodore 64 and 128. and Atari Computers.\*\*\*

TIMEMOSK

More power for your dollar.

- " Offer valid for 90 days from date of purchase.
- \*\*\* Registered trademarks of Apple Computer, Inc., International Business Machines Corporation, and Commodore Computer Systems
- @ 1985 Timeworks, Inc. All nights reserved.

Other Timeworks Programs: - The Evelyn Wood Dynamic Reader Sylvia Porter's Personal Finance Series Swiftax Cave of the Word Wizard Business Systems The Electronic Checkbook The Money Manager Wall Street

These with each differ to have with each different architecture to have a conducted to the second to

### COMPU

OCTOBER 1985 VOLUME 7 NUMBER 10 ISSUE 65

FEATURES  22 Atgri 520ST; A Hands-On Report Tom R. Halfhill	GUIDE TO ARTICLES AND PROGRAMS
28 Amiga Goes iBM-Compatible Tom R. Halfhill 32 The New Games Selby Bateman and Kathy Yakal 37 Expert Systems: Shortcut to Artificial Intelligence? Kathy Yakal 42 The Witching Hour Brian Flynn	AP/AT/V/64/ TI/PC/PCjr
59 Laser Beam for Atari and Commodore 64 Mike Greenfield	AT/64
REVIEWS	
69 The Original Boston Computer Diet       Tony Roberts         74 The Writer's Tool for Atari       Robert L. Riggs         76 Karateka       James V. Trunzo         78 1 Dir for IBM PC/PCjr       Arthur Leyenberger	AP/64/128/PC/PCjr AT AP/64/128 PC/PCjr
COLUMNS AND DEPARTMENTS	
6 The Editor's Notes	•
More Adventures of Junior, the Robot Fred D'Ignazio	*
Of Babbages and Things David D. Thornburg  108 Telecomputing Today: The Latest Developments Arlan R. Levitan	:
109       IBM Personal Computing: Games People Play       Donald B. Trivette         110       INSIGHT: Atari—Atari Disk Drive Compatibility       Bill Wilkinson         112       The Beginner's Page: Clearing Up Variable Cloudiness       Tom R. Haiffill         114       HOTWARE: Software Best Sellers         117       Programming the TI: Sprites in TI Extended BASIC       C. Regena	PC/PCjr AT • • TI
THE JOURNAL	
79 Save-with-Replace: Debugged at Last P. A. Slaymaker 84 Dynamic Keyboard for Commodore Machines, Part 1 Jim Butterfield 86 All About IBM Batch Files, Part 2 G. Russ Davies 90 64 Multicolor Graphics Made Easy. James P. Hassett 95 Apple II Pull-Down Menus. Lee Swoboda 98 Using the Atari 130XE and DOS 2.5 Tom R. Halfhill 100 Atari Animation with P/M Graphics, Part 2 Robert J. Powell 103 Lightning Renumber for Atari Raymond Citak	V/64/+4/16/128/P V/64/+4/16/12B/P PC/PCjr 64 AP AT AT AT
114 CAPUTE! Modifications or Corrections to Previous Articles 115 MLX Machine Language Entry Program for Commodore 64	AP Apple, Mac Macintosh, AT Atari, V VIC-20, 64 Com- modore 64, +4 Commodore Plus/4, 16 Commodore 16, 128 Commodore 128, P
128 Classified 128 Advertisers Index	PET/CBM, TI Texas instru- ments, PC IBM PC, PCIr IBM PCjr.
TOLL FREE Subscription Order Line	*Géneral interest.
800-334-0868 (In NC 919-275-9809)	

**COMPUTE!** Publications,Inc. One of the ABC Publishing Companies: ABC Publishing, President, Robert G. Burton

Address all inquiries to: P.O. Box 5406, Greensbaro, NC 27403 COMPUTEI The Journal for Progressive Computing (USPS: 537250) is published monthly by COMPUTEI Publications, Inc., P.O. Box 5406, Greensboro, N.C 27403 USA. Phone: (919) 275-9809. Editorial Offices are located at 324 West Wendover Avenue, Greensboro, N.C 27408. Domestic Subscriptions: 12 Issues, \$24. POSTMASTER: Send address changes to: COMPUTEI Magazine, P.O. Box 10955, Des Moines, IA 50950. Second class postage paid at Greensboro, N.C 27403 and additional mailing offices. Entire contents copyright ©1985 by COMPUTEI Publications, inc. All rights reserved, ISSM 0194-357X.

#### Editor's Notes ■

This month's Editor's Notes are written by Tom R. Halfhill, Editor of COMPUTE!.

-Robert C. Lock, Editor-In-Chief.

We received some interesting letters in response to our September 1985 Editor's Notes. As you may recall, it was argued that machine language (ML) will remain the dominant language for commercial software, even though many of the first programs appearing for the newest generation of personal computers-such as the Atari 520ST and Commodore Amiga-are written with compilers such as C. The argument was that ML is and always will be the computer's native language, and since higher-level languages run slower and consume more memory, they will always be superseded by ML for commercial software.

Here's a dissenting letter from reader Jeff O'Neil in Plano, Texas:

I feel there will continue to be a migration away from assembly language with more use of higher-level languages, such as C, for application programs. The driving force is programmer productivity-being able to quickly bring good products to the market and also being able to quickly port the same program from one machine to another. Languages such as C can be effectively used on the newer micros because of better compilers and because of the larger memories available. No longer do you have to spend an inordinate amount of time trying to squeeze the code into 64K. Assembly language will continue to be used for operating systems and compilers, but less and less for application programs.

While last month's Editor's Notes presented one side of the higher-level language discussion, Mr. O'Neil presents a point of view also shared by some editors.

One of the lessons of industrialization is that a machine will always take over a task from a person if it can do the work faster, better, or less expensively. A compiler, in effect, is a device that generates object code from the programmer's high-level source code. Because high-level code is easier to write, compilers make it possible for programmers to finish a program faster than if they were writing in low-level ML to begin with. Certainly, none of the high-level compilers currently available can generate object code as good as that written by an experienced ML programmer using an assembler. But they don't have to. They need only be good enough.

For example, the vast majority of application programs announced to date for the 520ST and Amiga are written in compiled C. Potentially, they could be even better programs if written directly in ML. But it would take longer to write and debug the programs in ML, increasing development costs accordingly. To recover this larger investment in programmers' time, the software companies would be forced to charge a higher price or accept less profit. By transferring a task to a machine-in this case, using a compiler to generate the object code—they finished the job faster and still created good programs. That's the classic equation for greater productivity.

This principle has been demonstrated time and again for hundreds of years. In all probability, the clothes you wear, the car you drive, the furniture you own, the books you read, the TV set you watch, and so on were not painstakingly handmade by skilled craftsmen. Most of these things are manufactured largely by machines. Handmade versions are available, but top quality is not always the ultimate consideration. If it were, people would hire freelance programmers to write custom programs entirely in ML, no matter what the cost.

Furthermore, compilers are constantly being improved. Someday—especially if there are breakthroughs in the field of artificial intelligence—we may have compilers which generate object code that matches or even surpasses the code written by good ML programmers. At the very least, compiled languages will continue getting better, and the most time-critical routines can be rewritten in ML—just as many other products today are made partly by machine and partly by hand.

And don't forget another factor that affects programmer productivity training time. The rapid pace of computer technology means that ML programmers have to master the instruction set of an entirely new chip every few years. But high-level languages can be implemented on any chip, so programmers only have to learn the language once.

The programmer productivity factor also is closely tied to marketability. If software companies invest the programmer time in writing all-ML programs, they risk missing a window of opportunity. And in the fast-moving world of personal computing, a few months can make or break a commercial program.

Portability, too, is related to productivity. If programmers can write a major program in a high-level language and translate it for noncompatible computers with a minimum of fuss, they can double or triple the potential market and reap a higher return on their

For a preview of what's to come, look at the world of minicomputers and mainframes. Application programming is increasingly done in high-level languages. As personal computers keep growing more powerful, we too will see more and more application software written in high-level languages instead of ML. The extra horsepower built into the machines will make it less necessary for people to spend tedious hours building extra horsepower into the programs.

Computers are boosting productivity and reducing sweatwork in hundreds of occupations; why should computer programming be any different?

COMPUTE! is looking for utilities, games, applications, and tutorial articles. If you've created a program that you think other readers might enjoy or find useful, send it on tape or disk to:

Submissions Reviewer COMPUTE! P.O. Box 5406 Greensboro, NC 27403

Please enclose an SASE if you wish to have the materials returned. Articles are reviewed within four weeks of submission.

SubLOGIC Scenery Disks expand the potential flying environment of Flight Simulator II and Microsoft Flight Simulator.

Twelve separate Scenery Disks cover the entire continental United States. Each disk covers a geographical region of the country, and includes the major alroports, radio-nav alds, cities, highways, rivers, and lakes located in that region. Enough detail is available on each disk for either visual or instrument cross-country navigation.

A STAR Scenery DISK (available 4th quarter 1985) covers a smaller area with a relatively dense amount of scenery STAR Scenery DISKs are primarily intended for visual flight sight-seeing. They include buildings and landmarks, as well as detailed renditions of all major airports in the area.



individual Scenery Disk price: \$19.95 Western U.S. (Disks 1-6): \$99.95 - Coming Soon -Eastern U.S. (Disks 7-12): \$99.95

See Your Dealer . .

or write or call for more information. For direct orders please specify which disk or disk-set you want. Enciose the correct amount plus \$2.00 for shipping (\$6.00 for the six-disk set) and specify UPS or first class mall delivery. Visa, Master-Card, American Express, and Diners Club cards accepted.

Commodore 64 is a trademark of Commodore Electronics Ltd. IBM is a registered trademark of international Business Machines Corp.

For the Commodore 64™ and IBM PC®



Order Line: (800) 637-4983 (except in Illinois, Alaska, and Hawali) Editor in Chief Director of Administration Senior Editor Managing Editor Editor Assistant Editor Production Director Production Editor Editor, COMPUTEI'S GAZETTE Technical Editor Assistant Technical Editors

Publisher

Program Editor

Features Editor

Richard Mansfield Kathleen Martinek Tom P. Holfbill Philip Nelson Tony Roberts Gail Cowper Lance Elko Ottis R Cowper Charles Brannon Selby Bateman

James Casella

Robert C. Lack

Alice S. Wolfe

Feature Writer Programming Supervisor **Editorial Progrommers** Submissions Reviewer Programming Assistant Copy Editars Executive Assistant Administrative Assistants

Assistant Editar, COMPUTEI's GAZETTE

John Krause, George Miller Todd Heimarck Kothy Yakal Patrick Parrish

Tim Victor, Kevin Mykytyn, Kevin Mortin Mark Tuttle David Flarance Joan Rouleau, Ann Davies Susan Young Julia Fleming, Iris Brooks, Jan Kretlow Jim Butterfield Toronto, Canada Harvey Herman Greensboro, NC

Contributing Editor

Associate Editors

COMPUTE!'s Baok Division Assistant Editors Administrative Assistant Director, Book Sales & Assistant

Stephen Levy Gregg Keizer, J. Bloke Lambert Laura MacFadden

Steve Voyatzis Caral Dickerson Irma Swoln

Fred D1anazio

Bill Wilkinson

David Thornburg

Production Manager Art & Design Director Assistant Editor, Art & Design Mechanical Art Supervisor Artists Typesetting

Janice R Fan Lee Noel De Potter Debbie Bray, Dabney Ketrow Terry Cosh, Corole Dunton Harry Blair

Director of Advertising Sales Production Coordinate Administrative Assistant Promotion Assistant

Ken Woodard Patti Stakes Kathleen Hanlon Caroline Dark

Customer Service Manager Dealer Sales Supervisor Assistants

Philippa Kina Gall Jones Liz Krusenstjerna, Rhonda Savoge Judy Taylor Betty Atkins, Gayle Benbow.

Individual Order Supervisor Assistants Warehouse Manager

Mary Hunt, Jenna Nash, Chris Patty Lonnie Arden Harold Ayers, Steve Bowman, Larry O'Connor, David Hensley

Data Processing Manager Vice President, Finance &

Director, Finance & Planning

Paul J. Megliola R. Steven Vetter Robert L. Bean Karen K. Rogalski Dale Branch, Jill Pope

Leon Stakes

Chris Cain

Financial Analyst Credit Manager Staff

Planning

Accountant

Barry L. Beck Sybii Agee, Anne Ferguson, Pat Fuller, Doris Hall, Linda Miller. Mary Waddell, Jane Wiggs

Purchasing Manager

Great L. Smith

Robert G. Burton, President Paul J. Megliola. Vice President, Finance and Planning Debi Nash, Executive Assistant Anita Amfield, Assistant





#### **Coming In Future Issues**

Skyscape **Astronomy Program For** Commodore 64, Atari, Apple, IBM PC/PCir, TI

**Amiga's Amazing Graphics** 

Puzzier Challenging Game For Commodore 64, VIC-20, Plus/4, 16, Atari, Apple, IBM PC/PCjr, Ti

Commodore 64 3-D **Animated Graphics** Adding TIME\$ To Atari BASIC

**IBM Graphics On A** Monochrome Monitor COMPUTEI Publications, Inc. publishes:

COMPUTE! COMPUTE'S GAZETTE

COMPUTE! Books COMPUTE'S 資金忍忌至至息 DISK Corporate office: 324 West Wendover Avenue Suite 200 Greenshorn NC 27/08 USA

Mailing address: COMPUTEI Post Office Box 5406 Greensboro, NC 27403 USA Telephone: 919-275-9809

#### Subscription Orders

COMPUTE P.O. Box 10955 Des Moines, IA 50950

**TOLL FREE Subscription Order Line** 800-334-0868 In NC 919-275-9809

#### **COMPUTE! Subscription Rates** (12 Issue Year):

(one yr.) \$24 (two yrs.) \$45 (three yrs.) \$65 Canada and Foreign Surface Mail Foreign Air

Delivery

\$65

**Advertising Sales** 



2. Mid Atlantic John Saval Eastern Advertising Manager 212-315-1665 Kathy Hicks Marsha A. Gittelman 215-646-5700 Brian S. Rogers 212-674-0238

3. Southeost & Foreign Harry Blair 919-275-9809

4. Midwest Gordon Benson 312-362-1821

S. Northwest/ Mountoin/Texos Phoebe Thompson 408-354-5553

6. Southwest 213-378-8361

Director of Advertising Soles Ken Woodard

COMPUTEL Home Office 919-275-9809.

Address oil odvertising moteriols to: Patri W. Stokes
Advertising Production Coordinator
COMPUTEI Magazine
324 West Wendover Avenue,

Greensboro, NC 2/408

The COMPUTE! subscriber list is made available to carefully screened organizations with a product or service which may be of Interest to our readest if you prefer not to receive such mailings, please send an exact copy of your subscription label to: CCMPUTEI P.O. Box 10955, Des Molines, IA 50950, Include a note inclinating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTEI are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTEI, authors acknowledge hat such materials, upon acceptance from the production of the computer of the contract. Unsolving the computer of the computer of

PET, CBM, VIC-20 and Commodore 64 are trademarks of Commodore Business Machines, Inc., and/or Commodore Electronics Limited Apple is a trademark of Apple Computer Compony IBM PC and PC/r are trademarks of Infernational Business Machines, Inc.

ATARI is a trademark of Atari, Inc. TI-99/4A is a trademark of Texas Instruments, Inc. Radio Shack Color Computer is a trademark of Tandy, Inc.

# NEW

#### MacOffice: Using the Macintosh for Everything

Sharon Aker Selby Bateman Charles Brannon

Paul Freiberger Vahé Guzelimian Arlan Levitan Dan McNeill

This newest release from COMPUTE! Books shows you how to get the most out of your Macintosh and software. Practical demonstrations teach you how to fully utilize several commercially available programs, such as Microsoft's Word, Chart, File, and Multiplan, Apple's MacTerminal, and others. You'll see now to:


- Create form letters with Word,
- Use Multiplan for your accounting,
- Share information between offices with MacTerminal.

Here are the ins and outs, hints and tips on how to use each program most efficiently, and previously undocumented techniques.

Extensively illustrated with actual Macintosh-created documents and graphics, MacOffice shows you how you can integrate programs, let them share information, making it even easier to manage your business with a computer. You'll also learn about networks-where computers, printers, and other devices are connected to create an office-wide working environment-with details on how to create a network, and what to look for in network software.


\$18.95 ISBN 0-87455-006-8

#### personal computer





#### Look for these new titles at your local book or computer stores or order directly from COMPUTE! Books.



COMPUTE! Books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN 21 3UN England.

COMPUTE! Publications, Inc.

#### **COMPUTE!'s Second Book of Apple**

Edited

With over 30 programs, this collection for Apple II+, IIe, and IIc owners contains arcade-style games, games of logic and education, applications, graphics generators, and programming utilities. Compiled from the most recent issues of COMPUTE! magazine and COMPUTE's Apple Applications Issue, these programs include dazzling graphics, high-speed game play, and valuable programming techniques. All the programs are ready to type in.

Applications calculate your financial situation and turn your computer into a remote terminal for accessing sophisticated databases. Action games put you in a jet fighter and in a bowling alley. Educational games range from a five-level chess game to a program which lets you write quizzes on any subject. Graphics and programming utilities help you design custom graphics or put a RAM disk in your IIc.

\$12.95 ISBN 0-87455-008-4

There is also a disk available which includes the programs in the book. You can order this disk directly from COMPUTE! for only \$12.95 plus \$2.00 shipping charges.

> To order, call toll-free 800-334-0868 (in NC 919-275-9809) or mail your payment (including \$2.00 shipping charges) to COMPUTE! Books, P.O. Box 5058, Greensboro, NC 27403.



#### Readers Feedback

The Editars and Readers of COMPUTE

If you have any questions, comments, or suggestions you would like to see adversed in this column, write to "Readers' Feedback," COMPUTE, P.O. Box 5406, Greensboro, NC 27403. Due to the volume of mail we receive, we regret that we cannot provide personal answers to technical questions.

#### Files And Programs

What is a file, and what is the difference between a program and a file? When I try to erase a program on disk, my disk drive sometimes gives me a FILE NOT FOUND message.

Kevin Cullen

A file is any collection of data (information) stored permanently on disk or tape, or temporarily in the computer's memory. In many cases, a computer file is the electronic equivalent of a manila file folder: It stores data you create with a computer. Word processing programs store words in files, spreadsheets make files containing numbers, and so on. In that sense, a file may seem very different from a program, which is a set of instructions the computer can load into memory and run. But programs are just a special kind of data—letters, numbers, and other symbols arranged in a pattern the computer understands. Thus, a program stored on disk is a file containing computer instructions rather than some other kind of data. When the disk drive signals FILE NOT FOUND, file is used in a general sense that includes programs along with other kinds of data.

Although these broad definitions apply to all computers, be alert for additional, narrower meanings that apply only to your system or in specific situations. For instance, opening a file to a printer usually means you are opening a communications channel to that device. In Commodore disk parlance, a program file is any file with a certain format (different from sequential or relative format), and so on. When in doubt, consult the user's guide for your equipment and pay close attention to the context in which the word is used.

#### Apple ProDOS Conversions

I have an Apple IIe and would like to

use the "Renumber" program on the DOS 3.3 System Master disk, However, 1 like ProDOS better for programming, and most of my files are on ProDOS disks. 1 can copy the program to ProDOS, but it won't run properly. How can I make this program work in ProDOS?

Bruce Bohm

The general rule for transporting programs between DOS 3.3 and ProDOS is that BASIC programs usually work and machine language (ML) programs usually don't. Since the "Renumber" program you mention is stored as an Applesoft BASIC file, you would expect it to work with ProDOS. The reason it doesn't is that Renumber is a hybrid program: In addition to BASIC instructions, it contains a substantial machine language routine. When you run Renumber, the BASIC portion prints instructions for using the program, then calls the ML routine to do the real work. Though the BASIC part would probably work with ProDOS, the ML section is incompatible.

In short, there's no way to make Renumber work in ProDOS without rewriting its machine language section. But you do have an alternative. On the example disk included with "BASIC Programming with ProDOS" (available from Apple dealers) is a program called "Applesoft Programmer's Assistant." One of its features is a renumber command that's very similar to the DOS 3.3 Renumber program. The instruction manual for this package is very helpful by itself-especially if you learned Applesoft BASIC with DOS 3.3 and want to learn what's different about ProDOS-and the programs on the example disk are quite useful as well.

#### **Datassette Adapter**

I have found an adapter that lets me use my old Commodore Datassette with the newer Plus/4 or 16 computers. It is available from the following company for less than \$20:

Rabbitts Software Company P.O. Box 1192 Cleveland, Ohio 44111 (216) 252-2214

Gary Sawitzke

We appreciate the information. Incidentally, the C2N Datassette designed for the

VIC-20 and 64 works just fine on the Commodore 128, in 128 mode as well as 64 mode.

#### Saving Atari Screens

I am currently working on an Atari program that lets me create highresolution drawings in graphics mode 8. However, it lacks one important function. How do you save and reload a graphics screen? I have an 800XL and 1050 disk drive.

Albert Newball

The following program uses the computer's input/output routines to save a block of memory. To use it, put lines 1-2 at the start of your program. These lines create a short machine language routine in memory page 6. Line 10 shows how to save or load a screen. Set the variable NAME\$ equal to the name of the file you want to save or load (include D: for disk or C: for cassette). Set the variable AUX to 4 when you want to load a graphics screen, or set AUX to 8 to save a screen. Once NAME\$ and AUX are defined, GOSUB 1000 does the job.

E0 1 OIM NAME\$(15):FOR A=153 & TO 1542:REAO 8:POKE A ,8:NEXT A C2 OATA 104,104,104,170,76 ,86,228 0.10 NAME\$="O:NAME":AUX=4:G OSUB 1000:END C0 1000 OPEN #1,AUX,0,NAME\$ KE 1010 POKE 852,PEEK(88):POKE 856,220:POKE 857,30 :POKE 855,AUX+3 POKE 855,AUX+3 POKE 955,AUX+3 POKE 955,AUX+3 POKE 955,AUX+3 POKE 950,AUX+3 POKE 950

You can use this routine in other graphics modes by changing the values POKEd into locations 856 and 857 in line 1010. Determine the total number of bytes used for the screen in that graphics mode, then break the number down into low byte/high byte format. POKE 856 with the low byte value and POKE 857 with the high byte. The following line shows how to convert the value of the variable VA into low byte (LO) and high byte (HI) values:

HI = INT(VA/256):LO = VA - (HI\*256)



Introducing EasyPlex. The new, easy-to-use electronic mail system from CompuServe.

Finally! Electronic Mail that's so easy to use you can start composing and sending messages the first time you get online.

Designed for various experience levels, EasyPlex has a menu mode with simple, easy-to-follow directions for beginners, and it lets experienced users save time by working in the prompt or command modes. With EasyPlex, you can compose, edit, send, file, and take advantage of sophisticated

options previously available only with more expensive services.

CompuServe's EasyPlex lets friends and relatives, associations and club members communicate any time of the day or night. And small business owners, real estate professionals, insurance agents, lawyers, writers, etc. can communicate quickly and simply—either interoffice or interstate. "It's Easy." "Just Plex it!"

Best of all, EasyPlex is available to all CompuServe subscribers. And, along with EasyPlex, you get hundreds of valuable and entertaining computing options. Plus the assurance of belonging to the largest, fastest growing computer information service in the world and the premier supplier of business information to FORTUNE 500 companies.

Start communicating! To buy a CompuServe Subscription Kit, see your nearest computer dealer. To receive our informative brochure or to order direct, call or write:

Information Services, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, Ohio 43220

800-848-8199 In Ohio, call 614-457-0802

An H&R Block Company

### ANNOUNCING THE FAMILY SOFTWARE SPECTACULAR.

BUY 3, GET 1 FREE.

#### CHOOSE FROM OVER 50 LEADING TITLES.

What do you call an offer that brings together, for the first time ever, five leading brands of home software?

The Family Software Spectacular!

And it's your opportunity to choose a *free* software program from the best titles on the market today. All you have to do is buy any combination of three titles from any participating brands during this special offer period. And we'll send you another one of your choice – *free!* 

It's a one-of-a-kind value your family shouldn't miss.

#### FISHER-PRICE® A NAME YOU CAN TRUST.

For years Fisher-Price has been known for helping children develop skills as they play. With Fisher-Price Learning Software, your child can develop skills in five key areas: math, language, creativity, basic learning and computer literacy.

Your child will love developing and testing language skills with the help of PETER RABBIT READING, a program that uses voice to teach sound and letter recognition in words.

#### WINDHAM CLASSICS.™ CLASSIC NOVELS COME TO LIFE.

Pick up Windham Classics, graphic interactive fiction based on some of the greatest adventures of all time. They're great for kids, yet fun for all ages.

Enjoy "THE WIZARD OF OZ."" You are Dorothy, and each of your decisions determines your adventure. There's more than one adventure to be had as you meet old friends and new in the land of Oz.

#### WORK BETTER WITH BETTER WORKING.™

Constantly erasing and retyping? Unsure of your spelling? WORD PROCESSOR WITH SPELLCHECKER is exactly what you need. This full featured word processor includes the 50,000 word AMERICAN HERITAGE DICTIONARY \*\* spellchecker which detects over 99% of misspelled words.



#### SPINNAKER® THE LEADER IN FAMILY LEARNING SOFTWARE.

From pre-school counting to high-school compositions, Spinnaker offers the high quality educational programs you have come to expect. For example, there's the HOME-WORK HELPER "\* series which provides step-by-step methods for improving writing and math skills and helps kids tackle otherwise troublesome school assignments.

#### TELARIUM.™ INTERACTIVE FICTION AT ITS BEST.

Here's graphic interactive fiction by famous writers of science fiction, fantasy, and mystery like Ray Bradbury, Arthur

C. Clarke and Erle Stanley Gardner. Each story unfolds with you in the center of the action—and completely in control. In PERRY MASON: THE CASE OF THE MANDARIN MURDER,™ you are the world famous criminal lawyer. Challenge the evidence. Cross-examine the witness. Only you can prove your client's innocence. And time is running out.

#### A SOFTWARE OFFER FOR ALL AGES.

Any software offer including something for everyone in the family is certainly fantastic. But combine that with a free product offer and what you have is something spectacular. Look for the specially marked boxes of The Family Software Spectacular at your retailer.



SEE PREVIOUS PAGE

#### **HERE'S HOW YOUR FAMILY CAN** PARTICIPATE IN

#### The Family Software Spectacular

REMEMBER, TO RECEIVE A FREE PRODUCT YOU MUST PURCHASE ANY THREE TITLES FROM THE PAR-TICIPATING BRANDS (IN ANY COMBI-NATION) AND MAIL YOUR ENTRY NO LATER THAN JANUARY 31, 1987.

- 1. Start by saving the receipt(s) from your software program purchases. (It is not necessary for software purchases to appear on one receipt. Photocopies of the receipt(s) are accepted. Receipts must be dated BETWEEN JULY 1, 1985, AND JANUARY 31, 1987.)
- 2. Cut the proof-of-purchase tab from each of the three user manuals that come with the programs. (Photocopies not accepted.)
- 3. Attach the purchase receipt(s) and the three original proof-of-purchase tabs to one separate sheet of paper.
- 4. Fill in the form below and place the completed form in an envelope with: a. A sheet of paper with three original proof-of-purchase tabs and your purchase receipt(s)
  - b. A check or money order for \$3.50 to cover postage and handling. (Canada residents please send \$5.00 for postage and handling.)

Make check payable to THE FAMILY SOFTWARE SPECTACULAR and mail envelope to:

THE FAMILY SOFTWARE SPECTACULAR P.O. Box 1327, Cambridge, MA 02238

#### ORDER FORM To receive your free program, this form must be

filled out completely. Please print.

ı	Free Product Chosen:
ı	Title/Brand
	Computer/Model
	MAKE SURE THE PRODUCT YOU CHOOSE IS AVAILABLE ON THE COMPUTER SYSTEM YOU HAVE SELECTED.
	Name
	Dhong/

TITLES PURCHASED BRANDS DATE OF PURCHASE

\_\_ State \_\_\_\_\_ Zip .

Address\_

Allow 6-8 weeks for delivery of your free software program. Note: All receipts and envelope postmark must be dated prior to January 31, 1987. Offer good in the US and Canada only. Void where taxed, restricted or prohibited by law.

#### **Too Many Caesars**

I own two Commodore computers and a 1541 disk drive. I would like to connect both computers to the drive at once (of course, I would only send disk commands from one computer at a time). Everything works fine when only one computer is turned on, but when I turn on the second one, the first computer does a cold start. When I try to send disk commands from either computer, the entire system seems to lock up. Is there any way to accomplish what I'm trying to do?

Charles Mitchell

Since you can connect more than one peripheral to a single computer, you might expect the reverse to be true. Why can't two computers share the same drive? The answer reveals a fundamental difference between a computer and peripheral devices such as disk drives and printers. The computer is designed to act as "absolute ruler" of the system. It not only sends and receives information (as peripherals can do), but also sends commands that control the whole system. Plugging two computers into the same disk drive is like creating a Rome with two Caesars: Each computer acts like the only commandgiver in existence, and the system becomes confused.

In the first case you describe, turning on the second computer sends a normal reset command to every device in the system-including the second computer, which responds as if it had reset itself. Sending a disk command (which goes to the other computer as well as the drive) makes things even worse. Serial communications require a complex exchange of "handshaking" signals between computer and peripheral to make sure one doesn't send data until the other is ready, and vice versa. Since the second computer isn't designed to respond as a peripheral, it can't complete the handshake and crashes the entire system.

One makeshift way to do what you want is to unplug the serial cable from one computer whenever you want to use the other. However, we definitely don't recommend this as a regular practice. The serial port connectors aren't designed for such heavy use, and you run the risk of sending garbage signals along the line. For long-term use you may want to buy a switching box which cleanly disconnects one computer from the serial bus before connecting the other.

#### **ACCEPT On TI**

I have a problem using ACCEPT on my TI-99/4A with Extended BASIC. When I try to enter numeric input with ACCEPT and accidentally press EN-TER before any input, the screen scrolls and I get an error message. Is there any way I can avoid this without using the CALL KEY statement?

Jory Rannow

The following program illustrates one solution to your problem:

100 CALL CLEAR 110 DISPLAY AT(1,1): "ROW 120 ACCEPT AT(2, 1) VALIDAT

E(NUMERIC):X\$ 13Ø IF X\$="" THEN 12Ø

14Ø X=VAL(X\$) 15Ø PRINT X

After this program clears the screen,

line 110 prints a message on line 1 so you can tell whether scrolling occurs. Line 120 takes in numeric input (numerals 0-9, period symbol, plus symbol, minus symbol, or E) and accepts the input as X\$. If at this point you hit ENTER by mistake, line 130 sends you back for another try without scrolling the screen. Once you've entered a value, line 140 converts it from a string into the numeric variable X.

#### **Unwanted Commodore** Messages

I have written a machine language routine that loads several program modules into the Commodore 64 from disk. However, the computer prints the usual SEARCHING FOR and LOADING messages during every load. How can l prevent these messages from appearing on the screen?

Allen Kotomski

These messages are generated by the 64's operating system, which controls input/ output functions. Since Commodore calls the operating system the Kernal, they're known as Kernal control messages. One easy way to mask them is to change the character color to the same color as the screen background. The messages then print invisibly on the screen. However, since they may overprint an existing display or cause the screen to scroll, it's usually better to suppress them altogether.

Location \$9D (157 decimal) holds a flag that tells the 64 what type of messages to display. When the flag contains 128 (bit 7 is set to 1), the computer prints Kernal control messages to tell you when it's searching, loading, saving, or verifying. When bit 7 is set to 0, control messages are not displayed. Though you rarely see them when using BASIC, the Kernal also has its own set of error messages. For instance, the Kernal equivalent of BASIC's FILE NOT FOUND message is I/O ERROR #4. Location \$9D controls Kernal error messages as well: They're displayed when the flag contains 64 (bit 6 is set to 1), and suppressed when bit 6 is clear.

maeine A WORD PROCESSING PROGRAM! AN INFORMATION MANAGEMENT PROGRAM! A TELECOMMUNICATIONS PROGRAM! ALL THREE PROGRAMS, ON ONE DISKETTE!, FOR ONLY \$49.95 \*!

"Quite simply the best! The highest rating possible...the package should be part of every (computer) library."—ANALOG COMPUTING

"Russ Wetmore has done an EXCELLENT job! The program is flexible, powerful and very easy to use. \$49.95 buys a heck of a lot of program."—REVIEW BY ARTHUR LEYENBERGER

"Performance:  $\star \star \star \star (Excellent)$  Value:  $\star \star \star \star (Excellent)$ This three-in-one package is a bargain . . . one of the finest values on the market."

#### HOMETEXT WORD PROCESSOR. HOMEFIND INFORMATION MANAGER. HOMETERM TELECOMMUNICATIONS

Together they are HomePak: the three most important and most useful home computer applications in one integrated system — on one diskette!

The reviewers are unanimous: any one of these programs alone is well worth the price. So you're getting three times the computing power, with this exceptionally easy to use package:

- all commands in simple English; no complex computer jargon, no obscure instructions
- all key commands are immediately available on the screen menu; additional commands can be called up for the more experienced user
- o to help you, system status is displayed right on the screen

And it's easy to use the three programs together. For example, in the "Merge" mode, you can take data stored in HOMEFIND and print letters and labels using HOMETEXT. Or, use HOMETEXT to write reports based on information you've called up via HOMETERM.



y Park North, Sulte P

USA 92714

(416) 881-9816 Telex: 509-139

INCLUDED

Richmond Hill, Ontario L4B 1BS CANADA (416) BB1-9941 Telex: 06-21-8290

30 Mural Street

"The Energized Software Company!"

WRITE TO US FOR FULL COLOUR CATALOGUE of our products for COMMODORE, ATARI, APPLE and IBM SYSTEMS

FOR TECHNICAL SUPPORT OR PRODUCT INFORMATION PLEASE PHONE (416) BB1-9816

ECIFIC FEATURES OF HOMEPAK, SEE YOUR DEALER FOR DETAILS CH COMPUTER SYSTEM MAY REQUIRE ACCESSORY I

# HOW NOT AN ENDANG



# DSPF(

As more and more of our doily activities become "computerized," survival of the fittest will come down to this: Those who become successful will shore o common

understonding—o knowledge of computers.


Thot's why TIME-LIFE BOOKS brings you this brond new series. UNDERSTANDING COMPUTERS does whot was once thought impossible. Help us understand how computers do the impossible.

Through stroightforword longuage (no "computerese") and easy-to-follow illustrations, UNDERSTANDING COMPUTERS tells you what computers really ore.

How to think obout them. And how they con moke your life eosier-from where you work to where you work out.

Storting with Computer Basics, you'll get a thrilling "inside view" of what happens

inside that incredible block box.



Step by step, your understanding will grow, until



you find yourself confident and at home in the Computer Age.

So end oll your wondering and enjoy the wonder of it oll. Exomine Computer Basics FREE for 10 doys. If you oren't sotisfied, send it bock and owe nothing. Otherwise keep it and pay just \$12.95 (\$15.95 in Conodo) plus shipping and handling. Future volumes will come one obout every other month. Some free triol. Keep only the books you wont. Concel onytime.

Moil the coupon today. And see how eosy understanding computers can be.

#### **EXAMINE COMPUTER BASICS FOR 10 DAYS FREE.**

If cord is missing, moil to Time-Life Books, Time & Life Bldg., Chicago, IL 60611 Yes! Please send me Computer Basics far 10 days' free examination. Also send me future UNDERSTANDING COMPUTERS volumes under the terms described in this ad.

address

state or zin or postal cade. province

TIME LIFE BOOKS

All orders subject to approval. Price subject to change.

#### RSTANDING COMP

Thus, the machine language statement LDA #\$00:STA \$9D suppresses all Kernal messages. This is the normal condition when a BASIC program is running. LDA #\$80:STA \$9D displays only the control messages (the normal condition when you're in BASIC direct mode), and LDA #\$40:STA \$9D displays only the special Kernal error messages. Note that Commodore computers also have a built-in routine (SETMSG, accessed at \$FF90) to set the Kernal message control flag. To use it, load the accumulator with the value you want to put in location \$9D, then JSR \$FF90.

#### **Atarl Disk RAM?**

I have an Atari 600XL and 1050 disk drive. My 600XL has 16K RAM. Does my disk drive add any RAM to the computer? If so, how much does it add? Doug Howard

Strictly speaking, you lose some usable computer memory when operating an Atari (or most other computers) with a disk drive. To use the drive, you must load DOS (the Disk Operating System) into memory. DOS is a machine language program that on the Atari is roughly 6K long. Therefore, when DOS is present, you lose memory that's otherwise available.

However, in a broader sense the disk drive expands system memory tremendously. A disk drive lets you run much larger programs (and process much more data) than the computer could otherwise handle. For example, a program that's too big to fit into memory can be broken into two separate parts or modules. When the first program module is finished, it loads and runs the second module. The second module could in turn load a third, and so on. Since the program modules link themselves together as they go, this technique is often called chaining.

Though many BASIC programs store data within the program itself (usually in DATA statements), you can also store data outside the computer in a disk file. An Atari 1050 drive with DOS 2.5 or 3.0 stores about 126K of data on each disk. An 810 drive (or 1050 drive with DOS 2.0 or 2.5 formatted for single density) stores about 88K on a disk. Of course, the computer's memory can't hold that much data all at once. But it can access parts of it whenever it wants. When one disk fills up with data, you start filling another, and so on. In this sense, a disk drive extends system memory to infinity.

#### Multicolor Player/Missiles

I have written many simple games on my Atari 800XL using player/missile graphics and would like to start using different colors. How do I make multicolor P/M graphics?

Bob Rudis

Unfortunately, players can be only one color. However, you can simulate a multicolor player by overlapping two or more players. Define the players' shapes so that solid areas of underlying (lower priority) players show through holes (blank areas) in overlapping (higher priority) players. One player can be used for each color you need to define. Of course, to maintain the effect, you'll need to move the overlapped players in unison.

You can obtain additional colors by setting bit 5 of the player priority register (location 623 decimal). If you add 32 to the number in the priority register, then any area where two players overlap becomes a third color. The following program displays a red player and a blue player. The region where they overlap becomes green. You can find more information on multicolor players in COMPUTE!'s First Book of Atari Graphics.

- 00 10 POKE 106, INT(PEEK(106) /8) \$8-8: GRAPHICS 0:S=P EEK(106):REM PROTECT M EMORY ON A 2 K BOUNDAR
- CC 20 POKE 559,62:POKE 704,5 5:POKE 705,135:POKE 53 256,1:POKE 53257,1:POK E 53277,3:SETCOLOR 2,0
- CB3Ø POKE 623,33:POKE 54279 ,S:PMBASE=256\*S+1024:F OR A=PMBASE TO PMBASE+ 511:POKE A,0:NEXT A
- LH 40 FOR A=0 TO 7:POKE PMBA SE+100+A,255:POKE PMBA SE+356+A,255:NEXT A
- E 50 FOR A=20 TO 245:POKE 5 3248, A:POKE 53249, A+10 :NEXT A:GOTO 50

#### **Immortal PC Programs?**

I have an IBM PC. Sometimes when I save a program and later try to erase it from my disk, the computer says "File not found." Yet when I load the program it is still there. How can I get rid of these unwanted programs?

#### Richard Bookal

You are evidently enclosing the filename in quotation marks when using the ERASE command from DOS. Although BASIC requires that you enclose or at least precede filenames with quotes, DOS does not—in fact it won't find an existing file when quotes are used. To delete a file from disk, use ERASE filename.ext from DOS or KILL "filename.ext" from BASIC. When you're KILLing a program, the second pair of quotes is optional.

#### Trackbail Tricks

I purchased a trackball for my Atari 800 computer system and would like to use the device in my programs. I have looked in the hardware manual and

elsewhere, but can't find any information about how this is done.

Wesley Wortman

Atari and Commodore computers (which can use the same trackball) read the device like a joystick. If you have an Atari computer, plug the trackball into joystick port 1, then type in and run the one-line program below. By moving the ball in various directions, you can see what numbers it generates.

#### 10 PRINT STICK(0): GOTO 10

A trackball that fits an Atari joystick port will also work on a Commodore VIC-20 or 64, again returning the same values a joystick would. If you have a Commodore 64, run the following program after plugging the trackball into joystick port 2.

#### 10 PRINT CHR\$(19);PEEK(56320)AND15; CHR\$(20);CHR\$(32):GOTO10

After running either program with the trackball, you may find it interesting to rerun it with a joystick for comparison. As you'll see, the ball is very sensitive and tends to return rapidly changing values, whereas a joystick returns the same value as long as you push it in a particular direction. Of course, in either case the device just generates numbers. It's your job to write a program that uses those numbers in some meaningful way—to animate a figure, draw a picture, or whatever. You can learn more about using joysticks in COMPUTE!'s Second Book of Atari and COMPUTE!'s First Book of Commodore 64.

#### **ML Disk Routine**

I need a machine language routine that opens, writes, and properly closes a disk file on a Commodore disk drive.

Rick Elwell

Since we're asked this type of question often, here's a short example that writes a 20-character sequential file to disk, and works with any Commodore computer and disk drive except the 128 in CP/M mode. You'll need a machine language assembler to enter this program. The explanatory comments after the semicolons are, of course, optional:

•		
LDA	#3	;Set file number,
TAY		;secondary address
LDX	#8	;and device
		number,
JSR	\$FFBA	;call SETLFS
		routine.
LDA	#10	;Set filename
		length,
LDX	# <name< td=""><td>;low byte of</td></name<>	;low byte of
		filename
LDY	#>NAME	;and its high byte,
JSR	\$FFBD	;call SETNAM
		routine.
JSR	\$FFC0	;Call OPEN
		routine.
LDX	#3	;Set file number,
JSR	\$FFC9	;call CHKOUT
		routine.

#### JEW FALL RELEASES

Entertainment and information from COMPUTE! Books this fall! These brand-new, top-of-the-line books offer you the latest home and business applications for your Apple, Commodore, and IBM personal computers.

#### 100 Personal Computer Programs for **Business and Professional Use**

Paul Garrison

\$19.95 ISBN 0-87455-017-3

Each of these 100 short programs fulfills one specific need and runs on the IBM PC, PC XT, PCjr, and all Apple II computers. Covering such topics as inventory, loan analysis, accounts payable, name and address lists, advertising cost analysis, invoice printing, and many other business and personal applications, these programs have dozens of uses in the home and at work.

A disk is available which includes the programs in the

#### **Using Your Macintosh: Beginning Microsoft BASIC** and Applications

Richard K. Swadley and Joseph B. Wikert

\$16.95 ISBN 0-87455-021-1

Leam BASIC gently. This comprehensive book explores the Macintosh and teaches Microsoft BASIC in such a way that even the most reluctant beginner feels at ease. Information about the revolutionary Materiaeti, from its desktop environment to the mouse, will get you started flater chapters clearly solarin BASIC, from the first statement to a finished program. xamples, including several complete programs, off and practical applications which demonstrate what you with BASIC on the Macintosh,

#### COMPUTE!'s First Book of IBM

\$14,95 ISBN 0-B7455-010-6

The editors of COMPUTE! Books have collected all the best programs from COMPUTE's PC & PCjr and COMPUTE! magazines to bring outstanding games, utilities, graphics, and applications to your IBM PC or PCjr computer. Ready to type in and use, with easy-to-follow documentation, these 30 programs offer something for every IBM user. From telecommu ications tutorials to a terminal program for the PCjr, you ca use your computer to access hundreds of electron n boards and elp calculate th macomputassist in creating super disk director

Tutorials demonstrate everything from 3-D graphics creation to relational operations. Graphics, an impressive feature oth the PC and PCir, can be fully utilized with a drawing prog m and a shape editor. You can even make minimovies on your computer through animation of shapes. Typing these programs in is e since a proofreader program is included which impossible to enter errors. makes it alin

ailable which includes the programs in the A disk is

Pick out the books you need and call us today!

#### **COMPUTE!'s Personal Accounting Manager** for the Commodore 64

Roland Frechette

\$12.95 ISBN 0-B7455-014-9

Easy to use, the Personal Accounting Manager (PAM) is a complete small-business/home accounting system that satisfies every accounting need. Thirteen support routines, from income and expenses to property and investments, are managed by the menu-driven PAM. Personalizing PAM is simple. PAM calculates, projects, plans, and prints reports on financial status based on the data entered. It's the perfect financial assistant for anyone who wants to take the drudgery out of keeping track of his or her money. Ready-to-type listings for PAM are included. A disk is available which includes the programs in the book.

#### MacI deas

I. Richard McLaughlin

\$14.95 ISBN 0-B7455-015-7

This idea-packed guide includes more than 100 specific ways to apply the Macintosh's powerful graphics capabilities. Readers will learn how to use MacWrite and MacPaint to create certificates, maps, newsletters, charts, flyers, and much more. Macideas shows how to enhance personal gifts and correspondence including personalized postcards, holiday greetings, and letterhead creation. Information and examples on using the newest Macintosh technology-digitizers-demonstrate how dazzling graphics can be created from photographs, portraits, even videotape. Dozens of illustrations take the reader from an idea to the finished product.

#### Apple II Applications: 40 Programs for Your Apple

Brian and Christopher Flynn \$14.95 ISBN 0-B7455-016-5

Forty educational and strategy games, business and science applications, and home and personal organizational tools-all ready to type in and use on any Apple II-series computer. And since all programs are written entirely in BASIC, Apple II Applications also serves as an excellent example of good programming techniques which can be studied. All programs run under both ProDOS and DO5 3.3,

A disk is available which includes the programs in the

For more information on these or any best-selling titles from COMPUTEI Books, call toll-free 800-334-0868 (in NC 919-275-9809).



COMPUTEI books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England.

LDX ;X is a counter. WRITE LDA CHARS,X ;Get a byte, ;look for end **CMP** #255 marker, BEQ EXIT quit when found. \$FFD2 Call CHROUT JSR routine, INX ;bump counter, JMP WRITE ;write entire text. **EXIT** LDA ;Set file number, \$FFC3 **ISR** call CLOSE routine. JSR \$FFCC ;Call CLRCHN routine. RTS

NAME .ASC "0.FILE,S,W" CHARS .ASC "THIS IS A TEST FILE." .BYT 255

Though there are other ways to get the job done, it's usually simplest and most reliable to use the computer's built-in routines. The SETLFS routine (\$FFBA) sets the logical file number, device number, and secondary address, and SETNAM (\$FFBD) sets the filename. The filename prefix 0: designates drive 0 and the suffix s,N designates a sequential file opened for writing. Different suffixes are used for other operations—for instance, the suffix s,R would prepare the program to read this file.

After OPEN (\$FFC0) opens the file, CHKOUT (\$FFC9) sets it for output (writing). CHKIN (\$FFC6) would be used here if you wanted to set the file for input (reading). The file is written one byte at a time with CHROUT (\$FFD2). Usc CHRIN (\$FFCF) or GETIN (\$FFE4) to input bytes when reading a file. After the write is complete, CLOSE (\$FFC3) closes the file and CLRCHN (\$FFCC) restores the system to normal, reenabling keyboard input and screen output. You should always CLOSE every disk file individually. Don't try to use CLALL (\$FFE7) as a shortcut: It may create a poison (unclosed) file on the disk.

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.

# FOR THE JLATARI

#### CENTER NEAREST YOU PLEASE CALL OUR SALES OFFICE IN YOUR AREA

**New England** 

Bellavance, Fassler, Iarrobino, Inc. Needham, Maine 617-449-3910

Upstate New York

Seeber Sales Corp. Latham, New York 518-785-4523

Metro New York, North New Jersey

The Spieler-Weiss Group, Ltd. Spring Valley, New York 914-352-2502

South New Jersey, East Pennsylvania, Delaware

R. K. Marketing Havertown, Pennsylvania 215-446-6400

Maryland, Washington, Virginia

Alexander & Samet Rockville, Maryland 301-251-9300

South Nevada, Arizona, New Mexico, El Paso

Mountain Micro Markets Scottsdale, Arizona 602-998-4357

Washington, Oregon Barnsley-Weis Associates Yakima, Washington 509-248-7250

No. California, No. Nevada New-West Companies Mountain View, California 415-940-6033

Southern California

Tri West Marketing, Inc. Culver City, California 213-390-8591 Tennessee, Georgia, Alabama, Mississippi, No. & So. Carolina John Lee Company, Inc. Nashville, Tennessee 615-321-5012

Florida

Intratec Technology Rep.'s Inc. Boca Raton, Florida 305-393-1925

W. Pennsylvania, W. Virginia, Ohio, Kentucky Incom Marketing, Inc. Columbus, Ohio 614-451-5146

Minnesota, North Wisconsin, North Dakota, South Dakota Continental Merchandisers, Inc. St. Paul, Minnesota 612-645-6441

South Wisconsin, North Illinois, Michigan, Indiana Hawthorn Marketing, Inc. Buffalo Grove, Illinois 312-541-8846

Missouri, Kansas, S. Illinois, Nebraska, Iowa

Sound Marketing Associates St. Louis, Missouri 314-644-2400

Texas, Oklahoma, Arkansas, Louisiana, Mississippi Miller & Associates Richardson, Texas 214-437-5733

Utah, Idaho, Colorado Wyoming, Montana, Alaska Schreyer Associates, Inc. Salt Lake City, Utah 801-483-1331

Hawaii SCS Co., Inc. Honolulu, Hawaii 808-845-9937

# **JLATARI**®

**Power Without the Price** 

# AMERICA WE BUILT IT FOR YOU THE ATARI 520ST

"We promised.
We delivered.
With pride,
determination,
and good old
ATARI know how."
Sam Tramiel,
President,
ATARI CORP.

No other computer we know of has been awaited with such anticipation, has received so much national and trade press, and has been so unanimously acclaimed — as the remarkable 520ST.

And for good reason. Its development represents a bold, new standard in personal computing power.

The 520ST simply obsoletes all current personal systems — even those costing thousands of dollars

more. Beneath its full stroke 94-key keyboard is an operating environment so intelligent that it puts you in command almost at once. It's that easy.

Graphic symbols quickly identify available functions. Menus appear just by aiming

the mouse. Point to a specific operation, click the mouse and instantly you are able to develop full color charts, recall files from within folders, and so much more.

And when you combine 524,288 bytes of RAM with ATARI's custom circuits and the horsepower of a 68000 microprocessor, you own a powerful computer that delivers crisp, high resolution images with incredible speed.

With a monochrome monitor your 520ST displays 640 x 400 pixels of extremely high resolution clarity. Select a color monitor and you are able to create beautiful graphs and diagrams from a palette of 512 vivid colors.



Power to grow. An array of expansion ports allow you to easily customize your 520ST. There are standard serial and parallel interface

ports for connecting printers and telecommunications equipment, MIDI connectors to interface with music synthesizers and keyboards, and 3.5 inch floppy disk, cartridge and joystick ports. There is also a hard disk port with the lightning communications speed of 1.33



Megabytes per second. ATARI 520ST systems are avail-

able now. When it comes to state-of-the-art technology ...don't settle for less. And when it comes to price ...don't pay a penny more.

For the dealer nearest you call 408/745-2367. Or write to: ATARI Corp. Customer Service 1196 Borregas Ave. Sunnyvale, CA 94086





THE MENULATARIE Price

\$79995 put tille and for a large where applicable

SYSTEM INCLUDES: 520ST Personal Computer,
Monochrome Monitor, Mouse Controller: 3.5 inch Disk Drive
TOS" - The Operating System Disk
ATARI Logo" Language Disk
With full color monitor: \$999.95"

# AAAAN SEIST

A Hands-On Report

Tom R. Halfhill, Editor

'We aren't selling home computers. We aren't selling business computers. We're selling personal computers. People can use them for whatever they want." With those words, Jack Tramiel launched the ST series and a new beginning for Atari. Here's a close look at the first computer in the ST series and the most powerful Atari ever.

The old stereotypes about home computers are being challenged. There's a new generation of personal computers emerging that combines massive memory, high-speed processing, fast floppy disk drives, hard disk interfaces, considerable expansion potential, stunning graphics, and sophisticated sound. These computers are powerful enough to run state-of-the-art business software and versatile enough to excel at running entertainment and educational programs.

The Atari 520ST was the first of this new breed. Announced at the Winter Consumer Electronics Show last January, it is now becoming widely available. Here are the standard features:

- 512K of Random Access Memory (RAM), half a megabyte.
- Motorola 68000 microprocessor. This 16/32-bit chip is clocked at 8 megahertz and can directly address up to 16 megabytes of memory without bank-switching. It's the

same central processing unit found in the Apple Macintosh and Amiga from Commodore.


- One of the fastest floppy disk drive interfaces in personal computing. Although the interface bus is serial, not parallel, it transfers data at a megabit per second, faster than some hard disks. The basic 520ST system comes with one external drive that stores 400K (unformatted) on a single side of a 3½-inch microfloppy disk. Double-sided drives which store 800K per disk have also been announced.
- One of the fastest hard disk interfaces in personal computing. It transfers data at 1.33 megabytes per second, more than eight times faster than the floppy interface. Although hard disks aren't yet available for the ST, Atari plans to introduce a 10- to 15-megabyte

drive by early 1986, possibly for as low as \$399. This price is feasible because the hard disk controller is already built into the computer. The hard disk interface can also be used for memory expansion or a CD-ROM (Compact Disc-Read Only Memory). Atari has shown a prototype CD-ROM that stores up to 550 megabytes of data on a single compact disc. (See "Monster Memory," August 1985.)

- Built-in Centronics-standard parallel port and RS-232 serial port for printers, modems, and other peripherals. These ports are compatible with IBM cables for printers and modems.
- Built-in Musical Instrument Digital Interface (MIDI) for attaching keyboard synthesizers, sequencers, drum boxes, and other electronic musical devices. Because the MIDI ports transfer data at a very high speed (31.25 kilobaud), they've also been considered for such future applications as extremely inexpensive local area networks (LANs).
- · A slot for cartridges containing up to 128K of Read Only Memory (ROM).
- Intelligent video output port that recognizes whether a color or monochrome monitor is plugged into the computer and allows the operating system to adjust itself accordingly. This port also has pins for audio input/output.
- High-resolution monochrome monitor. With a screen refresh rate of 70 hertz—about 16 percent faster than normal monitors and TVs this monitor is capable of unusually sharp displays. An analog RGB (red-green-blue) color monitor also is available.
- Screen modes with high resolution (640  $\times$  400 pixels, monochrome), medium resolution (640  $\times$  200, four onscreen colors), and low resolution (320  $\times$  200, 16 onscreen colors).
- Palette of 512 possible colors. Any of the four colors in medium resolution or 16 colors in high resolution can be selected from this palette.
- Three-channel General Instruments sound chip, the same as found in the Texas Instruments TI-99/4A, IBM PCjr, and MSXstandard computers. Envelope

registers allow the chip to simulate various types of waveforms.

 A disk-based operating system called TOS (Tramiel Operating System) which combines Digital Research's CP/M-68K and GEM (Graphics Environment Manager). CP/M-68K is the 68000 version of the popular Z80-based operating system, CP/M (Control Program/ Microcomputers), similar to the MS-DOS used on the IBM PC and compatibles. CP/M-68K is vastly expanded, however, with provisions to support up to 16 disk drives with 512 megabytes per drive and 32 megabytes per file. To make this operating system easier to use, it is linked on the 520ST with GEM, a Macintosh-like user interface with icons, windows, and drop-down menus. GEM can be manipulated from the keyboard or with a mouse controller that comes with the 520ST. The two-button mouse plugs into one of the two controller ports built into the computer.



Turtle graphics in Logo: This geometric figure was created in the Atari 520ST's low-resolution mode  $(320 \times 200 \text{ pixels}, 16 \text{ colors}).$ 

- Digital Research Logo and Atari BASIC programming languages on disk. (At this writing, BASIC wasn't finished, and the 520ST was being shipped with Logo only. Atari has said that BASIC will be added to the package when it's done and offered as an upgrade to early ST buyers as well.)
- An 84-key keyboard with cursor keypad, numeric keypad, plus ten special function keys.

The price for the complete system (520ST, disk drive, monochrome monitor, mouse, and system software) is \$799. A 520ST | filename (alphabetically), file type,

system with RGB monitor costs \$999.

f you've never used a Macintosh, working with the Atari 520ST for the first time will be an unfamiliar experience. When you switch on most personal computers, you find yourself either in BASIC or some type of disk operating system (DOS). But the 520ST doesn't wake up with a READY prompt, command line, or DOS menu. Instead, the first thing you see is the GEM desktop.

Icons along the edges of the desktop screen show a trash can and file drawers. The drawers represent floppy disk drives and hard disks, depending on your system configuration. Menu titles appear across the top of the screen. Floating above the desktop is an arrow that you can move by rolling the mouse or by pressing certain keys. It represents an extension of your hand on the screen.

To view a menu, you move the pointer to the desired title. Instantly, the menu drops down over the screen. (The 520ST's drop-down menus are summoned slightly differently than the Macintosh's pulldown menus: You don't have to click and hold the mouse button.) As you move the pointer up and down the menu, it highlights various options. Some options may be invalid for a particular operation, so they appear in dim print and cannot be highlighted. To select an option, you simply highlight it and click the left button on the mouse.


To call a disk directory, you move the pointer atop the appropriate file drawer icon and do what's called a double-click—pressing the mouse button twice in rapid succession. The disk drive hums, and a window appears on the desktop. Various types of icons inside the window denote data files, executable program files, and subdirectories on the disk. If you prefer a more conventional disk directory, you can drop down the View menu and select View As Text. The file icons change into a list of filenames which includes such information as file lengths in bytes and the dates on which the files were last updated. Other options on the View menu let you sort the directory by



This low-res picture was created with Dr Doodle, a simple drawing program written by Digital Research and included on an ST demo disk.



In high resolution (640 × 400 pixels, monochrome), GEM closely resembles the Macintosh desktop.



Error messages on the 520ST are usually more helpful than the cryptic error codes of days past.

size, or date.

If you're working with a twodrive system, you can call the directory for drive B by double-clicking on its icon. When this window appears, it overlaps the window for drive A. But the drive A window isn't erased; by pointing to it and clicking the mouse button once, it moves atop the drive B window. A similar click on the drive B window brings it to the fore. You can flip back and forth between several windows in this manner, like shuffling papers on a real desktop. Options selected from menus, such as View As Text, affect the window which is currently on top of the pile.

ll other functions in the GEM desktop work in similar ways: You point to a menu option or icon, then click the mouse button once or twice.

For instance, to run a program, you point to its icon or filename in the disk directory window and double-click. The desktop disappears and the program runs. When you exit the program, the desktop reappears.

Some operations, such as deleting a file, require a mouse maneuver known as dragging. First you select the icon—in this case, the file you want to delete-by pointing to it with the mouse and then clicking the mouse button. While still holding down the button, you can roll the mouse to drag an outline of the file icon along with the pointer. To delete the file, you would drag it to the trash can icon and release the mouse button. A window appears and asks "Are you sure?", warning that the file will be erased if you click on a marker labeled "OK." If you don't want to delete the file, you can click on a marker labeled "Cancel." The first choice irretrievably erases the selected file off the disk; the second choice restores everything to normal. (Unlike the Macintosh, you can't retrieve files from the trash can. As the 520ST manual points out, the 520ST trash can is more like an incinerator.)

This dragging technique is used for other operations as well. You can copy a file from one disk to another by dragging the file icon from the source disk's directory window to the destination disk's window; you can copy the contents of an entire disk by dragging its file cabinet icon atop another disk's icon; and you can organize files into subdirectories by dragging their icons into a folder icon.

You can also manipulate windows as easily as icons. The "active" window—that is, the one on top of the pile if several are displayed—has various control bars and squares along its edges. Pointing to the square in the upper-right corner and clicking the mouse button expands the active window to full-screen size. Clicking this corner again restores it as a window. Dragging the lower-right corner lets you


adjust a window's size, making it larger or smaller. Dragging the top bar lets you move a window anywhere on the screen. Clicking on the small arrows displayed along the bottom and right bars will scroll the material displayed in the window, assuming some of it is hidden due to the window's size. And clicking on the upper-left corner removes the active window from the screen ("closes" the window).

ne unusual feature of the 520ST is its intelligent monitor interface. When you boot up, the operating system checks whether a monochrome or color monitor is attached to the computer and adjusts itself for one of three possible screen resolutions.

With the monochrome monitor, the operating system automatically configures the GEM desktop for high resolution—640  $\times$  400 pixels, black and white. The display is extremely sharp and stable because of the monitor's 70 hertz refresh rate, which means it redraws the screen image 70 times per second rather than 60 times as on standard monitors and TVs. (This is possible because the monitor uses its own 70 hertz oscillator instead of synchronizing with the 60 hertz power line.) Furthermore, the display is paper-white, not blue-white, easier on the eyes. When the monochrome monitor is hooked up, the operating system won't let you enter the medium- or low-resolution modes, which have color.

If the 520ST is booted up when plugged into its RGB monitor, it defaults to medium resolution— $640 \times 200$  with four simultaneous colors. Because this screen has the same horizontal resolution as the monochrome mode but only half the vertical resolution, the aspect ratio is slightly distorted. Icons appear tall and skinny, and characters are narrower.

The low-resolution mode—320 × 200 with 16 simultaneous colors—also requires the RGB monitor. (The RF modulator included in preproduction 520STs has been eliminated from production models, so it can't be attached to ordinary TVs. There's also no direct output for standard composite monitors, although one could probably be rigged from the RGB pins.)



Superstars aren't just the best in their fields. They're the best, year after year. In the wide world of sports simulations, SSI's COMPUTER QUARTERBACK™ and COMPUTER BASEBALL™ stand out as true superstars. To date, tens of thousands of enthusiastic fans and dozens of magazine reviewers alike have cheered their superb display of realism and excitement. By consistently outplaying the competition, our games stand head and shoulders above the crowd.

If you're scouting for the best football and baseball strategy games around, take a good look at ours — the ones with the proven performance. You'll know these are the superstars you want to play on your computer. Sign them up at your local computer/software or game store today!

If there are no convenient stores near you, VISA & M/C holders can order these \$39.95 games direct by calling 800-227-1617, x335 (toll free). In California, 800-772-3545, x335

Please specify computer format and add \$2.00 for shipping and handling.

To order by mail, send your check to:

Strategic Simulations, Inc., 883 Stierlin Road, A-200, Mountain View, CA 94043. (California residents, add 7% sales tax.) All our games carry a "14-day satisfaction or your money back" guarantee.


WRITE FOR A FREE COLOR CATALOG OF ALL OUR GAMES TOOAY.

Computer Quarterback is on diskette for 48K APPLE II® series, ATARI® home computers, and the COMMODORE 64™. Computer 8aseball is on diskette for APPLE, ATARI, C-64 and IBM PC® and


AFPLE, ATARI, COMMOOORE 64 and IBM PC/PCjr are trademarks of Apple Computer, Inc., Atari, Inc., Commodere Electronics, Ltd., and International Business Machines Corp., respectively




STRATEGIC SIMULATIONS, INC.



In low res, the GEM desktop has a 40-column screen. The Control Panel is a pop-up menu that lets you adjust various system functions.



In medium resolution (640  $\times$  200 pixels, four colors), the GEM desktop has an 80-column screen. Note the two disk directory windows.



The 520ST is capable of displaying numerous type styles, as seen on this hi-res Logo screen.

To enter the low-res mode, you boot up in medium-res, then drop down the Options menu and select Set Preferences. A small window appears with markers for low-res, medium-res, and hi-res (the hi-res marker is dimmed to indicate it's not available with this configuration). To change modes, you click the mouse button while pointing to the appropriate marker.

If you want your 520ST to "wake up" in low-res instead of medium-res, you can drop down the Options menu and select Save Desktop. This selection saves all adjustments you've made to GEM

onto the operating system boot disk. Other preferences can be saved this way, too. By dropping down various menus, you can specify whether warning windows should appear when copying or deleting files; turn the keyboard click and error beeps on or off; adjust the keyboard's auto-repeat delay and repeat rate; set the mouse button's response speed for double-clicking; choose the desktop's foreground and background screen colors from the 512 available hues; set the realtime clock's time and date, which is automatically stamped on disk directories whenever you save a file; and configure the RS-232 and parallel ports for certain peripherals.

The 520ST doesn't have sprites or player/missile graphics, but animation is possible in any of its screen modes by a technique called bit-block transfer. Like sprite graphics, it allows you to move objects around the screen without erasing the background. The mouse pointer and the bumblebee icon that appears when the disk drive is busy are examples of bit-block animation. Unfortunately, these capabilities are not supported in Logo, the only language shipped with the 520ST at launch. The Logo is actually a translation of Digital Research's Logo for the IBM PC, and it has no commands for animation or sound. Reportedly, the BASIC being prepared for the 520ST is a translation of Digital Research's BASIC for the PC.

hen the 520ST made its first appearance at the Winter CES, it was hard to believe that anyone could design a system like the 520ST and throw together a prototype in only about six months—the time that had elapsed since ex-Commodore President Jack Tramiel had acquired Atari from its parent company, Warner Communications.

Forced to trim down from several thousand employees to several hundred, Atari accelerated development on the 520ST by taking advantage of some ready-made parts. The 520ST came along just in time for Digital Research's CP/M-68K and GEM. This is important in understanding the underlying structure of the 520ST, which has been nicknamed the "Jackintosh."

Although the Atari's desktop screens can easily be mistaken for the Macintosh's, the 520ST is actually quite different from the Mac. True, GEM has all the icons, windows, menus, and other Macintosh screen graphics. But GEM is really just a shell—a layer between the user and the real operating system, CP/M-68K. In fact, it's possible to leave GEM and enter this lower level. All the fancy graphics can be made to disappear and you see a screen prompt, A>. This prompt is familiar to users of CP/M and MS-DOS/PC-DOS (a descendant of CP/M). You can enter commands such as DIR to call a disk directory or TYPE to display a file. Like CP/M and PC-DOS, CP/M-68K allows programmers to perform various system functions by calling routines in the Basic Input/Output System, or BIOS. Digital Research even says that CP/M file structures are upwardly compatible with CP/M-68K.

GEM, too, is a module that has something in common with other systems. Digital Research sells a version of GEM for the IBM PC and compatibles, and publishes guidelines for writing application programs to work with GEM.

All this doesn't mean that the 520ST can run CP/M or PC-DOS programs, of course—the machine languages are completely incompatible. But it does mean that programs written in compiled languages such as C can be adapted for these various systems without complete rewriting. If software companies take advantage of this, it could significantly boost the amount of software available for the 520ST.

Another consequence of the 520ST's shell-like operating system structure is that the machine has not been designed around its user interface. The computer is functional without the mouse, and the keyboard includes such traditional features as cursor keys.

Combining ease of use with real power, speed, and the potential for future expansion, the Atari 520ST is an important addition to personal computing. It lends itself to users who prefer to buy their software off the shelf as well as to programmers—a versatile representative of the new generation.

# COMPUTE! Books Announces COMPUTE!'s COMP

#### with more than 70 neverbefore-published articles and programs for the Commodore VIC-20.

included in this giant collection are over 30 games, plus utilities, applications, tutorials, and much more, most of which will run on an unexpanded VIC. COMPUTEI'S VIC-20 Collection contains something for every VIC-20 user. Even if you use just a fraction of the programs inside, this book will prove extremely valuable. Typing in the programs is made easy with "The Automatic Proofreader," an error-checking program that tells you right away if you've made an error.

#### Edited, \$12.95, ISBN 0-87455-007-6

There's also a disk available which includes all the exciting, challenging programs from the book ready to run on your VIC-20. COMPUTEI'S VIC-20 Collection Disk saves you typing time and prevents many typing errors. It's fast, convenient, and inexpensive. You can order the Disk from COMPUTEI Books for only \$12.95.

All payments must be in U.S. funds drawn on a U.S. bank,

Please allow 4-6 weeks for delivery.

# COMPUTE!'s WIG-20

#### COLLECTION

A giant assortment of over 70 never-before-published articles and programs for the VIC-20. Action games, thinking games, utilities, graphics, sound, and tutorials.

A COMPUTE! Books Publication

75A0071

3120

Please send mecoples of COMPUTEI's \$12.95 each. "(Add \$2.00 per book in U.S. and surfa shipping charges.)		\$			
Please send mecoples of COMPUTE!'s \$12.95 each. *(Add \$2.00 per disk shipping charges.		\$			
	NC residents add 4.5% tax				
	*Shipping charges				
All orders must be prepaid.	Total payment enclosed	\$			
☐ Payment enclosed (check or money order)		<b>V</b>			
Charge Uvisa MasterCard American Express					
Account No.	Exp. Date/				
	(Required)				
Signature					
Name					
Address					
CityState					

Look for COMPUTE! books at your local book or computer retailer, or mail the order form to COMPUTE! Books, P.O. Box 5058, Greensboro, NC 27403. For fastest service, call toll free 800-334-0868.



# **IBM-Compatible**

Tom R. Halfhill, Editor

ommodore sprang a few surprises when it officially announced the Amiga in late July. For one thing, there's an option to make the Amiga compatible with most programs written for the IBM PC—an option that requires no additional hardware.

Commodore has revealed the missing link.

Its new Amiga personal computer already is reaping praise from industry analysts and journalists as the most innovative machine introduced in years (see "The Amiga: An In-Depth Review," COMPUTE!, September 1985). However, as with all new computers that break with existing technology, it could take a year or more before the Amiga accumulates an extensive software library.

But Commodore appears to have solved that problem with a single stroke. On July 23, when it formally unveiled the Amiga to a crowd of several hundred people at a gala media event in New York's Lincoln Center, Commodore announced that an option will make the Amiga software-compatible with the popular IBM PC and its huge base of commercial programs. Although this had been rumored for months, the method of achieving this compatibility was the real surprise—the Amiga will emulate the IBM PC entirely in software.

In other words, it won't be necessary to add an expansion board containing an 8088 and support chips to emulate the IBM PC. Instead, Amiga users will simply load an emulation program that replaces the Amiga's proprietary operating system with PC-DOS to make the Amiga act like an IBM. This was demonstrated in New York when an engineer loaded the PC emulator from a 3½-inch disk, then booted PC-DOS from a standard 51/4-inch IBM disk on an external drive (the 5¼-inch drive is optional). The Amiga's graphics-oriented operating system disappeared, and the screen displayed the usual PC-DOS startup message:

The IBM Personal Computer DOS Version 2.10 (C)Copyright IBM Corp 1981, 1982, 1983

After inserting another  $5\frac{1}{4}$ -inch disk and typing "lotus" at the DOS prompt, the engineer demonstrated a Lotus 1-2-3 spreadsheet. The Amiga screen even looked like an IBM monochrome screen.

he technical feat of emulating the IBM PC entirely in software is best appreciated by advanced programmers and engineers, but can be likened to playing a record on a tape deck. It seems almost impossible, and even some people who witnessed the demonstration have doubts that the Amiga can emulate the PC at a speed comparable to a real PC.


Nevertheless, Commodore's engineers maintain it has been done, and that the PC emulator will be available within a month after the Amiga's launch in September. No price for the emulator was announced, but Commodore says it chose the software method to keep costs down. The only hardware involved is the 51/4-inch drive, and one engineer told COMPUTE! that even that accessory might be unnecessary since some PC programs can be loaded from 3½-inch disks sold for the Data General One, a PC-compatible portable computer.

According to Commodore, the emulator isn't memory-hungry, either. It consumes about 40K of RAM, not counting video memory. Still, to run large PC programs such as Lotus 1-2-3, Commodore will probably advise users to expand the Amiga's standard 256K RAM to

512K (a \$200 option).

Another surprise revealed July 23 was the Amiga's memory configuration. Commodore originally planned to locate the Amiga's large operating system, called Intuition, in 192K of ROM. Then, to make it easier to fix bugs and release the computer on time, Commodore said the first Amigas would load Intuition from disk, consuming

# SUMMER GAMES II. EIGHT NEW WAYS TO GO FOR THE GOLD.





Sure Summer Games was great, but why stop there? Let Summer Games II take you even farther with eight new events including cycling, fencing, kayaking, triple jump, rowing, high jump, javelin and even equestrian. They can all be played by up to eight players and some, like cycling, rowing and fencing challenge you with realistic head-to-head competition.

First, you decide which of the 18 different countries you're going to represent. Then, in true Olympic fashion, you will need the proper strategy and mental toughness, not just speed and agility to excel in each

event. It's so realistic, there's even an opening and closing ceremony along with medal presentations after each event.

It's not too early to get ready for 1988. With the right diet, proper training and hours of practice you just might make it. In the meantime, put on your sweatsuit, grab that joystick and let Summer Games II give you eight new ways to Go For The Gold!



Strategy Games for the Action-Game Player



about half of the 256K user RAM. Now Commodore has a better solution: The standard Amiga will have 512K of RAM, but half will be dedicated to storing Intuition. Called the *Writeable Control Store*, this extra bank of 256K RAM is write-protected immediately after the operating system is loaded. Commodore says even a system reset won't interfere with it. In effect, the Writeable Control Store acts like

256K of ROM, except that Intuition must be loaded from disk again after the computer is powered off. As a result, the entire 256K of user RAM is available for programs.

The Writeable Control Store won't be counted as system RAM; the standard \$1,295 Amiga will still be advertised as a 256K computer, even though it really contains 512K. Later, when Commodore is certain that Intuition is fully opti-

mized (critical parts are being rewritten from compiled C into machine language), the Writeable Control Store will be eliminated and replaced with ROM. This will allow nearly instant startups, because Intuition won't have to be loaded from disk. Commodore hasn't yet said whether early Amiga owners will be able to upgrade to a ROM-based operating system later.

#### Amiga Software

Kathy Yakal, Feature Writer

Here is a list of software announced so far for the Amiga. Prices are included where available:

#### **Entertainment**

Archon: Unique chess game, using wizards and dragons instead of traditional pieces. Unusual game play is enhanced by 3-D effects. (Electronic Arts, 2755 Campus Drive, 5an Mateo, CA 94403.) Déjà Vu: A Nightmare Come True: A graphics/text adventure in the genre of a 1940s movie mystery. The Amiga's windowing ability lets the player see several parts of the story simultaneously. (\$54.95; Mindscape, Inc., 3444 Dundee Road, Northbrook, IL 60062.)

Dr. J & Larry Bird Go One-on-One: Realistic graphics and sound highlight simulated basketball action between the two athletes. (Electronic Arts.) Marble Madness: Translation of the arcade game. (Electronic Arts.)

Radar Raiders: A graphics- and sound-rich flight simulator that lets the player control a high-performance jet aircraft, both in test pilot and combat game modes. (Developed by 5ublogic Communications Corporation and marketed by Amiga.)
Return to Atlantis: 3-D undersea adventure. (Electronic Arts.)

5argon III: Chess game with nine levels of play and a library of 68,000 moves. (Hayden 5oftware Company, 600 5uffolk 5treet, Lowell, MA 01854.) Skyfox: Light combat simulation. (Electronic Arts.) Zork I: The Underground Empire; Zork II: The Wizard of Frobozz; Zork III: The Dungeon Masters; Enchanter; 5orcerer; 5uspect; The Witness; Cutthroats; Deadline; 5eastalker; Infidel; Planetfall; Suspended; 5tarcross; The Hitchhiker's Guide to the Galaxy. The well-known series of allext interactive fiction adventures. (\$39.95-\$49.95. Infocom, Inc., 125 Cambridge Park Drive, Cambridge, MA 02140.)

#### Languages And Utilities

ABasiC: A powerful BASIC interpreter designed to take full advantage of the Amiga's capabilities. (Developed by Metacomco, the British company that wrote AmigaDO5. Marketed by Amiga.)

Amiga Assembler/Linker: A Motorola-standard 68000 macroassembler with linker. (Developed by Metacomco and marketed by Amiga.)

Amiga Tutor: A step-by-step look at the Amiga's graphics capabilities and other major features. (Mindscape.)

Cambridge LI5P 68000: Programming language

designed for work in artificial intelligence. (Developed by Metacomco and marketed by Amiga.)

Lattice C Compiler: Allows software developed for other PC operating systems to run on the Amiga. (Lattice, Inc., P.O. Box 3072, Glen Ellyn, IL 60138.)

Lattice C Cross Compiler/IBM MS-DOS: Allows software developed for Amiga to run on IBM personal computers. (Lattice, Inc.)

Lattice C Cross Compiler/Unix: Allows software designed for the Amiga to run on Unix-type machines. (Lattice, Inc.)

Lattice C Cross Compiler/VAX: Allows software developed for the Amiga to run on VAX minicomputers. (Lattice, Inc.)

LMK: Software development tool similar to Unix-Make. (Lattice, Inc.)

L5E: Screen editor; allows user to enter commands in several languages. (Lattice, Inc.)

MCC Pascal 68000: Single-pass compiler for software systems and utilities development. (Developed by Metacomco and marketed by Amiga.)

TMN: Software development tool for text management utilities. (Lattice, Inc.)

TLC-LOGO for the Amiga: A high-level programming language incorporating a LISP dialect. (Developed by The LISP Company and marketed by Amiga.)

Turbo PA5CAL: High-speed compiler. (Borland International, 4585 5cotts Valley Drive, 5cotts Valley, CA 95066.)

#### **Business/Productivity**

CalCraft: A spreadsheet for the Amiga, featuring pull-down menus and flexible formatting options. (Developed by Synapse Software and marketed by Amiga.)

Deluxe Video Construction Set: Creates animated video with sound effects; accepts data from other Electronic Arts software. (Electronic Arts.)

Enable/Calc: Spreadsheet program with over 50 math functions and up to eight simultaneously active spreadsheet files in RAM. (The 5oftware Group/Amiga, Northway Ten Executive Park, Ballston Lake, NY 12019.)

Enable/File: Database manager capable of handling up to 256 fields per record. (The Software Group/Amiga.)

Enable/The Office Manager: Integrated business package, including word processor, database manager, telecommunications, and graphics modules. (The Software Group/Amiga.)

Enable/Write: Word processor. (The 5oftware Group/Amiga.)

Graphicraft: Graphics/paint package using 32 medium-resolution colors. (Developed by Island Graphics Corporation and marketed by Amiga.)

Harmony: Creates musical accompaniment, either through Amiga's internal sound or MIDI (Musical Instrument Digital Interface) instruments. (Developed by Cherry Lane Technologies and marketed by Amiga.)

Moviecraft: Animation package; uses "tweening" technique to animate without reading from disk. (Developed by Island Graphics and marketed by Amica.)

Musicraft: Turns the Amiga into a four-voice synthesizer and sequencer; teaches music composition. (Developed by Everywhere, Inc. and marketed by Amiga.)

Presentationcraft: Business graphics package for creating 3-D objects, exploded and expanded bar and pie graphs. (Developed by Island Graphics Corporation and marketed by Amiga.)

RAG5 to RICHES Ledger: Double-entry general ledger software for small businesses. (Developed by Chang Laboratories and marketed by Amiga.)

RAG5 to RICHE5 Payables: Accounts payable software for small businesses. (Developed by Chang Laboratories and marketed by Amiga.)

RAGS to RICHE5 Receivables: Accounts receivable software for small businesses. (Developed by Chang Laboratories and marketed by Amiga.)

RAGS to RICHES Sales: A sales register program for point-of-sale income accounting; makes the Amiga function as a cash register. (Developed by Chang Laboratories and marketed by Amiga.)

Scorewriter: Enables user to score and print music. (Developed by Cherry Lane Technologies and marketed by Amiga.)

The Print 5hop: Specialized graphics software, allowing user to design and print personalized greeting cards, invitations, letterheads, stationery, signs, and banners. (Brøderbund 5oftware, Inc., 17 Paul Drive, 5an Rafael, CA 94903.)

Telecraft: Telecommunications software for Amiga. (Developed by 5oftware 66.)

Textcraft: A word-processing program incorporating online tutorials and screen help for ease of use. (Developed by Arktronics and marketed by Amiga.)

#### Education

The Halley Project: A realtime simulation of the solar system. Teaches about concepts like gravity, orbital motion, and navigation by the stars as players "travel" around the universe. (\$49.95; Mindscape.)

Keyboard Cadet: Teaches touch typing. (\$39.95; Mindscape.)

5even Cities of Gold: An adventure game that helps teach geography and cartography; players are sixteenth-century conquistadors exploring the new world. (Electronic Arts.)

#### **Peripherals**

Penmouse Input Device: A cordless light pen with built-in power supply that functions as both a mouse and graphics tablet. (Kurta Corporation, 4610 S. 35th 5treet, Phoenix, AZ 85040.)


T-Card: Multifunction expansion card with up to one megabyte of memory; includes serial port, parallel printer port, and hard disk interface. (Tecmar, 6225 Cochran Road, 5olon, OH 44139.)

T-Disk: 20-megabyte 3½-inch hard disk drive. (Tecmar.)

**T-Tape:** 20-megabyte tape backup for hard disk; can be linked to Amiga through floppy interface port. (*Tecmar.*)

**T-Modem**: Hayes-compatible modem, switchable 300, 1200, and 2400 bits per second. (*Tecmar.*)

TIRED OF WAITING FOREVER FOR YOUR PROGRAMS TO LOAD?



#### INTRODUCING THE FAST LOAD CARTRIDGE FROM EPYX.

You're tired of waiting forever for your Commodore 64 programs to load. But it's no use glaring at your disk drive. Calling it names won't help, either. It was born slow—a lumbering hippo. You need the FAST LOAD CARTRIDGE from EPYX. FAST LOAD transforms your Commodore 64 disk drive from a lumbering hippo into a leaping gazelle. With FAST LOAD, programs that once took minutes to load are booted up in a matter of seconds.

FAST LOAD can load, save and copy your disks five times faster than normal. It plugs into the cartridge port

of your Commodore 64 and goes to work automatically, loading your disks with ease. And that's only the beginning. You can copy a single file, copy the whole disk, send disk commands, and even list directories without erasing programs stored in memory.

And unlike other products, the FAST LOAD CARTRIDGE works with most programs, even copy protected ones, including the most popular computer games.

The FAST LOAD CARTRIDGE from Epyx. Easy to insert, easy to use and five times faster. So why waste time waiting for your disks to load?

Speed them up with FAST LOAD!





# The NEW Games

Selby Bateman, Features Editor Kathy Yakal, Feature Writer

A game with no instructions. A program that seems to think for itself. Aircraft simulations edging closer to the real thing. And an "alternate reality" that's expandable. All this—plus the Goonies—are among the new computer game releases you'll be seeing this fall and during the holiday season.

im Levy stepped back from the computer screen, a look of embarrassment crossing his face. As the president of Activision, Levy was *supposed* to be showing a roomful of reporters his company's newest computer game. But something had apparently gone wrong, and now he apologized and explained that he was trying to get online with a computer at company headquarters to demonstrate the program.


"Logon please..." appeared on the screen. After a few unsuccessful tries, suddenly Levy's computer was online—not with Activision, but with some unknown computer system. But whose?

"That, ladies and gentlemen, is the game," said Levy, flashing a sly smile at the crowd.

It's called *Hacker*, and it's a game with no instructions, no rules, no clues—just your simulated online connection with a mysterious

computer system. Whose system have you stumbled into? What's going on? What does it take to win? What pitfalls make you lose? As the computer hacker, you must discover all these answers on your own as you play this intriguing adventure game, which will be available initially for the Commodore 64 and 128 (Apple and Atari soon after; price to be announced).

In addition to the engaging approach Activision has taken with *Hacker*, a number of companies are showing that there are plenty of fresh ideas for computer games. And these games reveal that experienced programmers are getting far more from today's computers than ever before. Several of the newest entries are sequels which equal or surpass the original hits. Here are some highlights:



A view through the periscope in Silent Service.

AcroJet, Gunship, and Silent Service (MicroProse Software)— Fans of MicroProse Software's earlier hits, Solo Flight and F-15 Strike Eagle, can look forward to more excitement from this trio of new simulations. Acrolet is an advanced flight simulator which starts where the earlier Solo Flight left off, allowing you to pilot a BD5-J jet. Gunship is a simulation of the AH-64 Apache attack helicopter, complete with electronic multiple weapons systems and realistic helicopter maneuverability. Silent Service is a World War II submarine combat simulation which lets you slowly increase the level of complexity as your skills develop. The emphasis in all three packages is on realistic simulations coupled with intriguing game scenarios. (AcroJet—Apple II, Atari, Commodore, IBM; Gunship-Apple II, Commodore, IBM; Silent Service-Apple II, Commodore; \$34.95 each.)

Alternate Reality (Datasoft, Inc.)—This is the first game in a projected series of eight fantasy role-playing programs being released by Datasoft. Called The City, the original episode of Alternate Reality finds your character abducted by aliens to another time and place. As you move around the strange city, you learn basic survival skills. But this is an adventure game with a difference. Traits like patience, compassion, and honesty are valued every bit as much as the usual strength and proficiency with weapons. Day turns to night as you learn how to earn money, obtain food, avoid dangers, and explore the city. Later programs will tie in with this first game, letting you gain access to parts of the city which are not open to you in the original program. Following The City, Datasoft plans to produce The Dungeon, The Arena, The Palace, The Wilderness, Revelation, and Destiny. (Atari and Commodore versions, \$39.95; Apple II family, \$49.95.)

Beach-Head II (Access Software)— Two earlier fast-action games from Access, Beach-Head and Raid Over Moscow, have been among the most popular computer programs on the market. Beach-Head II may well join them. The theme is unabashedly arcade-style battle, with soldiers charging a machine gun bunker, rescuing prisoners, flying a helicopter through antiaircraft fire, and throwing knives in a one-onone finale. Superb color graphics and eerily authentic speech synthesis add realism to the game's constant action. There are two options of game play: two players or one player versus the computer. (Commodore 64/128, Atari, Apple II, IBM PC/PCjr, \$39.95.)

APBA Major League Players Baseball (Random House)—It's your strategic skills, not athletic abilities, which count in APBA Major League Players Baseball. Adapted from the popular board game invented 30 years ago, it's a simulation that lets you make the decisions of a major league manager, putting a baseball team together and then pitting it against other teams. The 1985 Master Edition contains actual records and ratings for 676 players from the 1984 professional baseball season. Updated records will be available



Get the jump on the weatherman by accurately forecasting the local weather yourself!



A scientifically proven way to develop an awesome memory.



You are trapped in a fivestory, 125-room structure made entirely of ice. Find the exit before you freeze!



Take control of your personal finances in less than one hour a month.



The beautiful princess is held captive by deadly dragons. Only a knight in shining armor can save her now!



Cut your energy costs by monitoring your phone, electric and gas bills.



Computerize car maintenance to improve auto performance, economy and resale value.



Create multi-colored bar graphs with a surprisingly small amount of memory.



A time-saving organizer for coupons, receipts and more.



School-age and pre-school children are rewarded for right answers, corrected on their wrong ones.



A real brainflexer. Deflect random balls into targets on a constantly changing playfield.



A fun way to dramatically increase typing speed and accuracy.

# Get up to 30 new programs and games for less than 15 cents each—every month in COMPUTE!

Every month, COMPUTE! readers enjoy up to 30 brand-new, ready-to-run computer programs, even arcade-quality games.

And when you subscribe to COMPUTE!, you'll get them all for less than 15 cents each!

You'll find programs to help you conserve time, energy and money. Programs like Cash Flow Manager, Retirement Planner, Coupon Filer, Dynamic Bookkeeping.

You'll enjoy games like Air Defense, Boggler, Slalom, and High Speed Mazer.

Your children will find learning fast and fun with First Math, Guess That Animal, and Mystery Spell.

Looking for a challenge? You can write your own games. Customize BASIC programs. Even make beautiful computer music and pictures.

It's all in COMPUTE!. All ready to type in and run on your Atari, Apple, Commodore, PET/CBM, TI-99/4A, Radio Shack Color Computer, IBM PC or IBM PCjr.

What's more, you get information-packed articles, product reviews, ideas and advice that add power and excitement to all your home computing.

And when it's time to shop for peripherals or hardware, check COMPUTE! first. Our product evaluations can save you money and costly mistakes. We'll even help you decide what to buy: Dot-matrix or daisy-wheel printer? Tape storage or disk drive? What about modems? Memory expansion kits? What's new in joysticks, paddles and track balls?

Order now! Mail the postpaid card attached to this ad and start receiving every issue of COMPUTE!.



every year. You deal with everything a real manager would—should a batter bunt, should your pitcher throw an intentional walk, does the infield move in for the next batter? You even face injuries, ejections, and rainouts. Create your own leagues, divisions, teams, and farm clubs. Statistics for up to 100 teams can be stored on a disk. (IBM PC/PCjr/XT/AT with color/graphics or monochrome adapter, \$89.95.)



King Graham meets King Neptune in King's Quest II: Romancing the Throne.


King's Quest II: Romancing the Throne (Sierra)—The three-dimensional, double high-resolution graphics in the original King's Quest are back in this second all-graphics adventure featuring Sir Graham (now King Graham). King Graham's quest is a colorful, smoothly scrolling adventure which can be played by youngsters as well as adults. Sierra has again paid attention to all the details, making this a worthy successor to the original. (IBM PC and PC compatibles, \$49.95.)

The Fourth Protocol (Bantam Electronic Publishing)—Frederick Forsyth's bestselling novel has been turned into a graphics and text adventure which is being released simultaneously with the paperback version of the book. You play the part of a British intelligence agent racing to uncover a plot to smuggle and detonate a nuclear device in England. The game employs easyto-use Macintosh-style icons and windows to help you get around. And there are plenty of plot twists, even for those who may have read the book. (Commodore 64, \$34.95; Apple version soon.)

The Goonies (Datasoft, Inc.)—A colorful series of eight mazes, filled

with a collection of Rube Goldbergstyle devices to trip you up, comprises this action-strategy game based on Steven Spielberg's movie. Coordinating your multiple characters and learning the intricacies of the mazes make this a demanding and absorbing game. You won't find the treasure easily, but you can have fun trying. (Apple II family, \$39.95; Atari and Commodore, \$29.95.)

Jet (SubLogic)—The company that brought out the very popular Flight Simulator II has gone one better with its newest release, Jet, for IBM computers. This newest game is a very realistic simulation of two supersonic jet fighters, a land-based F-16 Fighting Falcon and a carrier-based F-18 Hornet. There is a free-flight mode, or you can try your hand at a variety of land or sea attacks or dogfight options to test your skill. (IBM PC or PC-compatible with minimum 128K memory, \$49.95.)




Simultaneous play with split screens in Spy vs. Spy: The Island Caper.

Spy vs. Spy: The Island Caper (First Star Software)—First Star scored a big success with the original Spy vs. Spy game, and now the sequel is available. The same splitscreen Simulvision/Simulplay techniques used in the original are employed here, allowing two players to see what's happening with each onscreen character and to act independently. Both games are based on Mad Magazine's longrunning comic strip. In the latest edition, the spies are after a nuclear warhead on a tropical volcanic island. (Commodore 64/128, \$29.95; Apple II, \$34.95.)

Racter (Mindscape)—One of the most novel approaches to computer gaming this year may be Racter, a program with a mind of its own.


Racter (short for raconteur) exists to converse with you. Type in a question, and the program not only responds from its 2,800-word vocabulary and knowledge of English grammar, but may also launch into a lengthy tale from the past, present, or future. The sentences are sophisticated—perhaps a bit schizophrenic—and all in fun. Racter is already the "author" of its own book (the first ever written by a computer), The Policeman's Beard *Is Half Constructed* (Warner Books), a collection of short poems, dialogues, limericks, and stories. (IBM PC, Apple IIe and Ilc, Macintosh, \$44.95. The book is available separately.)



The bobsled run in Winter Games.

Winter Games (Epyx, Inc.)—Last year, Epyx brought out a popular computer re-creation of the Summer Olympics called Summer Games. The package reportedly sold more than 200,000 copies thanks to its smooth, colorful graphics and solid game play. Now the company has produced two sequels, Summer Games II, and most recently, Winter Games, in anticipation of the 1988 Winter Olympics. Ski jumping, speed and freestyle events, a ski biathlon, and even a bobsled run are part of this latest Olympic exercise. (Apple II, Commodore 64, Macintosh, from \$29-\$35.)

Wishbringer (Infocom, Inc.)—This introductory level all-text fantasy is another of Infocom's computerized text adventures. Wishbringer is suitable for the beginning adventurer, yet offers the experienced player plenty of challenges. The game can be played on two levels—with the help of magic (for beginners) and through logic and puzzle-solving without magic (for experienced players). (Apple II family, IBM PC/AT, Macintosh, others, \$39.95; Atari, Commodore, \$34.95.)



- The LATEST breakthrough in copy technology!
- Copies NEW custom G.C.R. code protection
- Accesses & copies NEW no-sync data blocks!
- Now includes NEW long data-block logic
- · Copies normal & PROTECTED data up to track 40
- 3 New IMPROVED copiers! Includes FAST Copier, VARI-SECTOR Copier, and AUTO-LOGIC NIbbler
- Actually copies a FULL disk in only 2.75 minutes!

- Includes one FREE Masterkey Module!
- Inexpensive MODULE releases keep you up-to-date
- MODULES available individually or by subscription
- · Works with DiskMaker TOOLKIT and FAT-TRACK Kit
- · Requires standard 1541 disk drive or SX-64
- · Special version available for INDUS GT drive!
- PRODUCT SUPPORT tel. # & future module updates
- You've tried the rest, now get the BEST!!

### THE FASTEST NIBBLE COPIER YOU CAN BUY!

**ONLY** 

\$49.95

for copier system

To order CALL 805-687-1541 ext. 94

Technical line 805-682-4000 ext. 55





Order by phone 24 hrs. 77 days or send cashier's check/money order payable to BASIX. Visa, MasterCard 8. American Express include eard # and exp. date. CA residents add 6% tax. Allow 2 weeks "for idearance of personal and co. checks. Add 53:50 shipping/handling for continental U.S., 55:50 for UPS air. COD's shipped to 48 states only, add \$4:00. AK. HI, APO, FFO, add \$7:50. CANADA add \$1:500 and remit certified U.S. funds only. No credit card orders from ourside. Noth America. Dealers & Distributors invited 8, supported.

### DISKMAKER...THE ONLY COPY SYSTEM YOU'LL EVER NEED!

basix



## **Expert Systems:**

## Shortcut To Artificial Intelligence?

Kathy Yakal, Feature Writer

f an "expert" is defined as someone who knows more than most people about a given subject, then you probably seek advice from several experts every week. If you or someone in your family is ill, you probably go to a physician. After asking several questions and running some tests, the doctor arrives at a diagnosis and recommends treatment. If your car keeps stalling at intersections, you probably take it to a mechanic, who checks the car and recommends a repair. If you find yourself owing too much federal income tax on April 15, a tax consultant can offer ways to help. And if you think you've been wronged by someone, a lawyer can usually decide if it's worthwhile to bring a lawsuit.

All of these people you consult—these experts—are trusted to have a sufficient database of knowledge in certain areas so that their advice is worth following (and

worth paying for).

You can also buy programs for your personal computer that have been designed to act as consultants in such areas as personal finance and health care. Are they replacements for real experts? Not according to their publishers, who stress that the programs are consultants only, and that you should almost always seek additional help from professionals.

But the day may not be too distant when a new type of computer program will replace experts—or at least, take over part of what experts do. These sophisticated programs, called expert systems, contain a database of knowledge that human experts can spend years

The term expert system is rapidly becoming a new catch-phrase, like user-friendly. Some people point to "smart" computers now being used for diagnosis and trouble-shooting in medicine and industry as proof that expert systems are possible and practical. Even some personal computer software publishers claim that their products possess artificial intelligence or expert system capabilities. But others maintain that few, if any, true expert systems really exist. Here's a look at what's happening.

acquiring. More significantly, the most advanced expert systems now under development also incorporate some of the rules of logic and analysis that experts combine with their storehouse of facts to solve real-life problems. Already, there are programs in everyday use that analyze geological data to find likely spots for new reservoirs of oil—a job which was formerly the exclusive domain of geologists and engineers.

Some people even believe that expert systems will become commonplace on the next generation of home computers, bringing the advice of family doctors and other professionals into the home at the touch of a key. But others warn that the premature application of expert systems could result in serious trouble, especially if they're based on an incomplete understanding of the decision-making process.

Though still in their infancy, expert systems are opening another chapter in the debate over artificial

intelligence.

everal years ago, Joseph Weizenbaum, professor of com-Uputer science at the Massachusetts Institute of Technology (MIT), wrote a computer program called *Eliza*. His intention was to show how a computer could act like a psychologist. Eliza would ask the user questions about how he or she was feeling, then pick up on key words or phrases in the answer to guide its "therapy."

Some people are now calling Eliza an early expert system.

"I hadn't even heard that phrase used when I wrote it," says

Weizenbaum today.

Part of the challenge of designing an expert system is deciding on the definition of what it's supposed to be and how it's supposed to work: Even the experts can't agree. For example, Weizenbaum thinks Eliza is being characterized as an early expert system because he consulted experts before writing it. Although Eliza may seem like it's really listening to you and responding, the program just follows a set of rules given it by Weizenbaum. If you say you're having a bad day, the program may ask you to talk about it. Then it may ask how certain events made you feel, or what you think you should do about it. Eliza is really more of an interactive diary than an expert.

Now the term expert system appears to be changing to apply to systems that perform expertly.

That's still too vague, says Weizenbaum. "If one were to characterize systems that perform expertly as expert systems, then huge libraries of scientific and business programs that have accumulated over the years—many of which are doing a perfectly expert job at whatever they do—would all be expert systems. So it's not a very precise term.

"Here is an example of something that nobody considers to be an expert system: Today, almost all landings of wide-bodied airplanes are done automatically by onboard computers. I often wonder what the world would be like if that particular work had been done at the AI (artificial intelligence) lab at MIT or Stanford. I don't think we'd ever hear the end of it. But as a matter of fact, it was done, one might say, anonymously. I have no idea who did it, and certainly it does a job that it takes a lot of years to train a human being to do, but it's not considered an expert system. That's odd."

et, defining an expert system isn't as simple as pointing to a computer which replaces the performance of a human. Computers have been doing that for years. For instance, though they may not be labeled by some academics as expert systems, process control computers perform functions previously carried out by people with extensive training. ''Today, for example, one can see a very large—I mean acres and acres—petroleum processing factory, and if you look very, very hard, you might find two people in these hundreds of acres," says Weizenbaum. "The whole thing is done under computer control.

"So there's this whole world of computerized process control which has been doing this for a long, long time, and it doesn't think of itself, or hasn't, as expert control."

Instead, true expert systems seem to be defined according to their evolution and architecture—such as a database of rules and inference mechanisms. Process control computers were developed by other means. "There are lots of process control applications that have been done very well that today might have been tackled differently in the light of expert systems," says Weizenbaum.

The point at which expert systems cross the border of artificial intelligence is hazier still. To some,

there is a definite difference; to others, a perfectly functioning expert system *implies* artificial intelligence.

Part of the problem is that AI researchers diverge over how to approach the development of expert systems and artificial intelligence. A long time ago, says Weizenbaum, those in the field recognized two fundamentally different ways of doing business.

The first is to look at AI basically as a branch of psychology; that is, to use a computer to understand the operations of the human mind by programming it do high-level tasks as we think a human mind might do them. The other approach is to program a computer to do very clever things that ordinarily would require human intelligence, but to perform the tasks in ways that might not be considered by (or even possible for) a human being.

hese two schools of thought are referred to as theory mode and performance mode. Weizenbaum gives an example of theory mode:

"Very early on, people got interested in the idea of computers playing chess. It was thought that if we could find out somehow what goes on in a chess player's mind and somehow program that into the computer, not only would we have a good chess-playing machine, but we'd also learn a lot about psychology, about human thought processes. People started trying to do that, but if nothing else, people got tempted to take shortcuts, to take advantage of some features that were built into the computer that no one thought were built into the human mind.

"So from the very beginning, the temptation couldn't be resisted, and people started designing chessplaying programs which took enormous advantage of all the peculiarities of computers but left behind any consideration of how the mind does it. And today we have powerful chess-playing computers, without the slightest claim that they teach us anything at all about human thinking.

"We've sort of drifted from theory into performance mode."

And due to a number of circumstances, including the military's

interest in and funding of performance mode AI research, says Weizenbaum, there's very little theory work going on today.

One place where theory work is being pursued is at the University of California at San Diego, in a research center called the Institute for Cognitive Science. Paul Smolensky, one of the researchers there, has been primarily involved in research on neurally inspired mathematical models of learning, memory processes, and problem solving. Using what are currently believed to be some very general characterizations of the brain, Smolensky's work is focused on one primary area: to understand people, and how to educate them and advance knowledge in scientific fields.

An outgrowth of this research is that it suggests various kinds of novel computers that could be built—such as connecting lots of processors together and letting them work in parallel the same way neurons work in the brain. Only a few prototypes of such machines exist today.

"There's the platonic idea of what an expert system is, and then there's a whole bunch of actual systems that people have developed that they use the label for," says Smolensky. "I'm not aware of any that are actually in practice except the one that everyone in computer science is aware of, and that's the DEC [Digital Equipment Corporation] expert system for designing installations of their VAX computer systems."

This expert system, called R1/XCON, was developed by Dr. John McDermott, principal scientist and associate head of the computer science department at Carnegie-Mellon University. It configures a VAX minicomputer system to the customer's specifications, saving DEC more than \$2.5 million annually in field costs. R1/XCON takes roughly a minute to execute the work it took its human predecessors an hour to complete.

McDermott and a number of other scientists, engineers, and programmers at Carnegie-Mellon have formed a corporation called the Carnegie Group to design and market AI-based systems for commercial applications. The Carnegie

## ONLINE IN U.S.A.



Be anything you want on American PEOPLE/LINK, where people from across the country get together every night.

They are people with interests in sports, movies, music, games, and just meeting other people . . . people like you. Whatever your interests or fantasies, you'll find someone to share them with on PEOPLE/LINK.

See for yourself why so many men and women are getting together and partying online with us. Not screen after screen of boring data . . . just lots of fun and friendly people.

And our low, low rates won't turn your online dreams into nightmarish monthly charges. To

discover our affordable videotex entertainment, call or write us today.

PEOPLE/LINK . . . the network that says "Thank You."



American PEOPLE/LINK
Arlington Ridge Office Center
3215 N. Frontage Road — Suite 1505
Arlington Heights, IL 60004

1-800-524-0100 (Toll Free) 1-312-870-5200 (Illinois)

Group is looking into many areas that could benefit from expert systems, including engineering design, project management, production management, and sensor-based machine diagnosis and control.

ne of the first steps in creating an expert system is to interview the experts the program is supposed to emulate. By asking a series of highly detailed questions, the designers try to figure out the decision-making process they'll attempt to reconstruct in the program. When this thinking process is coupled with a database of facts, the ideal expert system should have a similar capacity for analyzing information and arriving at the right decision.

A potential flaw has been cited in this approach, however: the difficulty of taking into account the role of human intuition, and even emotion, in decision-making.

This is a vital point for some critics of expert systems and artificial intelligence. For instance, if you ask someone what the movie *War Games* was about, they'll probably say something like, "Oh, this kid

broke into the national defense system with his home computer and almost started a nuclear war." But the defense system wasn't exposed to this vulnerability until after the government decided that human beings could not be trusted to enter the codes and push the buttons that would launch our nuclear weapons. So the weapons were placed under computer control, because computers would not falter for emotional reasons at the crucial moment.

"There's a tremendous amount of human judgment that has to go into a decision about whether to give a computer a certain role in a decision-making system," says Smolensky.

Computers may be able to take over jobs previously done by human beings, but that does not make them intelligent, let alone experts, he says. "Expertise derives in a very significant way from intuition and intuitive processes. Experts do not have any access to that when they introspect about how they do what they do, and no amount of asking an expert questions is going to get at the information and the knowledge that allows the expert to do

what he or she does. And if we're going to understand expertise, we have to understand intuition."

Smolensky warns of the dangers of employing too much technology too fast, especially in areas that have a direct effect on human life. He points out that even when a relatively simple computer system is first installed in a business, there are inevitable last-minute bugs and problems that must be solved before it functions smoothly. "And it's only because these systems can make a lot of bad mistakes and people can go in and fix them afterward—basically putting Band-Aids on top of Band-Aids on top of Band-Aids-that we don't have a lot of permanent disaster stories.

"If you look at the problem of making decisions intelligently as something that we can only understand when we understand intuition, and if you realize that intuition is something that we're not going to understand for a long time, then you realize that we shouldn't be giving computers the power to make decisions that are important."




and remit certified U.S. funds only. No credit card orders from outside North American

\*For a limited time, you can

SAME BUILT

on any of these Super bundles

### Bundle #1 - Language Software



Super C - Complete K&R C compiler and development system. With editor, compiler, linker, I/O library and extensive handbook. Creates 6510 machine code. Regularly \$79.95

Super Pascal - Complete J&W Pascal development system. Editor, compiler, assembler, toolkit and handbook, graphics, fast DOS (3X faster than 1541). Regularly \$59.95

Basic Compiler - Full compiler turns BASIC into lightning fast 6510 machine code or compact speedcode. Overlays, variable passing integer arithmetic, more. Regularly \$39.95

For a limited time, all 3 for only \$95

### Bundle #2 - Productivity Software



PowerPlan - Wonderfully complete spreadsheet. Draws 2D and 3D graphs from your worksheet data. Comprehensive handbook and built-in help screens. Regularly \$49.95

Xper - The first expert system available for Commodore. Ordinary data bases can play back facts, but a knowledge base can help you make decisions. Regularly \$59.95

Cadpak Revised - Complete graphics design and drawing package. Use w/ or w/o lightpen. Create very detailed designs with dimensioning, scaling, text, more. Regularly \$39.95

For a limited time, all 3 for only \$95

### **Bundle #3 - Reference Books**

Anatomy of C-64 - longtime bestseller \$19.95
Anatomy of 1541 - Revised 2nd edition \$19.95
Printer Book - very complete information \$19.95

For a limited time, all 3 for only \$35

### Bundle #5 Machine Lang. Books

Machine Language - learn fundamentals \$14.95
Advanced Mach. Lang. - in depth
Compiler Design - write your own \$19.95

For a limited time, all 3 for only \$30

Call **now**, for the name of your nearest participating dealer. To order by credit card call **616/241-5510**. Add \$4.00 for postage and handling per bundle in U.S. Foreign orders add \$12.00 per bundle. Other software and books are also available. Call or write for **free** catalog. Expires October 31st. Sorry, but substitutions are not permitted on these specially priced bundles.

### **Bundle #4 - Application Books**

Graphics Book - best reference available \$19.95 Science & Engineering - excellent intro \$19.95 Computer Aided Design - and programs\$19.95

For a limited time, all 3 for only \$35

### Bundle #6 - Helpful Books

**Tricks & Tips -** more than 70,000+ sold \$19.95 **Peeks & Pokes**- programming quickies \$14.95 **Ideas to Use on your C-64** - new ideas \$12.95


For a limited time, all 3 for only \$30

Dealer Inquiries Welcome

## Abacus Software

P.O. Box 7211 Grand Rapids, MI 49510 616/241-5510

Other software also available!
Call now for free catalog and the name of your nearest dealer. Phone: 616/241-5510.



Brian Flynn

This game of skill and foresight is ideal for a bleak, stormy October night. Originally programmed for the IBM PC with color/graphics adapter and PCjr, versions have been added for the Commodore 64, expanded VIC-20, Atari 400/800, XL, and XE, TI-99/4A, and Apple II-series computers. The Commodore 64 and Atari versions require a joystick.


When autumn winds send a shiver down your spine and the witching hour draws near, there's no better entertainment than a good computer game. "The Witching Hour" is an absorbing contest of strategy based on Alquerque, a board game played in ancient Egypt and still popular in Spain today. Type in and save The Witching Hour, referring to the listing for your computer. Since every version is similar, read the general game rules below, then check the specific notes for your computer before running

the program.

The Witching Hour pits broomstick-straddling witches against ethereal ghosts and is played on a board of 25 squares with 12 pieces to a side. After choosing sides, you attempt to take your opponent's players by jumping over them. You can move vertically, horizontally, or diagonally. However, certain diagonal moves are illegal (the lines between squares show where you can go) and only one square is vacant when the game begins.

Jumping an opposing player's

# FOR ONLY \$29.00 MMODORE FOR ONLY \$29.00




## COMPUTEI's First Book of Commodore 64 Games

Edited, \$12.95, ISBN 0-942386-34-5 Packed with games for the 64 plus ideas and techniques for writing your own games. For a limited time only, you can order all three of these fantastic game-filled books for your Commodore 64 for only \$29.00.

THREE BOOKS OF GAMES

Commodore 64 Games for Kids

Clark and Kathy H. Kldd, \$12.95, ISBN 0-942386-37-X Games that teach as they entertain. For klds from preschool to high school.



You get 65 fully tested, ready-toenter educational and recreational games for the whole family to enjoy—and you save 25 percent off the regular retail price!

To order your COMPUTEI Books, mall this form with your payment to COMPUTEI Books, P.O. 80x 5058, Greensboro, NC 27403. For fastest service, call toll free 800-334-0868 (In NC 919-275-9809).

Nome \_

Address

Please allow 4-6 weeks for delivery

## COMPUTE!'s Second Book of Commodore 64 Games

Edited, \$12.95, ISBN 0-942386-64-7 Outstanding games plus articles showing how to design videogames and write text adventures.

75A1161

COMPUTEI'S SECOND BOOK OF
COMMODORE
64
GAMES
Free East Court processor Clare 15500
Sixteen games, from realistic simulations to challenging machine longuage arcade games, for the Commodore 64. Explore oceans, swal sharks, or run for president in the best gomes from COMPUTE! Publications.
A COMPUTEI Books Publication \$12.95

Please send me the fallowing boaks. I've include each book. (\$5.00 per book for oirmoil outside t		charges far
COMPUTEI's First Book af Cammodare 64 G COMPUTEI's Second Book of Commodore 6 Cammodore 64 Games far Kids (37-X) \$12 SPECIAL SAVINGS—All three books far \$29 ALL ORDERS MUST BE	54 Games (64-7) \$12.95 each 2.95 each	
PREPAID IN U.S. FUNDS	Shipping charges (\$2.00 per boak)	
□ Payment enclosed (check or money arder) □ Chorge □ MasterCard □ Visa □ Americon	Tatal pald Express	
Account No	Exp. Date(Required)	

\_State \_

Order all three books today. This offer expires November 10, 1985.

COMPUTEI Books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England.

COMPUTE! Publications, Inc. ab





### INTERFACES

Telesys Turboprint GT Prints Enhanced Graphics, 4 Different Type Faces & Reverse Characters

Cardo G+		Call
Microworld	 	Call
PPI	 	4495



### DISKETTES

Nashua	
Scotch	13 <sup>95</sup>
Maxell	1395
Memorex	1195
*After \$3 Mfr's Rehate	



**DISC DRIVE** \$24995

Emerson • ADC • Sherwood • Magnavox and Many More Tiple Beam Pick-up

Analog Filtering

16 Track Programmability

Front-Loading Disc Tray PRICED FROM

NEW FROM **(**\* commodore

ENHANCER 2000 DISC DRIVE

Faster than Commodore 1541 Half-Height Drive rnal Power Supply or treating to the company to the commodore Compatible for the commodore Compatible for the compatible for t

Ccommodore THE NAME YOU CAN TRUST

> ( commodore Letter 1101 **Quality Printer**

27495

**(**£commodore 1702 Monitor

7495

(commodore

\$**144**95

( commodore 1541 Disc Drive

**|69**95





CCA EXCLUSIVE

MSD SUPER DISC II

Single **179**95 Drive .



### SOFTWARE SPECIALS

	Sar offers	
BMC	MONITORS	

.....28995 Pan 1300 RGB & Comp Sharp Green Sharp Amber

EDYX 288 JUMP MAN

Penguin Software	
Duest	. 19.99
Fransylvania	19.99
Sword of Kadash.	 19.99
Kyphus	 19.99
Graphics Magician Picture	
Painter	 21.99

Professional Software Fleet System 2—Word Processor with built-in 70,000 word spell 59.95 check

Ерух	
Barbie	19.99
Hot Wheels	19.99
Baseball .	19.99
Pitstop	24.99
Pitstop II	24.99
9 to 5 Typing	_ 24.99
Moreta	24.99

Dr. Seuss Fix up The Mix-up Big Bird's Fun House
The Sea Voyager
Weather Tamers
Movie Musical Madness Movie Musical Madn Success w/Decimals (Add/Subt) D-T Success w/Decimals (Mult/Div) D-T Success w/Fractions (Add/Subt) D-T Success w/Fractions (Mult/Div) D-T Duck's Ahoy
Ernie's Magic Shapes
Mastering The SAT
Murder by the Dozen
Peanut Butter Panic

	Neutral Zone-D/T	20.9
	Spritemaster-D/T	20.95
	Beachhead-D/T	20.95
19.99	Master Composer-D	23.9
	master composer =	
.19.99	Commodore	
19.99	Assembler-D	17.99
24.99	Easy Finance I, II, III, IV-D	19.9
12.99	Easy Calc-D	64.9
9.99	Easy Script-D	39.9
	Easy Spell-D	19.9
14.99		. 49.9
	Logo-D	
14.99	Caparal Ladger D	37.9
	General Ledger-D.	
14.99	Accts. RecD	37.9
	Accts. Pay-D	. 37.9
14.99		52.9
23.99	Zork I, II or III-D	
23.99		29.9
104.99	Starcross-D	29.9
23.99	Silent Butler	24.9
24.99	Deadline-D	29.9
24.00	Sky Travel	27.0

631-1003 IN NEW YORK STATE CALL TOLL FREE OR 1-800-221-2760 or 516-349-1020 548-0009

OR WRITE: COMPUTER CENTERS OF AMERICA, 81 TERMINAL DRIVE, PLAINVIEW, NY 11803

### WE HAVE A FULL LINE OF COMPACT DISC PLAYERS





Fast Load

 Breakdance Jet Combat Simulator

•G.I. Joe

 Summer Games YOUR CHOICE



Simons Basic Commodore Programmers'

Reference Guide

Ghostbusters

• Pitfall ·Pitfall II Space Shuttle



**PRINTERS** 

Gemini SG10 ... 20995 Gemini SG15 35995 Gemini SG10C w/Built-in Call Commodore Interface Gemini SR 10/15 NEW! Call Gemini SB10 NEW! Call Silver Reed 400 24995 Panasonic 1091 . Call HUSH 80C0 Smaller, Quieter





WICO **JOYSTICKS** 

\$1288 THE BOSS The Bat . . 3-Way ...



MODEMS Mighty Mo 6495 Cumm 1660 7995

1988

Call

CALL FOR

OUR PRICES



Includes Computer, Interface and Disk
Includes Computer, Retrieve and Mix Your Programs
Create, Edit, Save, Retrieve and Educational Tool
Robot\* Link is Also a Powerful Educational Tool
Sept. Tomy. Omnibot. FOR Tomy Omnibot, Omnibot 2000 and Verbot All on the

Same Disk

### **WE NOW HAVE A LARGE** ECTION OF COMPACT DISCS

NEW **BILLY JOEL'S GREATEST HITS** Johnny Mathis - Right trom the Heart ..... CK 39601 Billy Joel - An Innocent Man . CK 38837 Julio Iglesias · 1100 Bel Air 

### Warner/Elektra Atlantic

Phil Collins - Hello I Must Be Going 80035
John Fogerry Centerfield 25203 Eagles - Greatest Hits Carly Simon · The Best of . . . . . . 109 Prince & The Revolution -

Joe Williams - Nothin' But Mayis Rivers - It's A Good Day .... 4002 Maria Callas · Cherubini -Medea . . . . Jerry Lee Lewis, Little Richard, Bill Haley - Kings ot Rock 

### TELARC

Tchalkovsky, Cinunutti Orch. - 1B12 Overture . . . . . CD80041 Stravinsky, Atlanta Symph. - The Firebird . . . . . CD80039 Beethoven, The Cleveland Orch., Symph. #3 "Eroica" . . . CD80090 DENON

J.S. Bach - Trio in D Minor . . . . . C37-7093 Hancy Wilson Fill Be a Song ... C38-7061 Art Farmer with The Great Jazz Trio - Ambrosia ....... C38-7091

### WE'RE PROUD OF OUR PRICES -

Madanna - Madanna

Check, Money Order, MC or VISA accepted / No additional charge for MastetCard and Visa / Call for shipping and handling intermation / NYS residents add applicable sales tax / Prices and availability are subject to change without notice / All belowly fresh merchandles with manufacturer's warranty. Dealers Welgerme. Call for recent price reductions and new rebate information. Plus shipping and handling. No returns without return authorization number.



piece removes that piece from the board. If no capture is possible, you may move any piece to an adjacent empty square. You may not pass up a capture—if it's possible to jump an opponent, you must always do so—and if the first capture puts you in position to make another, you must jump again (except in the Apple version). The computer won't let you make illegal moves.

Play ends when all the pieces from one side have been removed from the board. You can play against a friend or measure your skills against the computer (the IBM and TI versions also let you watch the computer play itself). Like other contests of strategy, The Witching Hour is simple to learn, but a challenge to master, and can be played at many different levels. Hint: It's sometimes smart to sacrifice a player to draw the opponent into a dangerous position.

### IBM PC/PCjr Version

Each game square on the screen is marked with one of the letters of the alphabet. To move a piece, first type the letter for the square of the piece you want to move. Then type the letter of the square where you want to go. For instance, to move a witch from square L to square M, type L when the computer prompts you with FROM and type M when it prompts you with TO. If you press Enter without typing a letter, the computer takes that turn. Thus, to play alone against the computer, just press Enter every other turn. Press Enter on every turn to watch the computer play against itself.

### Commodore 64 And **VIC-20**

Both Commodore versions of The Witching Hour offer a one- or twoplayer option when the game begins. The 64 version is played with a joystick. Plug the joystick into port 1 if you are playing alone (of course, two joysticks are needed for the two-player version). The colored box indicates which square you are on. Use the joystick to position the box on the piece you wish to move, then press the fire button: The box will change color. Now move the box to the square where you want the piece to go, and press the button again. If the move is legal, the piece appears in the new square (if not, you get to try again).

The VIC-20 game requires at least 8K memory expansion and uses keyboard controls exactly like the IBM version. Each square is marked with a letter. When the computer prompts you with FROM and TO, make your move by entering the appropriate letters. Before loading the VIC version, you must enter the following two lines in direct mode (don't add a line number, and hit RETURN after each line):

POKE 43,1:POKE 44,32:POKE 8192,0:NEW POKE 36869,240:POKE 36866,150:POKE 648,30:PRINT"{CLR}"

### **Atari Version**

The Atari game requires a joystick (a pair for the two-player game) and is played like the Commodore 64 version. The joystick controls a colored box. Move the box over the piece you want to move, then press the fire button. After the box changes color, move it to the square where you want to put the piece, then press the button again. Player/ missile graphics are used to form the witch and ghost figures, and a short machine language routine moves them quickly around the screen.

### **Apple Version**

The Witching Hour runs on any Apple II-series computer with DOS 3.3 or ProDOS. When the program starts, you must choose between a one- or two-player game. Then the game board is drawn and play begins. The flashing box shows which square you are on, and is moved with keyboard controls. Press the I key to go up, J to go left, K for down, and L for right. Press RE-TURN when the box is on the piece you want to move, then move the box to the desired square and press RETURN again.

### TI-99/4A Version

This program runs on any TI-99/4A computer with either console BASIC or TI Extended BASIC. Every game square is labeled with a letter, and the pieces are moved on the board with keyboard controls. The first letter you enter (when the computer prompts FROM:) designates the piece you wish to move. The second letter (entered when the computer prints TO:) designates the square you will move to. The computer signals with a beep when you try an illegal move. The game may be played by one or two players, or the computer can play both sides. Whenever you press ENTER without typing a letter, the computer takes that move.



"The Witching Hour" for IBM PC/PCjr forms ghost and witch shapes with PUT statements.

### Program 1: The Witching Hour, PC/PCjr Version

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTEI.

- NK 10 GOSUB 530:GOTO 280
- 06 2Ø H=Ø:K=Ø:FOR A=7 TO 35:GOSU B 60: NEXT
- 6F 3Ø GOSUB 17Ø: IF HK1 THEN 25Ø
- €E 4Ø H=Ø:K=Ø:A=T:GOSUB 6Ø:IF H< 1 THEN 25Ø
- HI 5Ø GOTO 3Ø
- DK 60 IF B(A) =0 OR B(A) =- S OR B( A)=2 THEN RETURN
- 8P 7Ø FOR B=Ø TO D(A-7):C=A+M(B) : IF B(C)=S OR B(C)=2 THEN
- OC 80 IF B(C) THEN 120
- ND 90 SC=RND(1) \*.9: IF H<SC THEN H=SC:F=A:T=C
- AE 100 IF CK=1 AND T1=C THEN L=1 :B=7
- EA 11Ø GOTO 16Ø
- NN 12Ø IF B(C+M(B)) THEN 16Ø
- JN 13Ø SC=1+RND(1) \*.9: IF H<SC TH EN H=SC:F=A:T=C+M(B):K=C
- MK 140 IF CK=0 THEN 160 6P 150 IF T1=C+M(B) THEN L=1:K1= C: B=7
- 6N 16Ø NEXT:RETURN
- MD 17Ø B(T)=B(F):B(F)=Ø:A=F:GOSU B 760
- IF 18Ø IF K THEN B(K)=Ø:A=K:GOSU B 76Ø
- DD 19Ø A=T:GOTO 76Ø
- HB 200 GOSUB 520: IF S=1 THEN PRI NT"The witches win!":60TO
- BA 210 PRINT"The ghosts win!"
- F 22Ø LOCATE 23,10:PRINT"Hit a key to play again"
- 0E 230 K\$=INKEY\$:IF K\$="" THEN 2 30
- 6E 24Ø RUN
- NI 25Ø S=-S:H=Ø:A=7
- LP 260 IF A=36 THEN 200
- ML 27Ø GOSUB 6Ø: IF H=Ø THEN A=A+ 1:GOTO 26Ø



## **GREAT COFFEE!!**

The 1541 is the slowest disk drive on planet earth. Even simple operations seem to take forever. Quickloaders and Fastloaders that software-patch the operating system are vulnerable to being knocked out of memory, rendering them totally useless. Even Flashier products that require permanent modifications to the 64 and 1541 can't compete with the blinding speed of STARDOS.

STARDOS accelerates every (yes, we said every) function of the 1541 disk drive. Other fast loaders only load PRG files faster. STARDOS also speeds up SEQ, REL, USR and DIRECT ACCESS files. Everything including FORMAT, VERIFY, SCRATCH, VALIDATE, INITIALIZE and COPY are much faster. In addition STARDOS adds a vast array of easy to use commands all at the touch of a key.

### A sampling of STARDOS features:

- Accesses ALL types of files up to 1,000% faster!
- Saves up to 300% faster than normal (with extended verify)
- DOES NOT CHANGE THE SPEED AT WHICH THE **DRIVE MOTOR SPINS**
- Makes your 1541 MORE RELIABLE and LESS PRONE TO BREAK DOWN or OVERHEAT!
- STARDOS is fully expandable for multiple fast disk drives
- Easy (5 minute) plug in installation. User friendly manual
- 100% compatible with software and serial bus peripherals
- Adds years of life to your disks and drive in reduced wear
- Cures a number of bugs in the Commodore 64 and 1541 disk drive including:
  - The damaging 'Head Knock' that can mis-align your 1541
  - The@: Save with replace bug!!
  - The Editor lock-up bug

- Harness the full power of your disk drive with the built in DOS wedge
- Lock/unlock files and protect/unprotect disks from the keyboard
- Powerful sector editor allows direct viewing of diskette
- Upgrades computer and drive to the latest Commodore specifications
- Instant access to the built in mini-wordprocessor for short notes and memos
- Built in copier copies all file types (even relative) easily and effectively
- Built in disk duplicator copies an entire diskettte in less than 3 minutes
- Fully expanded machine language monitor, always on line
- Quality hardware. Full 120 day repair or replace warranty
- Satisfaction guaranteed or money back—no questions
- (Oh, by the way, we lied, STARDOS makes LOUSY

Simply the best. \$74.95

Take advantage of our introduction special at \$64.95]

Personalize your C64! for a \$10 (non-refundable) charge we will include a 21 character power-on message with your favorite screen, border and text colors. Example:

M 1 K E 1 ' S | C | O | M | O | D | O | R | E | - | 6 | 4

Background Black Border Red

Write of phone for additional information.

Trademark of Commodore Business Machines



When ordering by mail.

- \$64.95 + 3.00 shipping
- Calif. residents add 6% sales tax VISA or Mastercard accepted
- \$64.95 + 4.00 COD orders Shipping out of USA \$6.00
  - Please allow 4-6 weeks for delivery.

88 280 D=0:GOSUB 520:IF S=1 THEN	+A,E+F),2:RETURN	90 IF(PEEK(56321)AND8)<>8THENF
PRINT"Ghost's turn":GOTO	K6 760 IF B(A)=2 THEN RETURN	1=-1:GOTO110 :rem 195
300	FP 77Ø IF B(A) (Ø THEN PUT (X(A),	100 GOTO80 :rem 50
OF 29Ø PRINT"Witch's turn"	Y(A)), W1, PSET	110 PRINT" {CLR}":GOSUB650:S\$="
BM 300 PRINT TAB(16) "From:";	HN 780 IF B(A) = 0 THEN PUT (X(A),	{OFF}{HOME}{YEL}{13 RIGHT}
NJ 31Ø E=E+1:K\$=INKEY\$:IF K\$=""	Y(A)),SQ,PSET	":GOTO350 :rem 68
THEN 31Ø	KL 79Ø IF B(A)>Ø THEN PUT (X(A),	120 H=0:K=0:FORA=7 TO 35:GOSUB
00 320 IF ASC(K\$)=13 THEN GOSUB	Y(A)),C1,PSET	160:NEXT :rem 229
520:RANDOMIZE E:GOTO 20	JN 800 LOCATE YL(A),XL(A):PRINT CHR\$(L(A)):RETURN	130 GOSUB270:IF H<1 THEN340
80 33Ø IF ASC(K\$)<97 OR ASC(K\$)>	IJ 810 DATA 36,20,-256,192,0,-96	:rem 241
121 THEN 310	1,0,16128,255,0,-1,192,-3	140 H=0:K=0:A=T:GOSUB160:IF H<
DM 34Ø PRINT K\$:A=N(ASC(K\$)-97):	328,-16177,0,-1,192	1 THEN340 :rem 221
Z=A	LN 820 DATA 16128,255,0,-1009,-1	150 GOTO130 :rem 99
08 350 LOCATE 23,18:PRINT"TO:";	6381, 1020, 16368, -16, -1, -3	160 IF B(A)=0 OR B(A)=-S OR B(
60 360 K\$=INKEY\$: IF.K\$="" THEN 3	841,-1,-769,-16336,-193	A)=2 THEN RETURN : rem 140 170 FOR B=0 TO D(A-7):C=A+M(B)
10 37Ø IF ASC(K\$)<97 DR ASC(K\$)>	FC 83Ø DATA 192,16128,-3841,Ø,-2	:IF B(C)=S OR B(C)=2 THEN2
121 THEN 360	41,252,768,-769,0,16128,2	60 :rem 237
JM 38Ø PRINT K\$:T1=N(ASC(K\$)-97)	52, Ø, -4Ø33, Ø, 16128, 192, Ø	180 IF B(C) THEN220 :rem 193
60 390 CK=1:L=0:K1=0:GOSUB 60:CK	N 840 DATA -4081,0,0,255,0	
=Ø	N 850 DATA 52,20,48,0,3,15360,2	190 SC=RND(1)*.9:IF H <sc td="" then<=""></sc>
KC 4ØØ H=Ø:A=7	40,768,0,-241,252,-16381,	{SPACE}H=SC:F=A:T=C
BH 410 IF A=36 THEN 440	768, -1, 960, 192, -256	:rem 157
MB 42Ø GOSUB 6Ø: IF H>=1 THEN 44Ø	CP 860 DATA -769, -4081, 0, -241, 16	200 IF CK=1 AND T1=C THEN L=1:
FH 43Ø A=A+1: IF A<36 THEN 42Ø	383,255,3840,4095,12543,0	B=8 :rem 207 210 GOTO260 :rem 100
0L 44Ø IF D THEN 47Ø	,-1009,-1,192,768,-61 06 870 DATA 207,0,3840,-16129,0,	210 GOTO260 : rem 100 220 IF B(C+M(B)) THEN260
ON 45Ø IF L THEN 48Ø	0,-12289,192,0,-253,-1636	:rem 203
₩ 460 SOUND 99,5:GOTO 280	9,0,768,-15361,240	23Ø SC=1+RND(1)*.9:IF H <sc td="" the<=""></sc>
PO 47Ø IF L=Ø OR K1=Ø THEN SOUND	9 880 DATA -32768, -253, 15600,0,	N 'I=SC:F=A:T=C+M(B):K=C
99,5:GOTO 51Ø	168, -193, -16369, -22016, -8	:rem 4
00 480 IF K1=0 AND H>=1 THEN 460	1,-21761,-24406,16296	240 IF CK=0 THEN260 :rem 231
CO 490 F=Z:T=T1:K=K1:GOSUB 170:I F K1=0 THEN 250	L 89Ø DATA -1,0,-32768,-241,252	250 IF T1=C+M(B) THEN L=1:K1=C
A6 500 A=T:Z=A:H=0:GOSUB 60:IF H	,0,3840,-3841,0,0,-16372	:B=8 :rem 70
<1 THEN 25Ø	€ 900 DATA -6,1,6,-1,-5,7,5,-7	260 NEXT: RETURN : rem 241
	MN 910 DATA 7,3,7,3,7,0,3,7,3,7,	27Ø A=F:B(T)=B(F):B(F)=Ø:GOSUB
JP 510 GOSUB 520: D=1:GOTO 350	3,0	1130 :rem 147
M0 52Ø LOCATE 2Ø,1:FOR B=1 TO 3: PRINT:PRINT"	ON 920 DATA_7,3,7,3,7,0,3,7,3,7,	280 IFK THEN B(K)=0:A=K:GOSUB1
";:NEXT:	3,0,7,3,7,3,7	130 :rem 112
LOCATE 21,14:RETURN	II 930 DATA 2,2,2,2,2,2,-1,-1,	290 A=T:GOTO1130 :rem 165
AE 53Ø KEY OFF: SCREEN 1: COLOR Ø.	-1,-1,-1,2 CI 940 DATA -1,-1,-1,-1,-1,2,-1,	300 GOSUB610:IF S=1 THEN PRINT
	U 740 DHIH -1,-1,-1,-1,-1,2,-1,	LEFT\$(S\$,14)"{YEL}THE WIT
I 1:CLS:DEFINT C.W	_1 @ 1 1 2	
1:CLS:DEFINT C,W	-1,0,1,1,2 RJ 950 DATA 1 1 1 1 2 1 1 1 1	. CHES WINI":GOTO320:rem 137
1:CLS:DEFINT C,W U 540 DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L	BJ 950 DATA 1,1,1,1,1,2,1,1,1,1,	CHES WIN!":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH
U 540 DIM C1(98),W1(98),SQ(98),		CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116
LI 540 DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 550 LINE (50,80)-(81,103),1,B	BJ 950 DATA 1,1,1,1,1,2,1,1,1,1,	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)
LI 540 DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 550 LINE (50,80)-(81,103),1,B IH 560 LOCATE 12,12: PRINT "The	BJ 950 DATA 1,1,1,1,1,2,1,1,1,1,	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WIN!" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79
LI 540 DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 550 LINE (50,80)-(81,103),1,B	BJ 95Ø DATA 1,1,1,1,1,2,1,1,1,1, 1,2,2,2,2,2,2	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH
LI 540 DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 550 LINE (50,80)-(81,103),1,B IH 560 LOCATE 12,12: PRINT "The	Program 2: The Witching	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH
LI 540 DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 550 LINE (50,80)-(81,103),1,B IH 560 LOCATE 12,12: PRINT "The Witching Hour	BJ 95Ø DATA 1,1,1,1,1,2,1,1,1,1, 1,2,2,2,2,2,2	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH
LI 540 DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 550 LINE (50,80)-(81,103),1,B H 560 LOCATE 12,12: PRINT "The Witching Hour OA 570 LINE (230,80)-(261,103),1	Program 2: The Witching Hour, Commodore 64	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH
LI 54Ø DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 55Ø LINE (5Ø,8Ø)-(81,1Ø3),1,B LH 56Ø LOCATE 12,12: PRINT "The Witching Hour OA 57Ø LINE (23Ø,8Ø)-(261,1Ø3),1 ,B NN 58Ø GET (5Ø,8Ø)-(81,1Ø3),SQ LI 59Ø FOR A=Ø TO 52:READ C1(A):	Program 2: The Witching Hour, Commodore 64 Version	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 55Ø LINE (5Ø,8Ø)-(81,1Ø3),1,B H 56Ø LOCATE 12,12: PRINT "The Witching Hour OA 57Ø LINE (23Ø,8Ø)-(261,1Ø3),1 ,B NN 58Ø GET (5Ø,8Ø)-(81,1Ø3),SQ II 59Ø FOR A=Ø TO 52:READ C1(A): NEXT	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH         E GHOSTS WIN!" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 55Ø LINE (5Ø,8Ø)-(81,1Ø3),1,B H 56Ø LOCATE 12,12: PRINT "The Witching Hour OA 57Ø LINE (23Ø,8Ø)-(261,1Ø3),1 ,B NN 58Ø GET (5Ø,8Ø)-(81,1Ø3),SQ II 59Ø FOR A=Ø TO 52:READ C1(A): NEXT	Program 2: The Witching Hour, Commodore 64 Version	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH         E GHOSTS WIN!" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 55Ø LINE (5Ø,8Ø)-(81,1Ø3),1,B H 56Ø LOCATE 12,12: PRINT "The Witching Hour QA 57Ø LINE (23Ø,8Ø)-(261,1Ø3),1 B NN 58Ø GET (5Ø,8Ø)-(81,1Ø3),SQ II 59Ø FOR A=Ø TO 52:READ C1(A): NEXT QM 6ØØ PUT (56,82),C1 NA 61Ø GET (5Ø,8Ø)-(81,1Ø3),C1	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH         E GHOSTS WIN!" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 55Ø LINE (5Ø,8Ø)-(81,1Ø3),1,B H 56Ø LOCATE 12,12: PRINT "The Witching Hour 0A 57Ø LINE (23Ø,8Ø)-(261,1Ø3),1 ,B NN 58Ø GET (5Ø,8Ø)-(81,1Ø3),SQ II 59Ø FOR A=Ø TO 52:READ C1(A): NEXT PM 6ØØ PUT (56,82),C1 MA 61Ø GET (5Ø,8Ø)-(81,1Ø3),C1 NC 62Ø FOR A=Ø TO 69:READ W1(A):	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7 :rem 155 345 IF A=36 THEN 300 :rem 212 347 GOSUB160:IFH=0THEN A=A+1:G OTO345 :rem 140 350 D=0:GOSUB610:IF NP=1 AND S
LI 54Ø DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 55Ø LINE (5Ø,8Ø)-(81,1Ø3),1,B H 56Ø LOCATE 12,12: PRINT "The Witching Hour 0A 57Ø LINE (23Ø,8Ø)-(261,1Ø3),1 ,B NN 58Ø GET (5Ø,8Ø)-(81,1Ø3),SQ II 59Ø FOR A=Ø TO 52:READ C1(A): NEXT PM 6ØØ PUT (56,82),C1 NA 61Ø GET (5Ø,8Ø)-(81,1Ø3),C1 NC 62Ø FOR A=Ø TO 69:READ W1(A): NEXT	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7 :rem 155 345 IF A=36 THEN 300 :rem 212 347 GOSUB160:IFH=0THEN A=A+1:G OTO345 :rem 140 350 D=0:GOSUB610:IF NP=1 AND S =-1 THEN Z=1 :rem 39
LI 54Ø DIM C1(98),W1(98),SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28) LP 55Ø LINE (5Ø,8Ø)-(81,1Ø3),1,B H 56Ø LOCATE 12,12: PRINT "The Witching Hour  OA 57Ø LINE (23Ø,8Ø)-(261,1Ø3),1 ,8 NN 58Ø GET (5Ø,8Ø)-(81,1Ø3),SQ II 59Ø FOR A=Ø TO 52:READ C1(A): NEXT QH 6ØØ PUT (56,8Ø)-(81,1Ø3),C1 NC 62Ø FOR A=Ø TO 69:READ W1(A): NEXT  OC 63Ø PUT (232,82),W1 NN 64Ø GET (23Ø,8Ø)-(261,1Ø3),W1	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 : rem 132	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT" {CLR} {2 DOWN} "TAB(11)"	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing in Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         Ø:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}": rem 134	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98), B(42),D(28),X(35),Y(35),L (35),XL(35),YL(35),N(28)  LP 55Ø LINE (5Ø,8Ø)-(81,1Ø3),1,B  H 56Ø LOCATE 12,12: PRINT "The Witching Hour  OA 57Ø LINE (23Ø,8Ø)-(261,1Ø3),1 ,B  NN 58Ø GET (5Ø,8Ø)-(81,1Ø3),SQ  II 59Ø FOR A=Ø TO 52:READ C1(A): NEXT  QM 6ØØ PUT (56,82),C1  MA 61Ø GET (5Ø,8Ø)-(81,1Ø3),C1 NC 62Ø FOR A=Ø TO 69:READ W1(A): NEXT  OC 63Ø PUT (232,82),W1  NN 64Ø GET (23Ø,8Ø)-(261,1Ø3),W1  II 65Ø S=-1:FOR A=Ø TO 7:READ M( A):NEXT  PN 66Ø FOR A=Ø TO 28:READ D(A):N EXT  LO 67Ø B=48:C=32:D=59:E=12 QL 68Ø FOR A=Ø TO 4:FOR F=Ø TO 4	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}": rem 134 25 PRINTTAB(11)"JOYSTICK IN PO	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281, Ø:POKE53280, Ø:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}(WHT)" :rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98),W1(98),SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" :rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         Ø:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing in Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" : rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER S : rem 102	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         Ø:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing in Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" : rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER S : rem 102 30 PRINTTAB(8)"{3 DOWN}{CYN}PR	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(\$\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, 0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7 :rem 155 345 IF A=36 THEN 300 :rem 212 347 GOSUB160:IFH=0THEN A=A+1:G OTO345 :rem 140 350 D=0:GOSUB610:IF NP=1 AND S =-1 THEN Z=1 :rem 39 360 IF F1=-1 THEN Z=1 :rem 49 370 IF NP=1 AND S=F1 THEN120 :rem 209 380 IF S=1 THEN PRINT S\$"GHOST 'S TURN":GOTO400 :rem 177 390 PRINT S\$"WITCH'S TURN" :rem 38 400 Q=3:R=3:FL=0:GOTO480 :rem 153 410 IF(PEEK(56320+Z)AND16)<>16 ANDFL=0THENFL=1:GOSUB490:A =X:ZZ=A:POKEU,5:GOTO430 :rem 136 420 IF(PEEK(56320+Z)AND16)<>16 ANDFL=1THENGOSUB490:T1=X:P
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing in Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" :rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER S :rem 102 30 PRINTTAB(8)"{3 DOWN}{CYN}PR ESS DOWN FOR ONE PLAYER":PR	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" :rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER S :rem 102 30 PRINTTAB(8)"{3 DOWN}{CYN}PR ESS DOWN FOR ONE PLAYER":PR INTTAB(11)"{2 DOWN}UP FOR T	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing in Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing in Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI'S Guide to Typing in Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" :rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER S :rem 102 30 PRINTTAB(8)"{3 DOWN}{CYN}PR ESS DOWN FOR ONE PLAYER":PR INTTAB(11)"{2 DOWN}UP FOR T WO PLAYERS :rem 252 50 NP=PEEK(56321)AND3:IFNP=3TH EN50	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12) "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269, Ø:POKE53248,Ø:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98), B(42), D(28), X(35), Y(35), L (35), XL(35), YL(35), N(28)  LINE (5Ø,8Ø)-(81,1Ø3),1,8  H 56Ø LINE (23Ø,8Ø)-(261,1Ø3),1  B H 56Ø LINE (23Ø,8Ø)-(261,1Ø3),1  B NN 58Ø GET (5Ø,8Ø)-(81,1Ø3),SQ  II 59Ø FOR A=Ø TO 52:READ C1(A): NEXT  M 6ØØ PUT (56,82),C1  M 61Ø GET (5Ø,8Ø)-(81,1Ø3),C1  NC 62Ø FOR A=Ø TO 69:READ W1(A): NEXT  OC 63Ø PUT (232,82),W1  MN 64Ø GET (23Ø,8Ø)-(261,1Ø3),W1  II 65Ø S=-1:FOR A=Ø TO 7:READ M(A): NEXT  PN 66Ø FOR A=Ø TO 28:READ D(A):N EXT  LO 67Ø B=48:C=32:D=59:E=12  QL 68Ø FOR A=Ø TO 4:FOR F=Ø TO 4 :H=6*A+F+7:X(H)=B*F+D-15: Y(H)=C*A+E-11  BO 69Ø L(H)=G+97:N(G)=H:G=G+1:XL (H)=6*F+1Ø:YL(H)=4*A+1:NE XT:NEXT  AF 7ØØ CLS:FOR A=Ø TO 4:LINE (D, C*A+E)-(B*A+D,C*A+E),2:NEXT  BF 71Ø FOR A=Ø TO 4:LINE (B*A+D, E)-(B*A+D,C*A+E),2:NEXT  C 72Ø A=0:F=Ø:GOSUB 74Ø:A=B+B:G OSUB 74Ø:F=C+C:GOSUB 74Ø:	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI'S Guide to Typing In Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 : rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" : rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER S : rem 102 30 PRINTTAB(8)"{3 DOWN}{CYN}PR ESS DOWN FOR ONE PLAYER":PR INTTAB(11)"{2 DOWN}UP FOR T WO PLAYERS : rem 252 50 NP=PEEK(56321)AND3:IFNP=3TH EN50 : rem 40 60 IFNP=2THEN110 : rem 195	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" :rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER S :rem 102 30 PRINTTAB(8)"{3 DOWN}{CYN}PR ESS DOWN FOR ONE PLAYER":PR INTTAB(11)"{2 DOWN}UP FOR T WO PLAYERS :rem 252 50 NP=PEEK(56321)AND3:IFNP=3TH EN50 :rem 40 60 IFNP=2THEN110 :rem 195 70 PRINTTAB(9)"{3 DOWN}{GRN}PR	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" :rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER S :rem 102 30 PRINTTAB(8)"{3 DOWN}{CYN}PR ESS DOWN FOR ONE PLAYER":PR INTTAB(11)"{2 DOWN}UP FOR T WO PLAYERS :rem 252 50 NP=PEEK(56321)AND3:IFNP=3TH EN50 60 IFNP=2THEN110 :rem 195 70 PRINTTAB(9)"{3 DOWN}{GRN}PR ESS LEFT TO GO FIRST":PRINT	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" :rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER S :rem 102 30 PRINTTAB(8)"{3 DOWN}{CYN}PR ESS DOWN FOR ONE PLAYER":PR INTTAB(11)"{2 DOWN}UP FOR T WO PLAYERS :rem 252 50 NP=PEEK(56321)AND3:IFNP=3TH EN50 :rem 40 60 IFNP=2THEN110 :rem 195 70 PRINTTAB(9)"{3 DOWN}{GRN}PR	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing in Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7
LI 54Ø DIM C1(98), W1(98), SQ(98),	Program 2: The Witching Hour, Commodore 64 Version Version by Kevin Mykytyn, Editorial Programmer  For instructions on entering this listing, please refer to "COMPUTEI'S Guide to Typing in Programs" published bimonthly in COMPUTEI.  10 POKE 56,56:CLR:Z=1:U=53287 :rem 132 20 POKE53281,0:POKE53280,0:PRI NT"{CLR}{2 DOWN}"TAB(11)" {YEL}THE WITCHING HOUR {2 DOWN}{WHT}" :rem 134 25 PRINTTAB(11)"JOYSTICK IN PO RT 1{2 DOWN}":PRINTTAB(6)"T WO JOYSTICKS FOR TWO PLAYER S :rem 102 30 PRINTTAB(8)"{3 DOWN}{CYN}PR ESS DOWN FOR ONE PLAYER":PR INTTAB(11)"{2 DOWN}UP FOR T WO PLAYERS :rem 252 50 NP=PEEK(56321)AND3:IFNP=3TH EN50 :rem 40 60 IFNP=2THEN110 :rem 195 70 PRINTTAB(9)"{3 DOWN}{GRN}PR ESS LEFT TO GO FIRST":PRINT TAB(11)"{2 DOWN}RIGHT TO GO SECOND" :rem 141	CHES WINI":GOTO320:rem 137 310 PRINT LEFT\$(S\$,15)"{YEL}TH         E GHOSTS WINI" :rem 116 320 PRINT"{HOME}{DOWN}"SPC(12)         "HIT FIREBUTTON" :rem 79 330 WAIT56321,16,16:POKE53269,         0:POKE53248,0:RUN :rem 186 340 S=-S:Z=-(Z=0):H=0:A=7

## A SPECIAL APPLE-SPECIFIC PUBLICATION FROM THE PUBLISHERS OF COMPUTE!, COMPUTE!'s Gazette, AND BEST-SELLING COMPUTE! BOOKS.



The second semiannual edition of COMPUTE!'s Apple Applications Special goes on sale October 1,1985.

Price: \$3.95 (in Canada \$4.75)

### **Editorial**

COMPUTEI's Apple Applications Special second issue features applications, purchasing decisions, tutorials, and in-depth feature articles for owners and users of Apple personal computers. There are exciting applications for business, school, and home. From software to hardware to the state of the industry, this special issue serves as a useful tool and a handy reference. The special issue includes:

### **Features**

Apple at Ten, and What's Coming in the Next Decade: This in-depth look describes Apple's place in the industry and predicts what it will do in the future. Can the Macintosh Office concept succeed against IBM? How will Apple retain its position in the market when the newest round of computers—such as the Commodore Amiga and Atari ST—reaches homes and schools? This intriguing survey includes comments by computer industry analysts and software manufacturers.

Cruising MAUG: The Micronet Apple Users Group is probably the best connection any Apple owner can make. Available through CompuServe, MAUG lets Apple users communicate and exchange information and programs. This guide to MAUG describes just some of its features, and highlights

programs from Macintosh desktop utilities to complete terminal software, all of which can be retrieved with a modern.

The Big Picture: Innovative hardware and software can transform the Apple II computer into a powerful graphics machine and enhance the Macintosh's already considerable abilities. Drawing programs, digitizers, and graphics tablets are featured and evaluated in this buyer's guide and tutorial.

### **Applications**

*Dr. Disk:* Allows you to read from, edit, and write to any block on any disk. An excellent utility which lets you examine disk contents, manipulate catalogs, and even change machine language programs.

Enhanced Applesoft INPUT: A short machine language utility which turns Applesoft INPUT into a more flexible and powerful statement. Allows entry of any valid numeric expression, as well as commas, quotes, or colons as responses to the INPUT prompt.

The Office for Everyone: A major applications feature on using Word, Chart, File, Multiplan, and MacTerminal on the Macintosh. This tutorial shows how to turn the Macintosh into a powerful business computer.

The ApWriter: This simple BASIC program turns any Apple II-series computer into an electronic-style typewriter. Set margins and tabs, underline, and print out letters, memos, and notes.

Quality editorial in the style and tradition of COMPUTEI, the leading magazine of home, educational, and recreational computing.

There's also a disk available which includes all the programs from the magazine. The  $5\frac{1}{4}$ -inch floppy disk for the Apple II+, IIe, or IIc costs \$16.95 and is available only from COMPUTE! Publications. Send in the attached card with your payment today to order the *Disk*.

Look for the October issue of *COMPUTEI's Apple Applications Special* on sale where you buy other COMPUTE! publications, or at Apple computer retailers. You can also order directly from COMPUTE! Publications.

To order, send in the attached card with your payment or call toll-free 800-334-0868 (in NC 919-275-9809.)

NCHOR

Volksmodem 300/1200.....\$189.99

Mark XII (1200 Baud).....\$259.00 Signalman Express.....\$299.00

Lightning 2400 Baud.....\$399.00

Hayes

Smartmodem 300.....\$139.00

Smartmodem 1200.....\$389.00

Smartmodem 1200B.....\$359.00

Smartmodem 2400.....\$629.00

Micromodem IIe.....\$149.00

Smart Com II.....\$89.99

Chronograph.....\$199.00 Transet 1000.....\$309.00

**AST** 

Reach 1200 Baud Half Card....\$399.00

me MICROBITS

MPP-1000E AD/AA (Atari)......\$79.99 MPP-1064 AD/AA (C-64)......\$69.99

Novation SSS

Smart Cat Plus......\$319.00 J-Cat.....\$99.99 Novation 2400......CALL

Apple Cat II.....\$229.00 212 Apple Cat II.....\$379.00

Apple Cat 212 Upgrade.....\$229.00

QUADRAM

300/1200.....\$339.00

300/1200/2400 ......\$499.00

.....\$319.00

Macmodem .....

Quadmodem II

.\$59.99

Volksmodem.



### THE BEST PRICES!

- Next day shipping on all in stock
- Free easy access order inquiry.
- Orders from outside Pennsylvania and Nevada save state sales tax.
- Free technicial support with our factory trained technical staff.
- ✓ There is no limit and no deposit. on C.O.D. orders.
- There's no extra charge for using your credit card. Your card is not charged until we ship.
- No waiting period for cashiers checks.
- We accept purchase orders from qualified corporations. Subject to approval.
- Educational discounts available to qualified institutions.
- FREE CATALOG MEMBERSHIP.

### **ORDER LINE**

1-800-233-8950 In PA 1-800-242-4215

**CUSTOMER SERVICE** & TECH SUPPORT 1-717-327-1450

Dept. A210

### **MAILING ADDRESS**

Computer Mail Order Dept. A210

477 East Third Street Williamsport, PA 17701



MEMBER DIRECT MARKETING ASSOCIATION

### CREDIT CARDS









Add 3%, minimum \$5.00 shipping and handling on all orders. Larger shipments may require additional charges.

All items subject to availability and price change.

Returned shipments may be subject to a restocking fee.

### CANADIAN ORDERS

1-800-268-3974 Ontario/Quebec

1-800-268-4559

Other Provinces 1-416-828-0866

In Toronto

TELEX: 06-218960

2505 Dunwin Drive. Mississauga, Ontario Canada L5L1T1

All prices shown are for U.S.A. Call The Canadian Office for Canadian prices.

### **ATARI**

	(128K)CALL
520ST	(512K)CALL



800XL 64K	CALL
850 Interface	\$119.00
1010 Recorder	.\$49.99
1050 Disk Drive	\$169.00
1025 Dot Matrix Printer	\$199.99
1027 Letter Ouality Printer	\$269.99
1030 Direct Connect Modem	.\$59.99

APPLE

APPLE IIe......CALL

APPLE IIc.....CALL

MacINTOSH......CALL

flc LCD Display......CALL

(commodore

C1571 (Disk Drive for C128)......SNEW

C1902 (RGB 13" Monitor for C128)....\$NEW

C1670 (Modern for C128)......\$NEW

Commodore Plus 4.....\$199.00

CBM 64.....\$149.00

C1541 Disk Drive.....\$199.00

C1530 Datasette.....\$39.99

M-801 Dot Matrix Printer......\$169.00

MCS 803 Dot Matrix.....\$179.00 C1702 Color Monitor.....\$199.00

C1660 Auto Modem......\$59.99

DPS 1101 Daisy Printer.....\$339.00

C128 Computer.....

SNEW

3036 Atari Writer	\$59.99
Star Raiders	\$5.99
Missile Command	\$5.99
Defender	\$5.99
Galaxian	\$5.99
Space Invaders	\$5.99
Computer Chess	\$5.99
Rototron	\$5.99
Eastern Front	\$5.99
DOADDO FOD ATAD	

### BOARDS FOR ATARI

Axlon 32K	\$39.99
Axlon 48K (400)	\$69.99
Axlon 128K	\$269.99
Microbits 64K (600)	.\$109.00
Bit 3 Full View 80	\$229.00

### **MacIntosh Software**

Microsoft ExcelCALL
Microsoft Business Pak\$375.00
Living Videotext
ThinkTank 512\$159.00
Manhatten Ready, Set, Go\$79.99
Creighton Development
Mac Spell\$69.99
Monogram Dollars & Sense\$99.99
Peachtree Back to Basics - GL\$109.00

### Lotus Jazz......CALL

Microsoft Business Pak\$375.00
Living Videotext
ThinkTank 512\$159.00
Manhatten Ready, Set, Go\$79.99
Creighton Development
Mac Spell\$69.99
Monogram Dollars & Sense\$99.99
Peachtree Back to Basics - GL\$109.00
PFS File & Report (New Version)\$129.00
Silicon Beach Airborn\$25.99

Fleet System II w/Spell\$49.99
Trivia Fever\$29.99
Word Pro 4 Plus/5 Plus each\$239.00
Info Pro\$179.00
Administrator\$399.00
Power\$69.99
m©:

### Report (64).....\$49.99

BATTERIES ( NCLUDED	
PaperClip w/Spell Pack	\$79.
The Consultant DBMS	\$69.
Bus Card II	.\$139.
90 Cal Diaglass	6120

### **Professional Software**

Trivia Fever	\$29.99
Word Pro 4 Plus/5 Plus each\$	239.00
Info Pro\$	179.00
Administrator\$	399.00
Power	\$69.99
nts:	
File (64)	.\$59.99

### PRECISION SOFTWARE Superbase 64......\$54.99

BATTERIES ( NCLUDED		
perClip w/Spell Pack	\$79.99	
e Consultant DBMS	\$69.99	
s Card II	\$139.00	
Oal Disaless	#120 OC	

		TELELEARNING
C64	300	Baud(Closeout)\$39.5

### **GRAPHICS**

### ⊕Koala

IBM	\$89.99
Apple/Franklin	\$79.99

### ■Polaroid

Palette\$1299.0	0
DRIVES	

### PORTABLE COMPUTERS



### PACKARD

41CV	.\$189.99
41CX	.\$249.99
HP 71B	.\$419.99
HP 11C	\$62.99
HP 12C/15C/16C	\$89.99
HP 75D	.\$949.00
HPIL Module	\$98.99
HPIL Cassette or Printer	.\$359.99
Card Reader	.\$143.99
Extended Function Module	\$63.99
Time Module	\$63.99

### We stock the full line of **HP** calculator products

### NEC

1 0 070 1	
PC-8201 Portable Computer	\$289.00
PC-8231 Disk Drive	.\$599.00
PC-8221A Thermal Printers	\$149.00
PC-8281A Data Recorder	\$99.99
PC-8201-06 8K RAM Chips	.\$105.00

### SHARP

PC-1250

1 0 1000	
PC-1261	\$159.9
PC-1260	\$109 9
PC-1500A	\$165.9
PC-1250A	\$88.9
CE-125 Printer/Cassette	9\$128.9
CE-150 Color Printer C	assette.\$171.9
CE-161 16K RAM	\$134.9

### DISKETTES

	IIIU/LUII.	
31/2"	SS/DD	\$39.9
31/2"	DS/DD	\$54.9
51/4"	MD-1 w/Hardcase	\$17.9
51/4"	MD-2 w/Hardcase	\$23.9
51/4 ''	MD-2-HD for AT	\$44.9

## Verbatim, \$21.99

J 74	33/00	⊅∠1.98
51/4"	DS/DD	\$29.99
Disk	Analyzer	\$24.99
	Dennison	

### Flenhant 51/4" SS/SD

Liopitant	0 /4	00,	00		Ψ10.	00
Elephant	51/4"	SS/	DD		\$15.	99
Elephant	51/4"	DS/	DD		\$16.	99
Elephant	Prem	ium	DS/D	D	\$23.	99

### TEM 51/4" DS/DD Floppy Disks

и	074 20122 1 10pp) 21010
	(Box of 10)\$25.9
ı	

### **DISK HOLDERS**

### **INNOVATIVE CONCEPTS**

AMARAY					
Flip-in-File	(400/800 ROM)\$11.99				
Flip-in-File	50 w/lock\$24.99				
Flip-in-File	50\$17.99				
Flip-in-File	10\$3.99				

50 Disk Tub 51/4".....\$9.99

30 Disk Tub 31/2".....\$8.99

PC Stor.

### IDEAssociates

...CALL

\$2099.00

\$219.00

5	meg	H	emovable/Interr	۱al	\$1399.00	
10	meg	F	ixed/Internal		\$1249.00	
15	meg	5	Removable/10	Fixed	\$2149.00	١
25	meg	5	Removable/20	Fixed	\$2499.00	

### I-MEGA 10 Meg Bernoulli Box.

3 1	neg	LGRASS	\$1599.00
			\$2599.00



from \$1499.00 **FLOPPY** 

### INDUS

410	
Apple GT	\$209.00
Atari GT	\$239.00
C-64 GT	\$259.00
$\mu$ -	
A1.5 Apple	\$199.00
A2 Apple	\$199.00

C-64	Single

SD1

	Dual	
	Tandon	

### 320K 51/4" (PC).....\$119.00 TEAC

K	5¼'	·	\$ 109.0

P351 (132 column).....\$1169.00

Training.....\$299.00

Application.....\$179.00

MP-1150XL (Atari 1200XL).......\$69.99


MicroStuffer 64K Print Buffer...\$109.00

480	POKE 53248,R*40+47:POKE 53 249,Q*40+26:FORTD=1T0100:N EXT:GOTO410 :rem 93
490	X=(Q-1)*6+(R-1)+7:WAIT5632
500	<pre>Ø+Z,16,Ø:RETURN : rem 29 CK=1:L=Ø:K1=Ø:GOSUB16Ø:CK=</pre>
5Ø1	Ø :rem 45 H=0:A=7 :rem 58
502	IFA=36THEN510 :rem 210
5Ø3	GOSUB160:IFH>=1THEN510
5Ø4	rem 49: A=A+1:IFA<36THEN5Ø3:rem 42
510 520	
530	
540	
545	IFK1=ØANDH>=1THEN53Ø
550	rem 164 F=ZZ:T=T1:K=K1:GOSUB270:IF
560	K1=Ø THEN34Ø :rem 42 A=T:ZZ=A:H=Ø:GOSUB16Ø:IFH<
600	1 THEN340 :rem 93 D=1:Q=3:R=3:POKEU,5:GOTO48
610	<pre>Ø :rem 109 PRINT"{HOME}{BLK}";:FORAl=</pre>
	1TO2:FORA2=1TO40:PRINT"; :NEXTA2,A1:RETURN :rem 15
620	POKE 54276,33:FOR TD=1 TO
	{SPACE}600:NEXT:POKE 54276 ,32:RETURN :rem 86
630	PRINT"{HOME}";:FORA=ØTO23: PRINT"[7][40 SPACES]";:NEX
	T :rem 232
64Ø 65Ø	
	{3 LEFT}FGH{DOWN}{3 LEFT}L
	MN{2 UP}":G\$="[7]{RVS}CDE {DOWN}{3 LEFT}IJK{DOWN}
660	{3 LEFT }OPQ {2 UP} " : rem 18
000	BL\$="E73{OFF}OEY3P{DOWN} {3 LEFT}EH3 EN3{DOWN}
	{3 LEFT} <u>L</u> EP <u>3@</u> {2 UP}" :rem 214
67Ø	DIMD(28),B(42),X(35),Y(35) :rem 22
68Ø	S=-1:FORA=ØTO7:READM(A):NE XT:FORA=ØTO28:READD(A):NEX
690	T :rem 100 FORA=0TO4:FORF=0TO4:H=6*A+
	F+7:X(H)=5*F+8:Y(H)=5*A+2:
700	NEXTF, A: FORA=ØTO42:rem 195 READB(A):NEXT:GOSUB770:GOS
	UB1190:FORA=0TO42:GOSUB113 0:NEXT:RETURN :rem 199
710	
72Ø	DATA 7,3,7,3,7,0,3,7,3,7,3,0 :rem 9
73Ø	DATA 7,3,7,3,7,0,3,7,3,7,3
74Ø	DATA 2,2,2,2,2,2,-1,-1,-
75Ø	1,-1,-1,2 :rem 43 DATA -1,-1,-1,-1,-1,2,-1,- 1,0,1,1,2 :rem 34
760	DATA 1,1,1,1,1,2,1,1,1,1,1
770	,2,2,2,2,2,2 :rem 29 POKE56334,0:IFPEEK(15361)=
78Ø	192THEN830 :rem 16 PRINT"{CLR}{10 DOWN}"SPC(1
, 00	5)"{YEL}PLEASE WAIT" :rem 27
790	FOR A=15360 TO 15503:READ {SPACE}B:POKE A,B:NEXT
800	:rem 206
300	POKE 1,51:FORA=0T01023:POK E14336+A, PEEK(A+53248):NEX
810	T:POKE 1,55 :rem 85 FOR A=14952 TO 14967:READB
820	:POKE A,B:NEXT :rem 218
020	FOR A=832 TO 895:READB:POK EA,B:NEXT :rem 14

```
: POKE 53270,216
                         :rem 86
840 POKE2040,13:POKE53269,1:PO
    KE53275,Ø:POKE53271,1:POKE
     53287,7
                         :rem 88
850 FOR A=54272 TO 54295:POKE
     {SPACE}A,Ø:NEXT:POKE 54296,15:POKE 54273,10 :rem 49
860 POKE 54277,21:RETURN
                        :rem 127
870 DATA255, 192, 192, 192, 192, 19
     2.208.212
                        :rem 196
880 DATA255,0,0,8,8,10,42,5
                         :rem 86
890 DATA255,3,3,3,3,3,131,3
                         :rem 82
900 DATA255,192,192,193,192,19
     3,193,193
                        :rem 203
910 DATA255,0,0,80,84,85,153,8
                         :rem 43
920 DATA255,3,3,3,3,3,3,3
                        :rem 234
930 DATA213,197,197,192,193,22
     5,233,234
                        :rem 197
940
    DATA69,84,20,84,81,80,80,8
                         :rem 59
950 DATA3,3,3,3,67,19,171
                         :rem 91
960 DATA192,192,212,213,213,20
    8,192,192
                        :rem 184
97Ø
    DATA85, 20, 20, 85, 85, 85, 85, 2
                         :rem 54
980 DATA3,23,87,87,71,3,3,67
                        :rem 160
990 DATA232,224,193,192,192,19
    2,192,255
                        :rem 200
1000 DATA21,84,80,0,0,0,0,0,255
                        :rem 162
1010 DATA3,3,3,3,3,3,3,255
                         :rem 17
1020 DATA192,192,192,192,1
     92,192,255
                        :rem 241
1030 DATA21,5,5,5,1,0,0,255
1040 DATA67,67,3,67,83,23,3,25
     5,128,64,32,16,8,4,2,1,1,
     2,4,8,16,32,64,128:rem 44
1050 DATA255,255,255,192,0,3,1
     92.Ø
                        :rem 179
1060 DATA3,192,0,3,192,0,3,192
                        :rem 226
1070 DATA0,3,192,0,3,192,0,3
                        :rem 119
1080 DATA192,0,3,192,0,3,192,0
                        :rem 225
1090 DATA3,255,255,255,0,0,0,0
                        :rem 223
1100 DATA0,0,0,0,0,0,0,0
                        :rem 144
1110 DATA0,0,0,0,0,0,0,0
                        :rem 145
1120 DATA0,0,0,0,0,0,0,0
                        :rem 146
1130 IFB(A)=2THENRETURN
                        :rem 166
1140 POKE781, Y(A): POKE782, X(A)
     :POKE783,0:SYS65520
                       :rem 110
1150 IFB(A)=0THENPRINTBL$;
                         :rem 64
1160 IFB(A)>0THENPRINTG$;
                       :rem 251
1170 IFB(A) < OTHENPRINTWS;
                        :rem 10
1180 RETURN
                       :rem 170
1190 GOSUB630:PRINT" [HOME]
     {PUR}";:R$=CHR$(13):A$="
     [8 SPACES][3 RIGHT]CC
     {3 RIGHT}CC{3 RIGHT}CC
     {3 RIGHT}CC"+R$+R$:rem 82
1200 B$="{8 SPACES}{RIGHT}-
     {RIGHT}M{2 RIGHT}-
```

830 POKE 53272,30:POKE 56334,1

{2 RIGHT \N \{ RIGHT \} B \{ RIGHT \} M{2 RIGHT]B{2 RIGHT]N {RIGHT}B" :rem 89 1210 B\$=B\$+R\$+" {8 SPACES} {RIGHT}B{2 RIGHT}M{RIGHT} B{RIGHT]N{2 RIGHT]B [2 RIGHT]M(RIGHT)B[RIGHT)  $N{2 RIGHT}B"+R$+R$$ :rem 152 1220 C\$="{8 SPACES}{RIGHT}B {2 RIGHT}N{RIGHT}B{RIGHT} M{2 RIGHT]B{2 RIGHT}N TRIGHT B RIGHT M 2 RIGHT B"+R\$ :rem 199 1230 C\$=C\$+"{8 SPACES}{RIGHT}B {RIGHT}N{2 RIGHT}B {2 RIGHT}M{RIGHT}B{RIGHT} N{2 RIGHT B{2 RIGHT M :rem 251 TRIGHT B" + R\$ + R\$ 1240 PRINT" [CLR] [3 DOWN] "A\$B\$A \$C\$A\$B\$A\$C\$LEFT\$(A\$,28):R ETURN :rem 65 The Commodore 64 version of "The Witching Hour" features sprite graphics.



Use keyboard controls to play "The Witching Hour" on the VIC-20.

### **Program 3: The Witching** Hour, VIC-20 Version

Version by Kevin Martin, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEL.

1Ø Z=1:POKE36879,9:POKE36878,2 39 :rem 75 20 PRINT "{CLR}{YEL}{8 DOWN} {2 SPACES}THE WITCHING HOUR :rem 104 SE: '1'

30 PRINT "{2 DOWN}CHOOSE:

1 (	1.
{SPACE}PLAYER" :rem 157 40 PRINT SPC(8)"{2 DOWN}'2' PL AYERS" :rem 102	4
AYERS" :rem 102 50 GETA\$:IFA\$=""THEN50:rem 237 55 NP=ASC(A\$)-48:IFNP<10RNP>2T	
HEN5Ø :rem 13Ø 6Ø IFNP=2THEN11Ø :rem 195	5
70 PRINT" [DOWN] PRESS: ":PRINT"	5
{2 SPACES}'1' TO GO FIRST": PRINT"{2 SPACES}'2' TO GO S	5
ECOND" :rem 219	5
75 GETA\$:A=ASC(A\$+CHR\$(0))-48: IFA<1ORA>2THEN75 :rem 160	5
QQ TEX=1TUENTI=1	
90 IFA=2THENF1=1 :rem 233 110 PRINT"{CLR}":GOSUB650:S\$="	5
{OFF}{HOME}{4 RIGHT}":GOTO	5
350 :rem 161	5
120 H=0:K=0:FORA=7 TO 35:GOSUB 160:NEXT :rem 229	5
130 GOSUB270:IF H<1 THEN340	
:rem 241 140 H=0:K=0:A=T:GOSUB160:IF H<	5
1 THEN340 :rem 221	1
150 GOTO130 :rem 99 160 IF B(A)=0 OR B(A)=-S OR B(	5
A)=2 THEN RETURN :rem 140	5
170 FOR B=0 TO D(A-7):C=A+M(B)	
:IF B(C)=S OR B(C)=2 THEN2 60 :rem 237	5
180 IF B(C) THEN220 :rem 193	
190 SC=RND(1)*.9:IF H <sc then="" {space}h="SC:F=A:T=C&lt;/td"><td>  5</td></sc>	5
:rem 157	6
200 IF CK=1 AND T1=C THEN L=1: B=8 :rem 207	6
210 GOTO260 :rem 100	
220 IF B(C+M(B)) THEN260 :rem 203	
230 SC=1+RND(1)*.9:IF H <sc td="" the<=""><td>6</td></sc>	6
N H=SC:F=A:T=C+M(B):K=C :rem 4	Ì
240 IF CK=0 THEN260 :rem 231	6
250 IF T1=C+M(B) THEN L=1:K1=C :B=8 :rem 70	
260 NEXT: RETURN :rem 241	6
270 A=F:B(T)=B(F):B(F)=0:GOSUB 1130 :rem 147	6
280 IFK THEN B(K)=0:A=K:GOSUB1	
130 :rem 112 290 A=T:GOTO1130 :rem 165	
300 GOSUB610:IF S=1 THEN PRINT	6
"{HOME}{3 SPACES}THE WITCH ES WIN!":GOTO320 :rem 86	
ES WIN!":GOTO320 :rem 86 310 PRINT"{HOME}{3 SPACES}THE	
[SPACE]GHOSTS WIN!":rem 64	6
320 PRINT" [HOME] [DOWN] [5 SPACES] HIT SPACEBAR"	6
:rem 176	"
:rem 140	6
331 RUN :rem 140 340 S=-S:Z=-(Z=0):H=0:A=7	ľ
:rem 155	6
345 IF A=36 THEN 300 :rem 212 347 GOSUB 160:IF H=0 THEN A=A+	7
1:GOTO 345 :rem 140	
350 D=0:GOSUB610:IF NP=1 AND S =-1 THEN Z=1 :rem 39	7
360 IF F1=-1 THEN Z=1 :rem 49	7
370 IF NP=1 AND S=F1 THEN120 :rem 209	
380 IF S=1 THEN PRINT S\$"GHOST	7
'S TURN":GOTO400 :rem 177 390 PRINT S\$"WITCH'S TURN"	7
:rem 38 400 PRINTS\$"{DOWN}{2 LEFT}FROM	7
: {LEFT}"; :rem 109	7
410 GETA\$:A=ASC(A\$+CHR\$(0)):IF A<650RA>89THEN410 :rem 210	
420 PRINTA\$;:A=N(A-65):Z=A :rem 5	7
· rem 3	•

```
430 PRINT SPC(5) "TO: {LEFT}";
                       :rem 137
440 GETA$:T1=ASC(A$+CHR$(0)):I
    FT1 < 65 ORT1 > 89 THEN 440
                       :rem 164
450 PRINTA$:T1=N(T1-65):rem 67
500 CK=1:L=0:K1=0:GOSUB160:CK=
                        :rem 45
501 H=0:A=7
                        :rem 58
502 IF A=36 THEN 510
                       :rem 210
503 GOSUB 160:IF H>=1 THEN 510
                        :rem 49
504 A=A+1:IF A<36 THEN 503
                        :rem 42
510 IF D THEN540
                        :rem 49
520 IF L THEN545
                        :rem 63
530 GOSUB620:GOTO350
                       :rem 187
540 IF L=0 OR K1=0 THEN GOSUB6
    20:GOTO570
                       :rem 193
545 IF K1=Ø AND H>=1 THEN 53Ø
                       :rem 164
550 F=Z:T=T1:K=K1:GOSUB270:IF
    {SPACE}K1=Ø THEN34Ø
                       :rem 208
560 A=T:Z=A:H=0:GOSUB160:IFH<1
     THEN340
                         :rem 3
570 GOSUB610:PRINT" [HOME]
    {2 SPACES}JUMP AGAIN (Y/N)
                       :rem 211
580 GETA$: IFA$ <> "Y"ANDA$ <> "N"T
   HEN580
                        :rem 55
   GOSUB610:IFA$="N"THEN S=-S
    :GOTO35Ø
                       :rem 252
600 D=1:PRINT"{HOME}";:GOTO430
                       :rem 171
610 PRINT" {HOME} {RED} {OFF}";:F
   ORA1=1TO3:FORA2=1TO22:PRIN
   T" ";:NEXTA2, Al:RETURN
                        :rem 46
620 POKE 36874,240:FOR TD=1 TO
    80:NEXT:POKE 36874,0:RETU
                        :rem 43
630 PRINT " {HOME } " ; : FORA = 0 TO 21 :
   PRINT" {22 SPACES}"; : NEXT
                        :rem 76
640 RETURN
                       :rem 122
650 W$="{BLK}{RVS}@AB{DOWN}
   {3 LEFT}FGH{DOWN}{3 LEFT}L
MN{2 UP}":G$="{BLK}{RVS}CD
   E{DOWN}{3 LEFT}IJK{DOWN}
    {3 LEFT}OPQ{2 UP}":rem 254
660 BL$="{YEL}{OFF}OET]P{DOWN}
    {3 LEFT } &G &M TDOWN }
   {3 LEFT}<u>L</u>[@][@[2 UP]
                       :rem 169
670 DIMD(28),B(42),X(35),Y(35)
    ,N(28)
   S=-1:FORA=ØTO7:READM(A):NE
   XT: FORA=ØTO28: READD(A): NEX
                       :rem 100
690 FORA=0TO4:FORF=0TO4:H=6*A+
   F+7:X(H)=4*F+2:Y(H)=4*A+3:
   N(G)=H:G=G+1
                       :rem 190
95 NEXTF.A:FORA=ØTO42:rem 110
700 READB(A):NEXT:GOSUB770:GOS
   UB1190:FORA=0TO42:GOSUB113
   Ø:NEXT:RETURN
                       :rem 199
'10 DATA -6,1,6,-1,-5,7,5,-7
                        :rem 64
720 DATA 7,3,7,3,7,0,3,7,3,7,3
30 DATA 7,3,7,3,7,0,3,7,3,7,3
                       :rem 241
    ,Ø,7,3,7,3,7
   DATA 2,2,2,2,2,2,-1,-1,
   1,-1,-1,2
                        :rem 43
750 DATA -1,-1,-1,-1,-1,2,-1,-
   1,0,1,1,2
                        :rem 34
60 DATA 1,1,1,1,1,2,1,1,1,1,1
    ,2,2,2,2,2,2
                        :rem 29
70 IFPEEK(7169)=192THEN830
                        :rem 29
```

```
780 PRINT" {CLR} {10 DOWN} "SPC(5
    )"{YEL}PLEASE WAIT"
                        :rem 234
790 FOR A=7168 TO 7311:READ B:
    POKE A, B: NEXT
                        :rem 115
800 FORA=0T01023:POKE6144+A,PE
    EK(A+32768):NEXT
                       :rem 203
830 POKE 36869,254
                       :rem 161
860 RETURN
                        :rem 126
870 DATA255,192,192,192,192,19
    2,208,212
                        :rem 196
880 DATA255,0,0,8,8,10,42,5
                         :rem 86
890 DATA255,3,3,3,3,3,131,3
                         :rem 82
900 DATA255,192,192,193,192,19
    3,193,193
                        :rem 203
910 DATA255,0,0,80,84,85,153,8
                        :rem 43
920 DATA255,3,3,3,3,3,3,3
                        :rem 234
930 DATA213,197,197,192,193,22
    5,233,234
940 DATA69,84,20,84,81,80,80,8
950 DATA3,3,3,3,67,19,171
                         :rem 91
960 DATA192,192,212,213,213,20
    8,192,192
                       :rem 184
970 DATA85, 20, 20, 85, 85, 85, 85, 2
                         :rem 54
980 DATA3,23,87,87,71,3,3,67
                        :rem 160
990 DATA232,224,193,192,192,19
    2,192,255
                       :rem 200
1000 DATA21,84,80,0,0,0,0,255
                        :rem 162
1010 DATA3,3,3,3,3,3,255
                         :rem 17
1020 DATA192,192,192,192,192,1
     92,192,255
                       :rem 241
1030 DATA21,5,5,5,1,0,0,255
                         :rem 65
1040 DATA67,67,3,67,83,23,3,25
     5
1130 IFB(A)=2THENRETURN
                        :rem 166
1140 POKE781, Y(A): POKE782, X(A)
     :POKE783,0:SYS65520
                       :rem 110
1150 IFB(A)=0THENPRINTBL$;:RET
     URN
                        :rem 90
1160 IFB(A)>OTHENPRINTG$;
                       :rem 251
1170 IFB(A)<0THENPRINTW$;
                         :rem 10
1175 QS=X(A)+Y(A)*22+38400
                       :rem 103
1176 FORC1=ØTO2:FORC2=ØTO2:POK
     EQS+C1*22+C2,14:NEXTC2,C1
                        :rem 61
1180 RETURN
                       :rem 170
1190 GOSUB630:R$=CHR$(13):A$="
     [2 SPACES][3 RIGHT]C
      {3 RIGHT}C{3 RIGHT}C
     {3 RIGHT}C"+R$+R$ :rem 81
1200 BS="{2 SPACES}{RIGHT}-
     {RIGHT}M{RIGHT}-{RIGHT}N
     (RIGHT)B(RIGHT)M(RIGHT)B
     {RIGHT}N{RIGHT}B"+R$+R$
                        :rem 39
1220 C$="{2 SPACES}{RIGHT}B
     {RIGHT}N{RIGHT}B{RIGHT}M
     {RIGHT}B{RIGHT}N{RIGHT}B
     {RIGHT}\overline{M}{RIGHT}\overline{B}"+R$+R$
                       :rem 244
1240 PRINT" {CLR} {PUR} {4 DOWN}"
     A$B$A$C$A$B$A$C$LEFT$(A$,
     18)
                       :rem 211
1245 PRINT" [HOME] [GRN] [3 DOWN]
      ";:G=1:FORA=ØTO4:IFA>ØTH
```

ENPRINT" {3 DOWN }":PRINT" {SPACE}"; :rem 194 1250 FORF=0TO4:PRINTCHR\$(G+64) "{3 RIGHT}";:G=G+1

:rem lØl 1260 NEXTF.A:RETURN :rem 213



The Atari version of "The Witching Hour" uses player/missile graphics and is played with a joystick.

### **Program 4: The Witching** Hour, Atari Version

Version by Kevin Mykytyn, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.

BN Ø A=PEEK (106)-16: TOP=A-16 :CHBAS=TOP+12:DL=256\*TO P:POKE 106, TOP: CH=CHBAS \*256:POKE 756, CHBAS: SPR BAS=TOP+4

EF 1 FOR A=1536 TO 1567: READ B:POKE A, B: NEXT A

FL 2 DATA 160, 127, 169, 0, 145, 2Ø6

IL3 DATA 136,16,251,164,203 . 162

IN 4 DATA 10,169,248,145,206 200

LN 5 DATA 169, 136, 145, 206, 20 Ø,2Ø2

KB 6 DATA 16,248,169,248,145 ,206

IB 7 DATA 104,96

HP 10 FL=0: Z=0:U=704:POKE 82 Ø:P1=2:P2=23

LG 2Ø GRAPHICS 17: POSITION 1 ,5:PRINT #6; "THE WITCH ING HOUR": POSITION 7,1 Ø:PRINT #6;"press"

10 25 POSITION Ø, 13: PRINT #6 "down for one player" : PRINT #6: PRINT #6; " p for two players

00 3Ø NP=STICK(Ø)-12:IF NP(1 OR NP>2 THEN 3Ø M 6Ø IF NP=2 THEN 11Ø

NF 7Ø POSITION 7,17:PRINT #6 ; "PRESS": POSITION 2,19 :PRINT #6; "LEFT TO GO FIRST"

EE 75 PRINT #6; " RIGHT TO GO SECOND"

KO BØ IF STICK (Ø) = 11 THEN F1 =1:GOTO 11Ø

IF STICK(Ø)=7 THEN F1= LB 90 -1:GOTO 11Ø 00 100 GOTO 80

80 110 GRAPHICS Ø: POKE 752, 1 :IF RT=Ø THEN POSITIO N 3,10:PRINT "PLEASE WAIT, THE SCREEN WILL **BLANK"** 

BN 111 FOR A=1 TO 700: NEXT A NJ 112 GRAPHICS Ø: SL=PEEK (88 ):SH=PEEK(89):FOR I=Ø TO 2: POKE DL+I, 112: N EXT I:POKE DL+3,68:PO KE DL+4, SL: POKE DL+5, SH

FB 113 FOR I=DL+6 TO DL+27:P OKE I,4:NEXT I:POKE I ,6:I=I+1:POKE I,65:PO KE I+1, Ø: POKE I+2, DL/ 256

KJ 114 POKE 560,0:POKE 561,D L/256:GOSUB 650:GOTO 35Ø

80 120 H=0:K=0:A=T:FOR A=7 T 0 35:60SUB 160:NEXT A

PB 13Ø GOSUB 27Ø: IF H<1 THEN 340

NN 140 H=0:K=0:A=T:GOSUB 160 :IF H<1 THEN 34Ø

60 15Ø GOTO 13Ø

IN 160 IF  $B(A) = \emptyset$  OR B(A) = -SOR B(A)=2 THEN RETURN

ON 170 FOR B=0 TO D(A-7):C=A +M(B): IF B(C) = S OR B( C)=2 THEN 260

MB 18Ø IF B(C) THEN 22Ø

MN 190 SC=RND(1) \*Ø.9: IF H<SC THEN H=SC:F=A:T=C

MP 200 IF CK=1 AND T1=C THEN L=1:B=8

6E 21Ø GOTO 26Ø

ML 22Ø IF B(C+M(B)) THEN 26Ø SC=1+RND(1) #Ø. 9: IF H< 0E 23Ø SC THEN H=SC:F=A:T=C+

M(B):K=C 0H 24Ø IF CK=Ø THEN 26Ø

E6 25Ø IF T1=C+M(B) THEN L=1 :K1=C:B=8

00 26Ø NEXT B:RETURN

J0 27Ø  $A=F:B(T)=B(F):B(F)=\emptyset:$ GOSUB 1130

HA 280 IF K THEN B(K)=0:A=K: GOSUB 113Ø

KF 29Ø A=T:GOTO 113Ø

JL 300 GOSUB 610: IF S=1 THEN POSITION P1, P2: PRINT " the witches win";: GOTO 32Ø

OF 310 POSITION P1, P2: PRINT " the ghosts win";

MH 320 FOR TD=1 TO 1500:NEXT TD: POSITION P1, P2: PR INT " hit firebutton

10 33 Ø IF STRIG(Ø) <> Ø THEN 3 30

E0 335 POKE 53248, Ø: RT=1: GOT 0 10

 $S=-S:Z=(Z=\emptyset):H=\emptyset:A=7$ 90 3 4 Ø ME 345 IF A=36 THEN 300

M 347 GOSUB 160: IF H=0 THEN A=A+1:GOTO 345

D=Ø:GOSUB 610:IF NP=1 AND S=-1 THEN  $Z=\emptyset$ 

DA 360 IF F1=-1 THEN Z=0 NB 37Ø IF NP=1 AND S=F1 THEN

120 AH 380 IF S=1 THEN POSITION P1, P2: PRINT " enter:

(A) == ::GOTO 400 HM 390 POSITION P1, P2: PRINT Bitch(F) S. turn ";

11 400 Q=3:R=3:FL=0:GOTO 480 60 410 IF STRIG(Z) = Ø AND FL= Ø THEN FL=1:GOSUB 49Ø :A=X:ZZ=A:POKE U,198: POKE 77,0:GOTO 430

IF 42Ø IF STRIG(Z) =Ø AND FL= 1 THEN GOSUB 490:T1=X :POKE U,40:GOTO 500

ON STICK(Z)-5 GOTO 43 U 430 0,440,430,430,430,450 43Ø,46Ø,47Ø:GOTO 41Ø

BF 44Ø 0=0+1\*(0<5):GOTO 48Ø CA 45Ø O=Q-1\*(Q>1):GOTO 48Ø

CE 46Ø R=R+1\*(R<5):GOTO 48Ø BG 47Ø R=R-1\*(R>1)

AC 48Ø POKE 203,R\*20-5:POKE 53248,Q\*2Ø+6Ø:V=USR(1 536):FOR TD=1 TO 30:N EXT TD:GOTO 410

AA 49Ø X = (R-1)\*6+(Q-1)+7:IFSTICK(Z)<>15 OR STRIG (Z) =Ø THEN 49Ø

IC 495 RETURN

CN 500 CK=1:L=0:K1=0:GOSUB 1 60:CK=Ø

0K 5Ø1 H=Ø:A=7

NC 502 IF A=36 THEN 510

08 503 GOSUB 160: IF H>=1 THE N 51Ø

CK 5Ø4 A=A+1: IF A<36 THEN 5Ø

08 51Ø IF D THEN 54Ø

№ **5**2Ø IF L THEN 545

LL 530 GOSUB 620:GOTO 350 IK 54Ø IF L=Ø OR K=Ø THEN GO

SUB 620:GOTO 600 KE 545 IF K1=Ø AND H>=1 THEN 53Ø

Ck 55Ø F=ZZ:T=T1:K=K1:GOSUB

270:IF K1=0 THEN 340 FN 560 A=T:ZZ=A:H=0:GOSUB 16

Ø: IF H<1 THEN 34Ø MK 600 D=1:0=3:R=3:POKE U,20

Ø:GOTO 48Ø J0610 POSITION P1, P2: FOR A1

=1 TO 18:PRINT " ";:N EXT A1: RETURN

JF620 SOUND 1,200,12,15:FOR TD=1 TO 70:NEXT TD:S OUND 1,0,0,0:RETURN

HJ 63Ø RETURN

FC 650 IF RT=0 THEN DIM W\$(3 Ø),G\$(3Ø),BL\$(3Ø)
AB 655 W\$="!":W\$(2,2)=CHR\$(3

4):W\$(3,17)="#{DOWN} {3 LEFT)'() {DOWN} {3 LEFT}-./":G\$="\$%& {DOWN} {3 LEFT) \*+ (DOWN) (3 LEFT) Ø12": BL \$="596(DOWN){3 LEFT} (V) (B) (DOWN) (3 LEFT) 8:7"

80 67Ø IF RT=Ø THEN DIM D(28 ),B(42),M(1Ø),X(35),Y (35)

BK 68Ø RESTORE 71Ø:S=-1:FOR  $A=\emptyset$  TO 7:READ T:M(A)= T: NEXT A: FOR A=Ø TO 2 8: READ T: D(A) = T: NEXT

LE 69Ø FOR A=Ø TO 4:FOR F=Ø TO 4:H=6\*A+F+7:X(H)=5 \*F+9:Y(H)=5\*A:NEXT F: NEXT A:FOR A=Ø TO 42

81700 READ T:B(A)=T:NEXT A: GOSUB 770: GOSUB 1190: FOR A=Ø TO 42:GOSUB 1 13Ø:NEXT A:RETURN

EA 71Ø DATA -6,1,6,-1,-5,7,5

DATA 7,3,7,3,7,0,3,7, AJ 720 3,7,3,Ø

DATA 7,3,7,3,7,0,3,7, PB 73Ø

3,7,3,Ø,7,3,7,3,7 CL 74Ø DATA 2,2,2,2,2,2,2,-1 -1,-1,-1,-1,2

CC 75Ø DATA -1,-1,-1,-1,2 ,-1,-1,0,1,1,2

BN 760 DATA 1,1,1,1,1,2,1,1, 1,1,1,2,2,2,2,2,2,2

```
A8 770 POKE 756, CHBAS: POKE 5
      4279, SPRBAS: IF RT=1
      HEN 830
MM 780
     FOR A=Ø TO 1023:POKE
      CH+A, PEEK (57344+A) : NE
      XT A
KE 790 RESTORE 870: FOR A=CH+
      8 TO CH+215: READ B: PO
      KE A, B: NEXT A: FOR A=C
      H+472 TO CH+479:READ
B:POKE A,B:NEXT A
NI 800 FOR A=CH TO CH+7:POKE
       A, Ø: NEXT A
BI 810 A=SPRBAS*256+512:POKE
       207, A/256: POKE 206, A
      -256*PEEK(207)
0083Ø POKE 559,46:POKE 623,
      1:POKE 704,40:POKE 53
      256,3:POKE 53277,3:PO
      KE 708,15:POKE 709,40
      : RETURN
ME B7Ø DATA 255,192,192,192,
      192,192,208,212
FG 88Ø DATA 255, Ø, Ø, 8, 8, 1 Ø, 4
      2,5
FC B9Ø DATA 255,3,3,3,3,3,13
      1,3
ML 900 DATA 255,192,192,193,
      192,193,193,193
CL 91Ø DATA 255, Ø, Ø, 8Ø, 84, 85
      ,153,85
OK 92Ø DATA 255,3,3,3,3,3,3,
MF 93Ø DATA 213,197,197,192,
      193,225,233,234
N 940 DATA 69,84,20,84,81,8
      Ø,8Ø,86
FL 95Ø DATA 3,3,3,3,3,67,19,
U 960 DATA 192,192,212,213,
      213,208,192,192
DG 97Ø
     DATA 85,20,20,85,85,8
      5,85,21
KA 98Ø DATA 3,23,87,87,71,3,
      3,67
MI 99Ø DATA 232,224,193,192,
      192, 192, 192, 255
KC 1000 DATA 21,84,80,0,0,0,
       Ø,255
88 1Ø1Ø DATA 3,3,3,3,3,3,3,2
       55
PB 1020 DATA 192,192,192,192
       ,192,192,192,255
EB 1030
       DATA 21,5,5,5,1,0,0,
       255
JE 1040 DATA 67,67,3,67,83,2
       3,3,255,128,128,32,3
       2,8,8,2,2,2,2,8,8,32
       ,32,128,128
P6 1041 DATA 255, 192, 192, 192
       ,192,192,192,192,255
       ,3,3,3,3,3,3,3,3,3,3
       ,3,3,3,255,192,192
       ,192,192,192,192,192
        255
AF 1042 DATA 255,0,0,0,0,0,0
       ,ø,ø,ø,ø,ø,ø,ø,ø,255
        12,12,24,48,0,0,0,0
KG 113Ø IF B(A) = 2 THEN RETUR
DM 114Ø POSITION X(A),Y(A)
EA 1150 IF B(A) = 0 THEN PRINT
        BL S:
PL 1160 IF B(A) > 0 THEN PRINT
        G$;
AK 117Ø IF B(A) (Ø THEN PRINT
        W$:
KK 118Ø RETURN
80 119Ø IF RT=Ø THEN DIM R$(
8F 1200 R$=CHR$(155):POSITIO
       N Ø,1:GOSUB 1300:GOS
       UB 1310:GOSUB 1300:G
```

OSUB 1320: GOSUB 1300 :GOSUB 1310:GOSUB 13 aa ND 1210 GOSUB 1320:R\$="":GOS UB 1300: RETURN GE 1300 PRINT "(9 SPACES) (3 RIGHT) (2 R) {3 RIGHT}{2 R} (3 RIGHT) (2 R) {3 RIGHT}{2 R}";R\$:R ETURN CL1310 PRINT "{9 SPACES} {RIGHT} (=) {RIGHT}3 (2 RIGHT) (=) (2 RIGHT) 4 (RIGHT) (=) (RIGHT) 3 {2 RIGHT} {= } {2 RIGHT} 4{RIGHT}{=}";R\$;" (9 SPACES) (RIGHT) {=}{2 RIGHT}3(RIGHT) {=}{RIGHT}4{2 RIGHT} {=}{2 RIGHT}3(RIGHT) {=}{RIGHT}4{2 RIGHT} {=}";R\$:RETURN CH 1320 PRINT "(9 SPACES) {RIGHT} (=) {2 RIGHT} 4 (RIGHT) (=) (RIGHT)3 {2 RIGHT} {=} {2 RIGHT} 4(RIGHT)(=)(RIGHT)3 {2 RIGHT} (=)"; R\$;" (9 SPACES) (RIGHT) {=}{RIGHT}4{2 RIGHT} {=}{2 RIGHT}3{RIGHT} {=}{RIGHT}4{2 RIGHT} (=) (2 RIGHT) 3 (RIGHT) {=}";R\$:RETURN

## Program 5: The Witching Hour, Apple II Version

Version by Kevin Martin, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTE!

96 10 Z = 1: HOME : TEXT
6E 11 POKE 232,96: POKE 233,3: S
CALE= 27: ROT= 0: HCOLOR=
3
EA 20 VTAB 8: HTAB 11: PRINT "TH
E WITCHING HOUR"

17 30 VTAB 12: HTAB 6: PRINT "PR ESS '1' FOR ONE PLAYER"

ESS '1' FOR ONE PLAYER" 92 40 HTAB 12: PRINT "'2' FOR TW

O PLAYERS"

11 50 GET A\$:NP = ASC (A\$) - 48:

IF NP < 1 OR NP > 2 THEN

50 86 60 IF NP = 2 THEN 110 88 70 HTAB 5: PRINT "DO YOU WANT

TO GO FIRST (Y/N)?";
20 8Ø GET A\$:F1 = 1: IF A\$ < > "
Y" AND A\$ < > "N" THEN 8Ø
38 9Ø IF A\$ = "N" THEN F1 = - 1

38 9Ø IF A\$ = "N" THEN F1 = - 1 96 11Ø HOME : HGR : GOSUB 65Ø: G OTO 35Ø

12 120 H = Ø:K = Ø: FOR A = 7 TO 35: GOSUB 160: NEXT

8E 13Ø GOSUB 27Ø: IF H < 1 THEN 34Ø

E5 140 H = 0:K = 0:A = T: GOSUB 160: IF H < 1 THEN 340 97 150 GOTO 130

16 16Ø IF B(A) = Ø OR B(A) = - S OR B(A) = 2 THEN RETURN F5 17Ø FOR B = Ø TO D(A - 7):C =

ES 170 FOR B = 0 TO D(A - 7):C =
A + M(B): IF B(C) = S OR
B(C) = 2 THEN 260
F1 180 IF B(C) THEN 220

10 190 SC = RND (0) \* .9: IF H < 14 630 HOME : RETURN

SC THEN H = SCIF = AIT = A6 200 IF CK = 1 AND T1 = C THEN L = 1:B = 7 14 21Ø GOTO 26Ø 52 22Ø IF B(C + M(B)) THEN 26Ø BF 23Ø SC = 1 + RND (Ø) \* .9: IF H < SC THEN H = SC:F = A zT = C + M(B)zK = CDB 24Ø IF CK = Ø THEN 26Ø IF T1 = C + M(B) THEN L = EF 250 1:K1 = C:B = 7CA 260 NEXT : RETURN  $1A \ 270 \ A = F:B(T) = B(F):B(F) =$ Ø: GOSUB 113Ø 39 280 IF K THEN B(K) = Ø:A = K: GOSUB 113Ø 84 29Ø A = T: GOTO 113Ø 50 300 GOSUB 610: IF S = 1 THEN VTAB 21: HTAB 12: PRINT " THE WITCHES WIN! ": GOTO 3 20 ## 310 VTAB 21: HTAB 12: PRINT " THE GHOSTS WIN! 5E 320 HTAB 10: PRINT "PRESS THE <SPACEBAR>" 76 33Ø GET A\$: IF A\$ < > " " THE N 33Ø AF 331 RUN D7 340 S = - S:Z = - (Z = 0):H =Ø: FOR A = 7 TO 35: GOSU B 160: NEXT : IF H = Ø TH EN 300 44 35Ø D = Ø: GOSUB 61Ø: IF NP = 1 AND S = -1 THEN Z = 1EA 360 IF F1 = - 1 THEN Z = 1 35 370 IF NP = 1 AND S = F1 THEN 120 4F 38Ø IF S = 1 THEN VTAB 21: HT AB 12: PRINT "THE GHOST'S TURN": GOTO 400 66 39Ø VTAB 21: HTAB 12: PRINT " THE WITCH'S TURN" EI 400 VTAB 22: HTAB 12: PRINT " FROM: "; CHR\$ (8); DA 410 GOSUB 1250 87 420 PRINT A\$;:A = N( ASC (A\$) -65):Z = AM 43Ø HTAB 25: PRINT "TO: "; CH R\$ (8): Ef 44Ø GOSUB 125Ø E9 450 PRINT A\$;:T1 = N( ASC (A\$ ) - 65):CK = 1:L = 0:K1 =Ø: GOSUB 160:CK = Ø DB 451 H = Ø:A = 7 62 452 IF A = 36 THEN 460 64 453 GOSUB 160: IF H > = 1 THE N 46Ø B1 454 A = A + 1: IF A < 36 THEN 453 BC 46Ø IF D THEN 54Ø 1 470 IF L THEN 545 % 53Ø GOSUB 62Ø: GOTO 35Ø 7D 54Ø IF L = Ø OR K1 = Ø THEN G OSUB 620: GOTO 570 A9 545 IF K1 = Ø AND H > = 1 THE N 53Ø 45 550 F = Z:T = T1:K = K1: GOSU B 270: IF K1 = Ø THEN 34Ø 97 560 A = T:Z = A:H = Ø: GOSUB 160: IF H < 1 THEN 340 18 570 GOSUB 610: VTAB 21: HTAB 11: PRINT "JUMP AGAIN (Y/ N)?"; 62 58Ø GET A\$: IF A\$ < > "Y" AND A\$ < > "N" THEN 58Ø 31 590 GOSUB 610: IF A\$ = "N" TH EN S = - S: GOTO 35Ø 72 600 D = 1: VTAB 22: GOTO 430 4F 61Ø PRINT : VTAB 21: FOR J = 1 TO 2: FOR I = 1 TO 40: PRINT " ";: NEXT I,J

55

\$3 620 PRINT CHR\$ (7);: RETURN

10 611 RETURN

```
E7 65Ø DIM D(28), B(42), X(35), Y(3 |
      5),N(28)
DE 660 S = - 1: FOR A = 0 TO 7:
      READ M(A): NEXT : FOR A =
       Ø TO 28: READ D(A): NEXT
53 67Ø FOR A = Ø TO 4: FOR F = Ø
       TO 4:H = 6 * A + F + 7:X


(H) = 4 * F + 11:Y(H) = 4
       * A:N(G) = H:G = G + 1:
      NEXT F, A
58 680 FOR A = 0 TO 42: READ B(A
      ): NEXT : FOR A = Ø TO 6:
       READ F: POKE 864 + A,F:
      NEXT : GOSUB 760: GOSUB 1
      190: FOR A = 0 TO 42: GOS
      UB 1130: NEXT : RETURN
CB 69Ø DATA -6,1,6,-1,-5,7,5,-7
44 700 DATA 7,3,7,3,7,0,3,7,3,7,
      3.0
A9 720 DATA 2,2,2,2,2,2,-1,-1,
       -1,-1,-1,2
44 73Ø DATA -1,-1,-1,-1,2,-1,
      -1,0,1,1,2
38 75Ø DATA 1,0,4,0,44,62,0
A2 760 FOR A = 768 TO 855: READ
      F: POKE A, F: NEXT
7F 77Ø POKE 6, Ø: POKE 7,141: IF
PEEK (191 * 256) = 76 THE
      N PRINT CHR$ (4); "PR#A$3Ø
      Ø": GOTO 79Ø
08 780 POKE 54,0: POKE 55,3: CAL
      L 1002
E3 79Ø FOR A = 36352 TO 36567: R
      EAD F: POKE A,F: NEXT
18 800 RETURN
2C 113Ø IF B(A) = 2 THEN RETURN
22 114Ø VTAB Y(A) + 1: HTAB X(A)
45 1150 IF B(A) < 0 THEN PRINT "
      QAB": HTAB X(A): PRINT "
      FGH": HTAB X(A): PRINT "
      LMN"
38 1160 IF B(A) > 0 THEN PRINT "
      CDE": HTAB X(A): PRINT "
      IJK": HTAB X(A): PRINT "
      יימאם
AB 1170 IF B(A) = 0 THEN PRINT "
      RST": HTAB X(A): PRINT "
      UVW": HTAB X(A): PRINT "
      XYZ"
F3 118Ø RETURN
EA 1190 HCOLOR= 3
71 1200 FOR A = 11 TO 139 STEP 3
2: HPLOT 78,A TO 190,A:
      NEXT
6A 121Ø FOR A = 78 TO 19Ø STEP 2
      8: HPLOT A, 11 TO A, 139:
      NEXT
FB 1220 HPLOT 78,11 TO 194,140:
      HPLOT 194,11 TO 78,140
39 1230 HPLOT 78,76 TO 136,11 TO
       194,76 TO 136,140 TO 78
      .76
2E 1249 RETURN
02 1250 F = 2:T1 = 2:QS = 2
28 1260 SCALE= QS
83 127Ø XDRAW 1 AT (T1 * 4 + 1Ø)
       *7 - 3, (F * 4) * 8 + 25
JE 1275 PRINT CHR$ (F $ 5 + T1 +
       65); CHR$ (8);
49 128Ø A$ = "": IF PEEK ( - 163
      84) > 128 THEN GET A$
AF 1285 XDRAW 1 AT (T1 * 4 + 10)
       * 7 - 3, (F * 4) * 8 + 25
FB 1287 QS = QS + 5: IF QS > 27
      THEN Q8 = 2
EE 1290 IF A$ = "I" AND F > 0 TH
      EN F = F - 1
#1 1291 IF A$ = "K" AND F < 4 TH
      EN F = F + 1
```

```
BB 1292 IF A$ = "J" AND T1 > Ø T
      HEN T1 = T1 - 1
87 1293 IF A$ = "L" AND T1 < 4 T
      HEN T1 = T1 + 1
A2 1300 IF A$ < > CHR$ (13) THEN
       1260
48 1400 A$ = CHR$ (F * 5 + T1 +
      65): RETURN
06 1500 DATA 216,120,133,69,134,
2E 1510 DATA 132,71,166,7,10,10
44 1520 DATA 176, 4, 16, 62, 48, 4
BB 1530 DATA 16,1,232,232,10,134
6 1540 DATA 27,24,101,6,133,26
AJ 1550 DATA 144,2,230,27,165,40
95 1560 DATA 133,8,165,41,41,3
BI 157Ø DATA 5,23Ø,133,9,162,8
JE 1580 DATA 160,0,177,26,36,50
89 1590 DATA 48, 2, 73, 127, 164, 36
47 1600 DATA 145,8,230,26,208,2
9F 161Ø DATA 23Ø,27,165,9,24,1Ø5
#F 1620 DATA 4,133,9,202,208,226
B7 163Ø DATA 165,69,166,7Ø,164,7
72 164Ø DATA 88,76,24Ø,253
71 1700 DATA 255,129,129,129,129
F# 1710 DATA 139,171,255,128,128
      ,192
CB 1720 DATA 192,208,212,224,255
      , 192
6F 1730 DATA 192, 192, 194, 202, 234
      , 199
9F 174Ø DATA 255, 129, 129, 225, 129
      ,225
6 1750 DATA 225,225,255,128,128
       , 135
№ 176Ø DATA 159,255,238,255,255
      , 192
C9 1770 DATA 192,192,192,192,192
      ,192
BD 178Ø DATA 171,171,171,169,129
      , 129
A# 1790 DATA 193,199,229,181,181
9 1800 DATA 168,170,170,170,199
       , 193
4B 1810 DATA 193,193,193,195,199
      , 204
DI 1820 DATA 129,129,159,255,255
B9 1830 DATA 193,193,159,142,142
      , 255
CI 1840 DATA 255,191,191,255,192
      ,248
€ 1850 DATA 255,255,241,192,192
      , 192
55 1860 DATA 223,223,255,159,135
72 1870 DATA 129,255,170,170,170
,168

F 1880 DATA 170,139,128,255,216
      , 240
69 1890 DATA 255, 193, 192, 192, 192
       . 255
7E 1900 DATA 129,129,129,129,129
      ,129
13 1910 DATA 129, 255, 255, 254, 252
      . 248
17 1920 DATA 248,224,128,255,193
      ,193
47 1930 DATA 193,192,193,207,254
       255
39 1940 DATA 127,1,1,1,1,1
46 1950 DATA 1,1,127,0,0,0
D2 1960 DATA 0,0,0,0,127,64
25 1970 DATA 64,64,64,64,64,64
A4 1980 DATA 1,1,1,1,1,1
53 1990 DATA 1,1,0,0,0,0
26 2000 DATA 0,0,0,0,64,64
  2010 DATA 64,64,64,64,64
78 2020 DATA 1,1,1,1,1,1
38 2030 DATA 1,127,0,0,0,0
FF 2040 DATA 0,0,0,127,64,64
F6 2050 DATA 64,64,64,64,64,127
```



A ghost is about to be jumped in this game of "The Witching Hour" for Apple II computers.



"The Witching Hour" for the TI-99/4A works with console BASIC as well as TI Extended BASIC.

## Program 6: The Witching Hour, TI-99/4A Version

Version by Patrick Parrish, Programming Supervisor

```
100 GOTO 150
110 FOR I=1 TO LEN(H$)
120 CALL HCHAR(R,C+I,ASC(
    SEG$(H$, I, 1)))
130 NEXT I
14Ø RETURN
150 DIM B(42), D(28), N(28)
     X(35),Y(35)
160 GOSUB 1650
17Ø GOTO 93Ø
180 H=0
190 K=0
200 FOR A=7 TO 35
210 GOBUB 310
220 NEXT A
23Ø GO8UB 6ØØ
240 IF H<1 THEN 860
250 H=0
260 K=0
27Ø A=T
280 GOSUB 310
290 IF H<1 THEN 860
   GOTO 230
300
   IF (B(A)<>0) * (B(A)<>-
310
    8) * (B(A) <>2) THEN 330
320 RETURN
330 FOR B5=0 TO D(A-7)
340 C=A+M(B5)
350 IF (B(C)=S)+(B(C)=2)T
    HEN 580
```

360 IF B(C)THEN 450	1140 C=15 1150 GOSUB 110 1160 A=N(KK-65) 1170 Z=A 1180 H\$="T0:" 1190 IF DD<>1 THEN 1210 1200 CALL HCHAR(23,10,32,	70F0F1F3F3F1C08,E0C0
360 IF B(C)THEN 450 370 BC=RND*.9	1156 COCUP 116	
380 IF H>=8C THEN 420 390 H=8C	1139 60808 114	1924 CALL CLEAD
300 IF H/=60 INEN 420	1169 A=N(KK-65)	1829 CALL CLEAR
390 H=80	1170 Z=A	1830 CALL COLOR(11,4,1)
390 H=8C 400 F=A 410 T=C 420 IF (CK(>1)+(T1<>C)THE	1180 H\$="T0:"	1840 CALL COLOR(12,15,1)
410 T=C	1190 IF DD<>1 THEN 1210	1850 FOR I=1 TO 8
426 IF (CK<>1)+(T1<>C)THE	1200 CALL HCHAR(23,10,32,	1860 CALL COLOR(I,16,1)
N 58Ø	7)	1870 NEXT I
430 LL=1	1210 R=23	1880 CALL BCREEN(2)
440 BOTO 570	1220 C=17	1890 PRINT TAB(6); "THE WI
450 TE BICAMIREN THEN SOM	1276 COOUD 116	TOUTNO HOUDE,
ALE DE-1-DARE D	1239 00000 119	TCHING HOOK IIIIIII
476 IS UN-00 THEN FOR	1240 CALL KEY(0,KK,58)	
4/0 IF H>=80 IHEN 520	1250 IF 88=0 THEN 1240	1900 CALL HCHAR(14,8,112)
480 H=8C	1260 H\$=CHR\$(KK)	1910 CALL HCHAR(14,9,113)
490 F=A	1270 C=21	1920 CALL HCHAR(15,8,114)
500 T=C+M(B5)	1280 GOSUB 110	1930 CALL HCHAR(15.9.115)
510 K=C	1290 T1=N(KK-65)	1946 CALL HCHAR(14,23,126)
526 IF CK=6 THEN 586	1388 CK-1	4055 0011 1101100/44 04 404)
530 K=0	1716 11-6	1930 CHLL HCHAK(14,24,121)
SAG TE TICACAMORATURN SO	1310 LL-0	1960 CALL HCHAR(15,23,122)
A TICYCON (BUTTHEN SE	1329 K1=9	1970 CALL HCHAR(15,24,123)
	1330 60808 310	1980 FOR A=0 TO 7
350 LL=1	1340 CK=0	199Ø READ M(A)
560 K1=C	1350 H=0	2666 NEXT A
57Ø B5=7	1360 A=7	2616 EDP A=6 TD 28
580 NEXT B5	1370 IF A=36 THEN 1420	2626 PEAN N(A)
590 RETURN	1380 GOBUB 310	2476 NEVT A
600 A=F	1390 IF H>=1 THEN 1420	TAN MEYIH
ALG R(T)=P(F)	1466 4=4+1	2040 FUR A=0 TO 4
424 D(F)=4	1416 TE A/TA TUEN 1706	2950 FOR F=0 TO 4
174 COOUR CTC5	1216 R=23 1226 C=17 1236 BOBUB 116 1246 CALL KEY(6,KK,SB) 1250 IF BB=0 THEN 1240 1266 H\$=CHR\$(KK) 1276 C=21 1280 BOBUB 116 1296 T1=N(KK-65) 1306 CK=1 1310 LL=6 1326 K1=6 1330 GOBUB 316 1340 CK=0 1356 H=6 1356 A=7 1370 IF A=36 THEN 1426 1386 BOBUB 316 1396 IF H>=1 THEN 1426 1406 A=A+1 1416 IF A<36 THEN 1386 1426 IF DD THEN 1446 1436 IF LL THEN 1496 1446 CALL BOUND(56,226,5) 1456 BOTO 936 1460 IF (LL<>6) *(K1<>6) THEN 1496 1476 CALL BOUND(56,226,5)	2060 H=6*A+F+7
630 BUBUB 2790	1420 IF DD THEN 1460	2070 X(H)=4*F+8
640 IF K=0 THEN 680	1430 IF LL THEN 1490	2080 Y(H)=4*A+2
650 B(K)=0	1440 CALL BOUND(50,220,5)	2898 N(B)=H
660 A=K	1450 GOTO 930	2186 G=G+1
670 GOBUB 2790	146Ø IF (LL<>Ø)*(K1<>Ø)TH	2146 NEVT E
ARG AMT	EN 1496	ZIIW NEXI F
670 GOBUB 2790 680 A=T 690 GOTO 2790	1476 CALL SOUND (56.226.5)	2120 NEXT A
680 A=T 690 GOTO 2790 700 GOBUB 1630 710 IF 8<>1 THEN 740	1486 BOTO 1466	2139 DATA -6,1,6,-1,-5,/,
716 IE 0/11 THEN 746	1406 TE (V1=6) + (U)=1) THEN	5,-7
720 H4="THE WITCHES WIN!"	1440	2140 DATA 7,3,7,3,7,0,3,7
730 GOTO 750	1888 E-7	,3,7,3,0
746 H\$="THE GHOSTS WIN!"	1500 1-1	2150 DATA 7,3,7,3,7,0,3,7
756 D-07	151V N-N1	,3,7,3,ø,7,3,7,3,7
75Ø R=23 76Ø C=9	1520 I-II	2160 DATA 2,2,2,2,2,2,-
760 C=9	1220 00000 000	1,-1,-1,-1,2
770 GUBUB 110	1349 IF K1=0 INEN 869	2170 DATA -1,-1,-1,-1,
750 C=7 770 GOBUB 110 780 R=24 790 C=5 800 H\$="HIT A KEY TO PLAY ABAIN"	1440 1500 F=Z 1510 K=K1 1520 T=T1 1530 GOBUB 600 1540 IF K1=0 THEN 860 1550 A=T 1560 Z=A 1570 H=0	2,-1,-1,0,1,1,2
790 C=5	1205 7-4	2180 DATA 1,1,1,1,1,2,1,1
800 HS="HIT A KEY TO PLAY	ע=א ש/כו	,1,1,1,2,2,2,2,2,2,2,2 2190 CALL COLOR(11,1,1) 2200 8=-1
ABAIN" B1Ø GOBUB 11Ø	1580 GOSUB 310 1590 IF H<1 THEN 860 1600 DD=1	219Ø CALL COLOR(11,1,1)
81Ø GOBUB 11Ø	1590 IF H<1 THEN 860	2299 8=-1
826 CALL KEY(6, KK, 88)	1600 DD=1	2210 CALL COLOR(12,1,1)
830 IF 88=0 THEN 820	1610 CALL HCHAR (23, 22, 32)	2220 CALL COLOR(9,1,1)
84Ø 808UB 219Ø	1620 GOTO 1180	223Ø CALL COLOR(10,1,1)
85Ø GOTO 93Ø	1630 CALL HCHAR(22,1,32,9	2240 CALL CLEAR
860 8=-8		2250 Hs="BETTING UP GA
870 H=0	6)	
88Ø A=7	1640 RETURN	ME BOARD"
	1650 FOR I=96 TO 104	2260 R=23
890 IF A=36 THEN 700	1660 READ A\$	2270 C=3
900 GOBUB 310	1670 CALL CHAR(I,As)	228Ø GOBUB 11Ø
91Ø A=A+1	1680 NEXT I	2290 FOR ROW=5 TO 17 BTEP
920 IF H=0 THEN 890	1690 DATA 00000000000000F	4
930 DD=0	F, 0101010101010101, F	2300 FOR COL=8 TO 24 BTEP
940 BOBUB 1630	F80808080808080	4
950 IF 8<>1 THEN 980	1700 DATA FF0101010101010	2310 CALL HCHAR (ROW, COL, 1
960 H\$="GHOST'S TURN"	1.8080808080808080.8	Ø3)
97Ø GOTO 99Ø	040201008040201	2320 NEXT COL
980 Hs="WITCH'S TURN"	1710 DATA 010204081020408	233Ø NEXT ROW
990 R=22	6,61616161616161FF,F	2340 FOR ROW=2 TO 18 STEP
1000 C=10	F00000000000000	4
1616 GOBUB 116		
1020 R=23	1720 FOR I=112 TO 115	2350 FOR COL=7 TO 23 BTEP
1030 C=9	1730 READ A\$	4 DT/ C DALL UCUAD/DDW CDL+T
1949 Hs="FROM:"	1740 CALL CHAR(I,A\$)	2360 CALL HCHAR (ROW, COL+3
	1750 NEXT I	, 196)
1656 GOBUB 116	1760 DATA 0000A0FCFE7E3F1	2370 CALL HCHAR (ROW+1, COL
1060 RANDOMIZE	E,0008080C1C3E1CB8,1	+4,99)
1070 CALL KEY(0,KK,88)	C090101E1FFE302,F0EB	238Ø CALL HCHAR (ROW, COL, 9
1080 IF 88-0 THEN 1060	C8C4E2FFEØØØ	7)
1090 IF KK<>13 THEN 1120	1770 FOR I=120 TO 123	2390 CALL HCHAR (ROW-1, COL
1100 GOSUB 1630	1780 READ A\$	+2,96)
1110 GOTO 180	1790 CALL CHAR(I,A\$)	2400 CALL HCHAR (ROW+1, COL
1120 IF (KK(65)+(KK)89)TH	1800 NEXT I	+3,98)
EN 1969	1810 DATA 00011131131F030	2410 CALL HCHAR (ROW+2, COL
1130 Hs=CHR\$(KK)	7,40F050F4F6F4FCE0,0	+1,99)

2420	CALL HCHAR (ROW+2, COL
	+2,104)
2430	NEXT COL
2440	NEXT ROW
2450	FOR ROW=3 TO 19 STEP
	4
	CALL HCHAR (ROW, 7, 97)
2479	CALL HCHAR (ROW, 26, 10
	<b>Ø</b> )
2480	CALL HCHAR (ROW, 27, 32
	)
	NEXT ROW
2500	FOR COL=8 TO 24 STEP
	4
2510	CALL HCHAR (1, COL, 96,
	2)
	CALL HCHAR (20, COL, 10
	4)
	NEXT COL
2549	FOR ROW=4 TO 12 STEP
	8
2559	FOR COL=10 TO 18 STE
	P 8
2569	CALL HCHAR (ROW, COL, 1
0574	01)
25/9	CALL HCHAR (ROW, COL+5
	,102)

```
2580 CALL HCHAR (ROW+1, COL
     +4,102)
2590 CALL HCHAR (ROW+4, COL
     +1,102)
2600 CALL HCHAR (ROW+5, COL
     . 102)
2610 CALL HCHAR (ROW+4, COL
     +4,101)
2620 NEXT COL
2630 NEXT ROW
2640 RESTORE 2160
2650 CALL HCHAR (23, 3, 32, 2
2660 0=0
2670 FOR A=0 TO 42
2680 READ B(A)
2690 GOSUB 2790
2700 IF B(A) = 2 THEN 2730
2710 CALL HCHAR (Y(A)-1, X(
     A)-1,Q+65)
2720 0=0+1
273Ø NEXT A
274Ø CALL COLOR(9,14,1)
2750 CALL COLOR(10,14,1)
2760 CALL COLOR(11,4,1)
277Ø CALL COLOR(12,15,1)
278Ø RETURN
```

2790	IF B(A) <>2 THEN 2810
2800	RETURN
2810	IF B(A)<>Ø THEN 285Ø
2820	CALL HCHAR (Y(A), X(A)
	,32,2)
2830	CALL HCHAR (Y(A)+1,X(
	A),32,2)
2840	•
2850	IF B(A)>Ø THEN 291Ø
2860	CALL HCHAR (Y(A).X(A)
	.112)
2870	CALL HCHAR (Y(A), X(A)
	+1.113)
2880	
	A).114)
2890	CALL HCHAR (Y(A)+1, X(
	A)+1,115)
2900	GOTO 2950
2910	CALL HCHAR (Y(A), X(A)
	.120)
2920	CALL HCHAR (Y(A), X(A)
	+1,121)
2930	CALL HCHAR (Y(A)+1,X(
	A),122)
2940	CALL HCHAR (Y(A)+1,X(
	A)+1.123)
2950	RETURN

Now there's a way parents can help their children climb to the heights of success.

It begins with an Apple,<sup>®</sup> IBM,<sup>®</sup> Commodore<sup>™</sup> or Atari<sup>®</sup> computer. It takes off with CBS Software.

Our Success with  $Math^{\mathsf{TM}}$  series has met with sales success second to none in its field. Along with our new Success with  $Algebra^{\mathsf{TM}}$  series, your home computer will become a patient, private tutor—using serious drill and practice to help your children over the obstacles in their way.

Mastering the SAT has also become a best seller. With its counterpart, Mastering the ACT, it's the comprehensive test preparation program that's proven to be the first choice for thousands of students who want acceptance from their




first choice college. They are the only programs of their kind created with the National Association of Secondary School Principals. And they're designed to provide the competitive edge that can help put your

kids over the top.

SOFTWARE
Making you the best.

IBM, Apple and Atari are registered trademarks of International Business Machines Corp., Apple Computer Inc., and Atari Corp., respectively. Commodore is a trademark of Commodore Electronics Ltd.

1985 CBS Inc. All rights reserved. CBS Software, A Unit of CBS Educational and Protessional Publishing Division, CBS Inc. One Fawcett Place, Greenwich, CT 06B36. (203) 622-2525.



## LASER BEAM

## For Atari And Commodore 64

Mike Greenfield

This fast-paced arcade game is written entirely in machine language and challenges the quickest reflexes. Originally written for the Atari, the program has been adapted and enhanced for the Commodore 64. The Atari version runs on any 400, 800, XL, or XE with at least 16K RAM. Both versions require a joystick.

The Atari version of "Laser Beam" is a fast-action arcade-style game with a simple premise—you score by moving. The more you move, the more you score. You start off in an arena along with a bouncing ball. If you happen to run into the ball or the arena walls, the game ends.

But watch out! If you haven't collided with anything after half a minute or so, you advance to level 2 and a second bouncing ball appears. If you last a while longer, you reach level 3 and a *third* ball appears, and so on. Up to five balls can be bounc-

ing around the arena simultaneously. Your score for each move depends on which level you're on. When there's one ball on the screen, you score one point per move; when there's five balls, you score five points.

In early stages of the game, you may not feel motivated to move unless you absolutely have to. So there's one additional challenge—the laser beams. Each side of the arena is guarded by a roving laser. You'll see a red indicator when the laser beam fire sequence has been activated, but the indicator tells you only where the beam will fire, not when. As the game progresses, it becomes more difficult to dodge the laser because the countdown before firing decreases.

Before starting the game, you can select one of ten difficulty options. The program automatically selects option 5. To change this, press the OPTION button. Option 9 is the slowest, and therefore the

easiest; option 0 is the fastest.


To freeze the action, press the SELECT button. To continue, press SELECT and START together. After each round, press the START button to start another game. To return to the title screen, press START, SELECT, and OPTION simultaneously.

### **Entering The Atari Version**

Programs 1 and 2 work together to load Laser Beam from BASIC. To fit the game into 16K of RAM, a single BASIC program can't hold all the DATA statements necessary for the machine language and also POKE them into memory.

Therefore, the DATA statements in Program 1 create a machine language file on disk or tape called LASERBEM.OBJ. (If LASERBEM.OBJ already exists on a disk, Program 1 recognizes this and won't create a new file.) After Program 1 runs, it automatically loads and runs Program 2, assuming you

## Lyco Computer Marketing & Consultants



### OVER 2000 SOFTWARE TITLES IN STOCK!

### ★ PRINTER ★ INTERFACING **AXIOM** AT846 (Atari) ... Parallax (C-64).

**MICROBITS** MPP-1150 (Atari).... MPP-1150XL (Atari) MicroPrint (Atari)... 64K RAM Board (600xl).

**DIGITAL DEVICES** 

ApeFace XLP (Atari).
ApeFace 12XLP (1200xl).
U-Print A (Atari).
U-Print A (Atari).
U-Print A (Atari).
U-Print AféK Buffer
U-Print AféK Buffer
U-Print AP6K (Apple).
U-Print AP6K (Apple).
U-CALL RS232 (Afari) 49 49 54 49 74 99 139 139

**MICROTEK** Dumpling GX (Apple). Dumpling 16K (Apple) RV-611C (Apple)

**TYMAC** Connection (C-64) Tackler (Apple). PPC-100 (Apple)

**ORANGE MICRO** 

GRAPPLER + (Apple) Grappler 16K (Apple). ORANGE (Apple)...... Grappler CD (C-64)

**CARDCO** 

G-Wiz (C-64) C/? + G (C-64) C/?PS (C-64) C/?B (C-64) C/?AT (Atari) C/?AP (Apple) C/?IBM (IBM)

### PRINTING **PAPER**

\$42.75 **FANFOLO** 1000 SHEETS \$19 75 FANFOLO 1000 SHEET LETTER 200 SHEETS LETTER \$8 99 150 RAG STATIONARY MAILING LABELS (1in) \$9 95 FANFOLD \$24 75

INNOVATIVE CONCEPTS Flip-n-File 10....... Flip-n-File 15...... Flip-n-File 25 Lock Flip-n-File 50... Flip-n-File Rom.

**WICO Joysticks** 

**DRIVES** 

MSD

SD1 Drive (C-64) SD2 Drive (C-64) 229 469

**INDUS** GT ATARI......215 GT COMMODORE .....235

### DISKETTES

SKC (Box 10)

514 SSDD 514 DSDD 13 75 12 99 15 75 14 99 ELEPHANT (Box 10)

SSSD SSDD DSDD 13 50 12 99 14 99 13 99 16 99 15 99 15 95 14 95 17 95 16 95 Premium SSDD Premium DSDD

MAXELL (Box 10) 514 MD-1 514 MD-2 16 75 15 75 14 75 22 99 21 99 20 99

VERBATIM (DataLife) (Box 10) 51/4" SSDD 51/4" DSDD 19 99 18 99 17 99 24 99 23 99 22 99

**NO LABEL DISKETTES** 

NL 51/4" SSDD .10 99 (Box 10) NL 51/4" DSDD .15 99 (Box 10) "Free Diskette Writer Pen! "Free Storage Case! "Lifetime Warranty!

IBM-PC **SOFT-WARE** 

\*LOTUS Lotus 1-2-3 Symphony

\*ASHTON-TATE 385.00 289.00 385.00 135.00 Base II Base III Base II upgrade

**BRODERBUND (IBM)** 

The Print Shop Bank St Writer Ancient Art of War Loderunner...

### **IBM-PC COMPATABLE**

**PARADISE** Multi-Display Card Modular Graphics Card. Five-Oak

**TECHMAR** 

First Mate-64K ... Captain-64K Second Mate Captain JR-128K Graphics Master **OMEGA** 

10 Meg Bernoulli Box (IBM).. 1899 5 Meg Bernoulli Box (MAC). 1499

**TALLGRASS TECHNOLOGIES** 

25mb drive 35mb drive 50mb drive 80mb drive **AST** 

.CALL 269 .199 .335 .339 389 AJI
SIX Pack Plus 64K
Mega Plus II 64K
Memory 128K (Mega)
Memory 256K (Mega)
Mono-Graph Plus
Advantage-AT-128K

\*QUADRAM Ouad Jr Exp Chassis Ouad Jr Exp Memory Ouad Memory Jr

\*LEADING EDGE

LEWP Basic ... LEWP Merge Print LE Spell Correction 65 00 99.00 169 00

Zenith Leading Edge

Call

-800-233-8760



TO ORDER



CALL TOLL FREE

800-233-8760 Customer Service 1-717-327-1825 Jersey Shore PA 17740

or send order to Lyco Computer PO Box 5088

### **RISK FREE POLICY**

In stock items shipped within 24 hours of order. No deposition C 0 D orders. Free shipping on prepaid cash orders within the continented U S. Volume discounts by the contract of the continented of the contract of the contr

## 小 ATARI 八

## **ATARI**

ATARI SOFTWARE (NEW)
Codewriter35.75
Filewriter20.75
Reportwriter20.75
Menuwriter20.75
Home Integretor19.75
Home Integretor19.75 Small Bus. Inventory11.75
Salesman Expenses 11.75
Accs Rec/Pay11.75
Retail Invoice11.75
Final Legacy15.75
Final Legacy
Star Voyager11.75

SSI (Atari)	
Colonial Conquest Field of Fire Kampfgruppe Objective: Kursk Market Garden Six Gun Shootout War in Russia Computer Baseball Computer Ouarterback.	24.75 49.75 24.75 24.75 22.75

SPINNAKER	₹ .	
Delta Drawing Room Cosmic Life Room	19 9 19 9	98
Up for Grabs Room	19 9	<i>!</i> :

PERSONAL PERIPHE	RALS
Super Sketch C-64 Printer Utility C-64 Super Sketch Atari	29 95 14 99 25 95
Super Sketch Apple/lbm	55 00

SUB LOGIC (A	(tarl
SUB LOGIC (A Flight Simulator II. Night Mission Pinball.	32.75 20.75

	ATARI	
850	Interface	109

CUN	IINENI	AL
Home Acc	countant	44.75
1985 Book o	f Atatri Software	16 95

		TRONIX	
S	A M	- Atarı.	38.50
	A M	C-64	38.50

ADVENTURE INT'L (Atari)
Diskey 32.75 Ultradissambler 32.75
Maxi Golf
Adventures 1-12 each14.50 Adv. Hint Book5.50

rl)
75
.75 .75 .75 .75
.75
75
.75 .75
75

SYNAPSI	E (Atari)
SynFile SynCalc (AT/C- SynComm	33.7
SýnCalc (AT/C-	64)33.7
SynComm	26.7

BRODERBUND (A	tari)
The Print Chan	2005
Graphics Library Grephics Library II Benk St. Writer	.18.95
Grephics Library II	.19.50
Benk St. Writer	.42.75
Whistler's Brother	. 18.95
Spelunker	. 18.95
Stealth	. 18.95
Serpent's Ster	.24 95
Mask of the Sun	.24.95

SCARBOROUGH (	Atari
NET WORTH (AT/C-64).	48.75
Mastertype	22.75
Improved Mastertype.	23.75
Mastertype Filer	22.75

## US ROBOTICS

## Password 1200M Password 1200F Password 300M Password 300M Password 300F Autodial 212A PCM5 PCM64 PCM56 S-100 Courier Microlink Telpac Ms-DOS

RACAL-VADIC	
2400PC 2400PA 2400V.	
1200PC 300V	
300PC George Software	

## **MODEMS**

BHODEHBUND (A
The Print Shop,
Graphics Library
Graphics Library II.
Paper Refill.
Bank St Writer 64K.
Bank St Writer 128K.
Bank St Filer.
Bank St Maler.
Bank St Speller.
Carmen Sandiego.
Karateka
Captain Goodnight.
Muppey Cruise

SUB LOGIC (Apple) Flight Simulator II....32.75 Night Mission Pinball....20.75

MICROPROSE (Apple) Crusade in Europe Decision in Desert F-15 Strike Eagle. Nato Commander

SSI (Apple)

Spinnaker

\$19.75 \$18.75 \$19.75

Mech Brigade... Norway 1985... Market Garden.. Six Gun Shootout 50 Mission Crush. Phantasie...

Alphabet Story Machine

Kids on Keys Grandma Snooper Troop

HAY	ES	
SMARTMODEM SMARTMODEM	1200	.379
SMARTMODEM SMARTMODEM MICROMODEM	2400	599
MICHOMODEM	mergana.	. 130

TELE LEARNIN	١G
Total Telecommunications	
(C-64) AP-250 (300 8aud Apple) 18-250 (300 8aud I8M)	29 95 69 95
18-250 (300 Baud I8M)	69 95

## apple commodore

SCARBOROUGH (Apple) NET WORTH	COMMODORE C-128 NEW
BRODERBUND (Apple)	1670 ModemCi
The Print Shop31.50 Graphics Library18.50 Graphics Library II18.95	1541 Drive
Paper Refill	Simon's Basic 24
Bank St Writer 128K42.75	Assembler 64
Bank St Filer42.75 Bank St Mailer42.75	Logo 6449
Bank St Speller42.75 Carmen Sandiego22.75	Pilot 64
Karateka22.75 Captain Goodnight22.75	Easy Script38
Muppey Cruise 25 75	SSI (C-64)

SSI (C-64)	
Colonial Conquest	.24
Computer Ambush Field of Fire	.34
Fighter Command	.36
Kampfgruppe Mech Brigade	.36
Market Garden Six Gun Shootout	.24
Computer Baseball Computer Ouarterback	24
Imperium Galactum	.24
Phantasie Cartels & Cutthroats 50 Mission Crush	24
Questron	24

SCARBOROUGH Build A Book Improved Mastertype NET WORTH Mastertype Filer	24 75
SUB LOGIC (C	-64) .32.75

Night Mission Pinball	20.75
ANCHOR	
Volksmodem	55

Mark 12	229
NOVATION	
I8M-300/1200 MS-00S ext	319
IBM-300/1200 CPM-86 ext	319
IBM 300/1200/2400 ext	529
IBM 300/1200/2400 MS DOS	579
IBM MS DOS int	325
IBM CPM-86 int	325
Macmodem 300/1200	315
Macmodem 300/1200/2400	585
Apple Cat II	219
Upgrade Apple Cat II	225
Cal 300 Acoustic J-Cat RS232	139

WESTRIDGE MOOEM (C-64) MITEY MO MODEM (C-64)		.6
Compuserve	19	
Compassive	10	-

	189.95
32K Printer Buffer	59.95
Numeric Keypad	34.95
CB/5 5-slot Board(64)	54.00
CB/2 2-slot Board(64)	25.00
S'More Basic Rom	49.95
Write Now-64	35.00
Mail Now-64	
Spell Now-64	29.00
File Now-64	29.00
Paint Now-64	
Calc Now-64	
Tax Survival	29.00
Super Printer Utility	.27.95
Write Now-Vic-20	29.95

CARDCO

HES				
HES Games 84	22.95			
Omni Writer/Spell	34.95			
HES Mon 64	23.95			
Microsoft Multiplan	55.00			
Type N Write	19.95			
Turtle Graphics II	23.95			
Cell Defense	22.95			
Paint Brush	12.95			
Tri Math	22.95			
Graphics Basic	27.95			
HES Kit	29.95			
Millionaire	23.95			
64 Forth	24.95			
HES Writer 64	24.95			
DATTEDIES 11/0/ 1/				

BATTERIES Paper Clip Spell Pak Consultant Paper Clip	INCLUDED 59.95 34.95 59.95
Paper Clip w/Spell Pak Home Pak Bus Card 80 Column Boar	75.95 34.95 129.95 d 109.95

BRODERBUND (	C-64)
The Print Shop	
Graphics Library	18 75
Graphics Library II	19.75 19.75
Karateka Castles Dr Creep	19.75
Bank St. Writer.	
	. 20 75
Mask of the Sun	24 75
Spelunker	19 75
Serpent's Star Whistler's Brother	24 75
Raid Bungeling Bay	18 75 18 75
halu bungeling bay	10/5

MICROPROSE	(C-64)
Kennedy Approach Crusade in Europe	21 75 24 75
Decision in Desert	24 75
Solo Flight Nato Commander	20.75 20.75
Spitfire Ace F-15 Strike Eagle Hellcat Ace	.18 75 20 75
Hellcat Ace	18 75



### SUPER SPECIAL!

## **MONITORS**

		NEC	
IDEK		JB-1260 Green. JB-1201 Green	95
	125 139	JC 1215 Color JC 1216 RGB	375
BM dio	155 245	JC1460 Color JB-1205 Amber	265 139

AMDEK 300 Green 300 Amber 310 Amber IBM Color 300 Audio Color 500 Composite Color 600 Color 710	125 139 155 245 369 429 495 569	NEC JB-1260 Green JB-1201 Gree
---	--	--

2	SAKATA	
	SG1000 12" Green. SA1000 12" Amber	1
	SG1500 12" Green TTL SA1500 12" Amber TTL.	1
;	SC100 13" Color Comp SC200 13" RGB STSI Tilt Stand	.3

٠.	O, ,,,, G,,,,,,
	PANASONIC
ΤC	1300 RG1 composite

		ZENITH	
ZVM	122	A Amber	2
		G Green	7
ZVM	124	Amber IBM	12
		Color	27
ZVM	133	RGB	- 38
ZVM	135	Composite Hi Res Color	44
ZVM	136	Hi Hes Color	58

		X-TRON
299	Comcolor	1 Composite Green, 185

TAXAN  115 12" Green Composite 116 12" Amber Composite 121 12 Green TTL 122 12 Amber TTL 220 14 Color Composite 410 12 RG8 H Res I8M 420 12 RG8 Super Hi I8M 420 12 RG8 Super Hi I8M	CALL CALL 135 145 259 329 409

AMERICA'S MAIL ORDER HEADQUARTERS COMPUTER LYCO **WORLD'S LEADER IN SALES & SERVICE** 

TO ORDER **CALL TOLL FREE** 800-233-8760 In PA 1 717-327-1824 Lyco Computer P.O. Box 5088 Jersey Shore, PA 11740

★ LOWEST PRICES! ★



Four bouncing balls fly wildly about the screen as the player runs for his life in the Atari version of "Laser Beam."

have saved Program 2 with the filename shown in line 220. Program 2 reads the file LASERBEM.OBJ, POKEs the machine language into memory, and then jumps to the starting address to automatically run the game.

Tape users need to make a few modifications to the programs. In Program 1, delete lines 10–90, replace the statements in line 220 with END, and change D: to C: in line 100. In Program 2, change D: to C: in line 100.

After these changes, Program 1 creates a file on tape which Program 2 can load. That means the file created by Program 1 should immediately follow Program 2 on the tape. As Program 2 reads this file, it is normal for the cassette recorder to stop and start and it reads each block.

### Commodore 64 Version

Laser Beam on the Commodore 64 is considerably different from the original Atari version. The object is not just to avoid the bouncing balls, but also to grab them at certain times and stuff them into a basket.

Written entirely in machine language, Program 3 must be entered with COMPUTE!'s "MLX" utility found elsewhere in this issue. Here is the information you'll need:

Starting address: 49152 Ending address: 52699

After you've saved Laser Beam on disk or tape according to the MLX instructions, plug a joystick into port 2 and type LOAD''LASER BEAM'',8,1 for disk or LOAD-''LASER BEAM'',1,1 for tape (assuming you saved the program with the filename LASER BEAM, of

course). Then type SYS 49152 and press RETURN.

### The Highlight Zone

Move the joystick up or down to select the difficulty level from 0 to 9. Unlike the Atari version, 0 is the slowest and 9 is the fastest (in fact, 9 is so fast that it's almost unplayable!). The game starts when you press the fire button.

Immediately you'll see seven colored balls bouncing around the screen. At the left is a highlighted "safe zone" occupied by a small stick figure—that's you. By moving the joystick, you can maneuver your figure around the screen. But if you venture out of the safe zone and bump into a bouncing ball, you're zapped. (You get three lives per game, as indicated by the figures at the bottom of the screen.)

Your goal is to render the balls harmless, grab them one by one, and drop them into the basket in the lower-right corner. To make a ball safe to touch, you have to shoot it with the laser gun. The laser is visible along the edge of the screen. To control it, first you must move your figure into the uppermost corner of the safe zone. The laser gun is under your control only when your figure is at this spot. Pushing the joystick to the right moves the laser clockwise around the edge of the screen, and pushing the joystick to the left moves the laser counterclockwise around the screen. Press the fire button to activate the beam. If you push the joystick in any other direction, you'll move your figure away from the top of the safe zone, and the laser gun will no longer be under your control.

Now, you can't shoot just any bouncing ball with the laser to make it safe to grab. You have to shoot the ball which matches the border color of the screen. As soon as you hit the ball, it turns white. Then you can maneuver your figure out of the safe zone, grab the white ball by touching it, carry it to the basket, and drop it in by pressing the fire button. Afterward you must scurry back to the safe zone before a collision with another ball.

For example, let's say the border color is red. First you move your figure to the top of the safe zone to take control of the laser gun. Next you push the joystick right or left to



In this Commodore 64 version of "Laser Beam," the player has rendered a bouncing ball harmless by shooting it with the laser. Now he's carrying it to the basket.

aim the laser at the red ball. When you have a clear shot, press the fire button to shoot the beam. If you score a hit, the red ball turns white. Then you can push the joystick in another direction to move your figure out of the safe zone. Grab the ball, stuff it into the basket by pressing the fire button, and make your escape—all while avoiding the other bouncing balls, of course. If you succeed, the border color changes to correspond to one of the remaining balls.

You continue with the process until all the balls are safely dropped into the basket. Then another round begins.

### **Bouncing Chaos**


Sounds simple, right? Well, it's not. There are a few complications. Suppose you fire the laser and hit a bouncing ball that *doesn't* match the border color. It turns white, too. But it *isn't* safe to grab. If you touch it, you're zapped. This becomes a real problem when you accidentally shoot several of the balls and turn them white. Only one of them is safe, and you have to remember which one. It's not easy when three or more white balls are bopping all over the place.

There is an incentive for creating this chaos, however. The number of points you get for dropping a ball in the basket doubles for each white ball on the screen. If the only white ball is the one you're grabbing, you get only 5 points. If a second ball is white, you get 10 points; if a third ball is white, you get 20 points; and so on. If all seven balls are white when you drop the first one into the basket, you score 320 points.



### VERIFLEX

Free plastic library case.



Price Each

50 + 100 + 500 +

51/4" Single Sided/ Double Density

.93 .91 .87

51/4" Double Sided/ **Double Density** 

.98 .96 .92

From the inventors of the 31/2" Micro Disk . . .

### SONY

Ten-pack, boxed diskettes.



Price Each

30 + 50 + 100 +

31/2" Single Sided/ Double Density

2.28 2.25 2.19

31/2" Double Sided/ Double Density

3.45 3.39 3.35

### APPLE IMAGEWRITER RIBBONS



\$3.69 each



Many other models available. Boxed in dozens.

### DISK FILES

The deluxe files for 31/2" or 51/4" floppies. Buff plastic body with natural oak roll-top. Each comes with dividers and color coded labels.





for 31/2' for 51/4" holds 55 \$17.49 holds 140 \$24.99 Other colors and locking models available.

### TOLL FREE 1-800-USA-FLEX CALL

7 to 7 Central Time

IN ILLINOIS 1-312-351-9700

Please mention this ad when calling in your order. Master-Card, Visa, C.O.D. or Net 30 days with approved credit on purchases over \$200.00. Shipping/Handling additional. Prices subject to change without notice.



### STARPOINT SOFTWARE proudly presents

### R+R+R+R+R+R+R+R=R

DB CHIP GRACEY

[say |cepick], a revolutionary new concept in software back up for the Commodore 64. ISEPIC is not a disk duplication system, but an extraordinary hardware/software combination that actually bypasses any disk protection scheme. ISEPIC captures and saves the protected program as it runs in the 64's memory, this "snapshot" becomes accessible to the user for complete inspection and alteration. From this image, ISEPIC can automatically create a compact, auto-booting, fast-loading file which is completely unprotected and self contained.

- Backs up almost ALL memory-resident software
- ISEPIC'd programs load many times faster than originals
- ISEPIC is invisible to software—cannot ☆ be defeated
- Eliminates drive "knock" due to antique protection schemes
- Automatically backs up protected programs into single, auto-booting, superfast loading files
- Place multiple programs on a single diskette
- Create auto-booting, fast-loading versions of your own programs
- Back up programs are completely selfcontained and run independently of the ISEPIC adapter
- Backs up software with a flick of a switch
- ISEPIC comes complete and ready-torun, just plug into expansion port
- Programs backed up by ISEPIC may be used on MSD or 4040 drives as well as hard disks regardless of original protection schemes
  - FOR ARCHIVAL PURPOSES ONLY •

When ordering by mail:

- \* \$64.95 + 3.00 shipping \* \$64.95 + 4.00 COD orders
- Calif. residents add 6% sales tax
- \* VISA or Mastercard accepted
- \* Shipping out of USA \$6.00 Please allow 4-6 weeks for delivery.

. . . WRITE OR PHONE . . STARPOINT SOFTWARE

Star Route 10

Gazelle, CA 96034

[916] 435-2371

Another complication is that your safe zone doesn't always stay safe for very long. After you shoot the ball that matches the border color, it begins shrinking from the bottom up. If you don't hurry out, you'll get zapped.

And there's yet another reason to move quickly: If you finish a round by dropping every ball into the basket before the horizontal bar at the bottom of the screen disappears, you get a 50-point bonus.

If all this action causes your brain to momentarily suffer a system crash, you can freeze everything by pressing and holding the SHIFT key. Press SHIFT LOCK to freeze the game for extended periods. Release SHIFT to resume play.

For instructions on entering these listings, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

### Program 1: Atari Laser Beam, Main Program

```
AB 10 TRAP 90
     OPEN #1,4,Ø,"D:LASERBE
DG 20
     M. OBJ"
CN 3Ø CLOSE #1
DB 40
    GOTO 22Ø
00 9Ø CLOSE #1
8 100 OPEN #1,8,0,"D:LASERB
      EM. OBJ"
JD 110 READ NUMBEROFBYTES
ME 115 READ SUMOFBYTES
EL 120 N=0: S=0: TRAP 200
PR 13Ø READ A
F 140 PUT #1, A
FE 150 N=N+1:S=S+A
6E 16Ø GOTO 13Ø
FN 200 CLOSE #1
FF 210 IF N<>NUMBEROFBYTES T
      HEN PRINT "ERROR IN N
      UMBER OF BYTES ":STOP
H 215 IF S<>SUMOFBYTES THEN
       PRINT "ERROR IN SUM
      OF BYTES ":STOP
6A 22Ø RUN "D: LOADLSR. BAS"
EC 10005 DATA 2440, 265870
NI 10010 DATA 255, 255, 0, 40, 1
        19,45,255,255,255,2
```

55 AB 10020 DATA 255,255,255,25

5,0,0,0,255,255,0 CK 10030 DATA 0,0,24,24,24,2 4,24,24,24,24

MH 10040 DATA 16,124,84,84,4 0,40,40,108,0,24

6F 10050 DATA 60, 126, 126, 60, 24,0,83,46,0,0 HN 10060 DATA 0,0,0,0,0,0,0,0,

0,0,0 D6 10070 DATA 5,15,13,169,0, 133,203,169,51,133

N 100B0 DATA 204,165,190,13 3,195,165,195,201,0 , 208

N 10090 DATA 1,96,162,0,160 0,177,203,149,214 FF 10100 DATA 232, 200, 224, 6, 208, 246, 160, 0, 162, 0 II 10110 DATA 134,240,134,24 1,165,214,133,220,1 65,215 IM 10120 DATA 133,221,165,21

6,133,222,165,217,1 41,116

DC 10130 DATA 40,32,0,50,169 ,129,193,220,240,6 DATA 169,133,193,22 KF 10140

0,208,9,32,71,41,22

C6 1Ø15Ø DATA 216,24Ø,2,133 241, 165, 214, 133, 220 165

JE 10160 DATA 215,133,221,16 5,218,133,222,165,2 19,141

JN 10170 DATA 157,40,32,0,50 ,169,129,193,220,24

El 10180 DATA 6, 169, 133, 193, 220,208,7,32,85,41 CH 10170 DATA 228,218,240,2

133, 241, 165, 214, 133 , 220

JB 10200 DATA 165,215,133,22 1,165,216,133,222,1 65,217

JE 10210 DATA 141,198,40,32, 0,50,165,218,133,22

JB 10220 DATA 165,219,141,21 0,40,32,0,50,169,12

AF 10230 DATA 193,220,240,6, 169, 133, 193, 220, 208 19

AF 10240 DATA 32,71,41,32,85 41,133,241,169,1 NO 10250

DATA 197,240,240,40 ,133,240,76,98,40,1

CL 10260 DATA 133,145,220,16 9,0,145,214,165,241 201

CL 10270 DATA 0,240,3,32,37, 41,165,220,133,214

IK 10280 DATA 165,221,133,21 5, 181, 214, 145, 203, 2 32,200

BH 10290 DATA 224,6,208,246,

32,56,41,24,169,6 AD 10300 DATA 101,203,133,20 3,198,195,76,69,40, 169

IL 10310 DATA 0,141,31,208,1 62,51,160,51,136,14

HM 10320 DATA 31,208,208,250 ,202,208,245,96,162

LP 10330 DATA 160,0,200,192, 40,208,251,232,224, 80

BD 10340 DATA 208, 244, 96, 169 ,160,197,217,240,3, 133

FO 10350 DATA 217,96,169,176 ,133,217,96,169,160 197

BI 10360 DATA 219,240,3,133, 219,96,169,176,133, 219

CF 10370 DATA 96,72,162,96,1 69,12,157,66,3,32

60 1 Ø 3 8 Ø DATA 86,228,162,76, 169, 3, 157, 66, 3, 169 DATA 40,157,68,3,16 BN 10390

9,40,157,69,3,104 NM 10400 DATA 157,75,3,41,24 0,73,16,9,12,157

BJ 10410 DATA 74,3,32,86,228 ,96,162,0,169,224 KH 10420 DATA 141,158,41,169 ,48,141,161,41,187,

6J 1Ø43Ø DATA 224,157,Ø,48,2 32,224,0,208,245,24 MK 10440 DATA 173,161,41,105 ,1,141,161,41,173,1

58 ME 10450 DATA 41, 105, 1, 141, 1 58,41,201,226,208,2 24

EF 10460 DATA 169,48,141,244 ,2,162,8,160,0,185 DF 10470 DATA 0,40,157,0,48,

232,200,224,47,208 DATA 244, 96, 169, Ø, 1 NN 10480 33,203,169,52,133,2 OA.

HN 10490 DATA 216, 162, 0, 160, 0,177,203,149,214,2 32

CO 10500 DATA 200,224,6,208, 246, 165, 214, 201, 255 ,208

J6 10510 DATA 6,165,215,201, 255, 240, 64, 162, 0, 16

BC 10520 DATA 0,196,217,240, 5, 177, 216, 76, 4, 42

E 10530 DATA 165,216,145,21 4,232,228,218,240,3 2,24

U 10540 DATA 165,219,101,21 4,133,214,169,0,101 . 215

DB 10550 DATA 133,215,196,21 7,240,221,169,1,101 216

AL 10560 DATA 133,216,169,0, 101,217,133,217,76, 249

KA 10570 DATA 41,24,169,6,10 1,203,133,203,76,21

BH 10580 DATA 41,96,162,0,16 0,0,165,206,133,220 PE 10590 DATA 165,207,133,22 1,173,120,2,201,14,

240 IA 10600 DATA 21,201,13,240, 29, 201, 11, 240, 37, 20

HM 10610 DATA 7,240,45,169,0 ,133,222,169,176,76

HB 10620 DATA 142, 42, 169, 20, 133, 222, 32, 9, 44, 169 BD 10630 DATA 160,76,142,42,

169,20,133,222,32,9 KP 10640 DATA 44, 169, 176, 76, 142,42,169,1,133,22

BK 10650 DATA 32,9,44,169,16 0,76,142,42,169,1 HO 10660 DATA 133,222,32,9,4

4,169,176,76,142,42 WF 10670 DATA 141,146,42,32, 0,50,162,0,160,0

HJ 10680 DATA 169,129,193,22 0,240,27,169,133,19

3,220 KD 10690 DATA 240,21,169,0,1 45, 206, 169, 4, 145, 22

CD 10700 DATA 165,220,133,20

6,165,221,133,207,1 69,0 00 10710 DATA 133,240,96,169

,255,133,240,96,169

```
MP 10720 DATA 133,240,197,18 MP 11010 DATA 224,12,208,246
                                                                         141, 196, 2, 169, 15, 14
         1,240,5,198,181,76,
                                         ,96,165,197,201,0,2
                                                                LF 11350 DATA 197,2,169,114,
         12
                                         40
JD 10730 DATA 43,173,10,210,
                                                                         141,198,2,169,48,14
                                80 11020 DATA 13,201,1,240,1
        141,45,40,24,101,18
                                         4,201,2,240,15,169
                                                                HP 1136Ø DATA 199,2,96,165,8
                                IH 11030 DATA 33,76,6,44,169
                                                                         9,41,240,141,111,45
                                          0,76,6,44,169
AL 10740 DATA 144,3,76,143,4
                                                                DI 11370 DATA 162,0,160,0,16
                                BH 11040 DATA 11,76,6,44,169
         3, 173, 45, 40, 41, 31
                                                                         9,0,133,203,169,55
                                         , 22, 133, 176, 96, 24
6N 1Ø75Ø DATA 2Ø1,17,16,233
                                                                68 1138Ø DATA 133,2Ø4,177,2Ø
                                66 11050 DATA 248,173,43,40,
         173,45,40,41,31,168
                                                                         3,201,255,240,27,14
                                         107,51,40,141,43,40
HE 10760 DATA 165,177,133,22
                                                                         1,108
                                CP 11060 DATA 173,44,40,105,
         Ø, 165, 178, 133, 221, 1
                                                                AA 1139Ø DATA 45,141,113,45,
                                         Ø, 141, 44, 4Ø, 173, 43
         69,20
                                                                         200, 177, 203, 141, 109
                                KD 11070 DATA 40, 141, 45, 40, 1
JK 10770 DATA 192,0,240,10,1
                                         69,84,141,152,44,17
                                                                          . 45
         33,222,32,176,50,13
                                                                JP 11400 DATA 141,114,45,173
                                                                         ,255,255,9,0,141,25
                                DH 11Ø8Ø DATA 55,4Ø,141,153,
ED 10780 DATA 192,0,208,248,
                                        44,32,70,44,173,44
DATA 40,141,45,40,1
         165,220,133,179,165
                                                                HL 1141Ø DATA 255, 200, 76, 86,
                                KD 11090
         , 221
                                                                         45,96,160,50,174,50
                                         69,82,141,152,44,17
EK 10790 DATA 133, 180, 165, 18
                                                                68 1142Ø DATA 216,56,165,22Ø
        9,133,181,169,193,1
                                                                         ,229,222,133,220,16
                                DK 11100 DATA 55,40,141,153,
         60,0
                                                                         5,221
                                         44, 32, 70, 44, 216, 96
EF 10800 DATA 145, 179, 165, 18
                                                                AN 1143Ø DATA 229,223,133,22
                                DE 11110 DATA 160,0,248,169,
         1,201,0,208,119,165
                                                                         1,96,176,50,190,50,
                                         0,141,46,40,141,47
         179
                                MC 1112Ø DATA 4Ø, 14, 45, 4Ø, 12
                                                                         216
CL 10810 DATA 133,220,165,18
                                                                EN 11440 DATA 24, 165, 220, 101
                                         1,46,40,10,14,45
         0,133,221,169,2,133
                                                                         ,222,133,220,165,22
                                PD 11130 DATA 40, 121, 46, 40, 1
         222
                                                                         1,101
                                         0,14,45,40,121,46
MN 1Ø82Ø DATA 32, Ø, 5Ø, 169, 1,
                                                                FJ 11450 DATA 223, 133, 221, 96
                                PJ 11140 DATA 40, 10, 14, 45, 40
         133, 222, 160, 0, 76
                                                                         ,0,51,101,51,220,13
                                ,121,46,40,153,46
LG 11150 DATA 40,78,45,40,78
AC 10830 DATA 51,43,32,0,50,
                                                                OL 11460 DATA 1,160,0,160,22
         169,4,209,220,240
                                                                         1,13,1,160,20,160
                                         ,45,40,78,45,40
ED 10840 DATA 22, 169, 129, 209
                                                                AI 11470 DATA 198,14,0,160,2
         ,220,240,27,169,133
                                                                         0,160,87,14,1,160
                                M 1116Ø DATA 78,45,40,200,1
         . 209
                                                                PJ 1148Ø DATA 20,160,16,14,0
                                         73, 45, 40, 153, 46, 40
PN 10850 DATA 220,240,21,165
                                BD 1117Ø DATA 173, 46, 40, 9, 16
                                                                          160, 20, 160, 28, 15
         ,183,145,220,32,216
                                                                MI 11490 DATA 1,160,0,160,95
                                         , 141, 46, 40, 173, 47
         44
                                                                          14,1,160,20,160
                                NJ 1118Ø DATA 4Ø, 7, 16, 141, 47
LF 10860 DATA 76,48,43,169,2
                                                                ON 11500 DATA 243, 13, 1, 160, 2
                                         ,40,160,0,185,46
         55,133,240,169,0,13
                                                                         0,160,22,15,1,160
                                AD 1119Ø DATA 40, 153, 0, 0, 200
                                         ,192,2,208,245,96
                                                                CM 1151Ø DATA 20,160,194,14,
LF 10870 DATA 181,76,143,43,
                                                                         1,160,0,160,195,13
                                MM 11200 DATA 169,160,141,1,
         32,56,41,165,179,13
                                                                MC 1152Ø DATA 1,16Ø,Ø,16Ø,69
                                         210, 166, 194, 32, 207,
                                                                          , 14, Ø, 16Ø, 2Ø, 16Ø
                                         44
AA 10880 DATA 220,165,180,13
                                                                PE 11530 DATA 39,14,1,160,20
                                MM 1121Ø DATA 24, 1Ø5, 1, 2Ø1, 1
         3,221,169,2,133,222
                                                                         , 160, 140, 14, 1, 160
                                         76,208,241,169,14,1
         . 32
                                                                FH 1154Ø DATA 2Ø, 16Ø, 2Ø3, 14,
                                         66
AC 10890 DATA 0,50,169,1,133
                                                                         1,160,20,160,247,14
                                KL 1122Ø
                                        DATA 195,32,207,44,
         222,160,0,76,120
                                         56,233,1,208,246,16
                                                                AL 11550 DATA 1,160,20,160,2
66 10900 DATA 43,32,0,50,169
                                                                         55, 255, 255, 255, 255,
         , 129, 209, 220, 240, 13
                                                                         255
                                KC 1123Ø DATA 175, 141, 1, 21Ø,
NC 10910
        DATA 169,133,209,22
                                                                KC 1156Ø DATA 128,51,182,51,
                                         166, 196, 32, 207, 44, 5
         0,240,7,169,0,145,2
                                                                         188, 13, Ø, Ø, Ø, 17
         20
                                                                PN 1157Ø DATA 66,1,2,20,176,
                                NE 1124Ø DATA 233, 1, 201, 159,
DA 10920 DATA 76,117,43,169,
                                         208, 241, 96, 160, 19, 1
                                                                         150,13,0,0,0
         129, 145, 179, 96, 169,
                                                                6K 1158Ø DATA 15,67,20,40,1,
                                         36
         128
                                                                         176.207,13,0,0
                                $£ 1125Ø DATA 2Ø8,253,2Ø2,2Ø
AF 10930 DATA 133, 203, 169, 51
                                                                AJ 1159Ø DATA Ø, 17, 66, 1, 2, 2Ø
                                         8,248,96,169,1,133,
         ,133,204,164,176,16
                                                                          160,58,15,0
                                         194
         2,1
                                                                FK 11600 DATA 0,0,15,67,20,4
                                KC 1126Ø DATA 141, 163, 44, 141
                                         , 192, 44, 169, 64, 141,
                                                                         Ø, 1, 16Ø, 213, 14
60 10940 DATA 177,203,149,17
        6,232,200,224,12,20
                                                                €E 1161Ø DATA Ø,Ø,Ø,6,66,1,2
                                NL 1127Ø DATA 21Ø, 169, 4, 133,
                                                                         , 20, 176, 0
        8,246
                                                                NK 1162Ø DATA 52,89,52,128,1
66 10750 DATA 96, 165, 182, 141
                                         195, 169, 1, 133, 196, 1
                                                                         3,129,0,20,1,148
        ,223,42,165,186,141
                                         40
                                EP 11280 DATA 48,40,32,160,4
                                                                JF 1163Ø DATA 13, 129, Ø, 2Ø, 1,
         241
                                         4, 172, 48, 40, 96, 169
                                                                         168, 13, 129, Ø, 2Ø
N 10960 DATA 42,165,184,141
                                0A 1129Ø DATA 2,133,194,133,
                                                                38 11640 DATA 1,188,13,129,0
         ,40,43,141,109,43,1
                                         195, 133, 196, 169, 3, 1
                                                                          18,20,189,13,129
                                                                MK 1165Ø DATA Ø, 18, 20, 206, 13
AK 10970 DATA 185,141,33,43,
                                                                ,129,0,18,20,207
JM 11660 DATA 13,129,0,18,20
                                HK 11300 DATA 163,44,141,192,44,165,192,141,2,2
        141,102,43,165,187,
         141
                                         10
                                                                         ,36,15,129,0,20
KH 10980 DATA 37,43,141,106,
                                DO 11310 DATA 140,48,40,32,1
                                                                HF 11670
                                                                        DATA 1,56,15,129,Ø,
        43,141,49,43,141,11
                                         60,44,172,48,40,96
                                                                         20,1,76,15,129
                                KD 1132Ø DATA 173,54,4Ø,141,
                                                                ND 1168Ø DATA Ø, 2Ø, 1, 128, 13,
N 10990 DATA 43,96,169,128,
        133, 203, 169, 51, 133,
                                         45, 40, 169, 94, 141, 15
                                                                         Ø,53,5,1,76
                                                                AU 11690 DATA 15,5,53,5,1,13
        204
                                                                6,13,10,53,7
LC 11700 DATA 1,88,15,27,53,
CL 11000 DATA 164, 176, 162, 1,
                                DK 1133Ø DATA 44,173,55,4Ø,1
                                         41,153,44,32,70,44
        181, 176, 145, 203, 232
        , 200
                                LB 1134Ø DATA 216, 96, 169, 24,
                                                                         6,1,255,255,255
```

```
BE 11710 DATA 255, 255, 255, 0, KM 12080 DATA 144, 43, 32, 167,
53,32,53,44,37,54
KK 1172Ø DATA 37,44,51,35,47
                                        43, 32, 190, 42, 169, 25
         ,50,37,40,41,51
                                ML 12090 DATA 197,240,240,12
                                        5, 169, 0, 133, 77, 32, 2
HH 11730 DATA 35,47,50,37,44
         33,51,37,50,0
                                        ØR
LL 11740 DATA 34,37,33,45,47
                                N 12100 DATA 43,32,57,40,16
,48,52,41,47,46
9 11750 DATA 0,54,41,54,157
                                        9,255,197,240,240,1
                                        09
                                NO 12110 DATA 32,54,42,169,2
         14, 17, 53, 10, 1
                                        55,197,240,240,100,
M 11760 DATA 213, 14, 129, 0, 6
         20,214,14,129,0
                                        32
                                HD 12120 DATA 249,44,169,5,2
KF 11770 DATA 6, 20, 228, 14, 12
        9,0,6,20,229,14
                                        05,31,208,208,7,169
MN 11780 DATA 129,0,6,20,250
                                AC 12130 DATA 4,205,31,208,2
                                        Ø8,249,165,192,133,
         14, 4, 0, 1, 1
MF 11790 DATA 255, 255, 255, 25
                                        220
        5,255,255,0,55,89,5
                                Æ 1214Ø DATA 165,193,133,22
                                        1,169,1,133,222,32,
N 11800 DATA 1,51,7,51,13,5
                                        176
        1,19,51,25,51
                                61 12150 DATA 50, 165, 220, 133
KL 11810 DATA 31,51,37,51,43
                                        ,192,165,221,133,19
         51,49,51,55,51
                                        3,165
LL 11820 DATA 61,51,67,51,73
                                WH 12160 DATA 192,201,0,208,
         ,51,79,51,85,51
                                        39,230,190,24,165,1
6H 1183Ø DATA 91,51,129,51,1
                                        88
        40,51,151,51,162,51
                                BL 1217Ø DATA 233,10,133,188
₩ 11840 DATA 173,51,1,52,7,
                                        ,198,189,24,248,173
        52, 13, 52, 19, 52
                                        . 51
LB 11850 DATA 25,52,31,52,37
                                DA 1218Ø DATA 40,105,1,141,5
         52, 43, 52, 49, 52
                                        1,40,141,45,40,169
MB 1186Ø DATA 55,52,61,52,67
                                NB 1219Ø DATA 133,141,152,44
        ,52,73,52,79,52
                                        ,173,56,40,141,153,
B 11870 DATA 1,54,7,54,13,5
        4,19,54,25,54
                                DD 12200 DATA 32,70,44,216,1
BN 1188Ø DATA 31,54,37,54,55
                                        65, 192, 201, 0, 208, 6
,40,56,40,255,255
PH 11890 DATA 0,56,167,57,16
                                KL 1221Ø DATA 165,193,201,16
                                        ,240,3,76,164,56,16
        9,17,32,99,41,32
PP 11900 DATA 144,41,32,46,4
                                OB 12220 DATA 6,205,31,208,2
        5,32,210,41,32,24
                                        40,3,76,82,57,76
BL 11910 DATA 45,56,173,44,4
                                NI 12230 DATA 0,56,169,0,205
Ø,237,53,40,48,28
NK 1192Ø DATA 201,0,240,3,76
                                         31,208,208,3,76
                                EB 12240 DATA 3,58,169,3,205
        ,42,56,56,173,52
                                        ,31,208,208,226,24
DF 11930 DATA 40,237,43,40,1
                                N 12250 DATA 248, 173, 54, 40,
        6,12,173,43,40,141
                                        105, 1, 216, 141, 54, 40
R 11940 DATA 52,40,173,44,4
                                N 12260 DATA 201,16,208,5,1
        0,141,53,40,173,52
                                        69,0,141,54,40,173
N 11950 DATA 40,141,45,40,1
                                AK 12270 DATA 54,40,141,45,4
        69,146,141,152,44,1
                                        0,32,24,45,173,54
        73
                                NH 12280 DATA 40,201,0,208,5
EE 11960 DATA 56,40,141,153,
                                        ,169,1,76,144,57
        44,32,70,44,173,53
NJ 11970 DATA 40,141,45,40,1
                                CL 1229Ø DATA 10,10,10,10,14
        69,144,141,152,44,1
                                        1,67,41,24,162,255
                                HA 12300 DATA 160,255,192,0,
H 11980 DATA 56,40,141,153,
                                        240,4,136,76,152,57
        44,32,70,44,216,169
                                AP 12310 DATA 202,224,0,208,
HK 1199Ø DATA Ø, 133, 197, 165,
                                        241,76,69,57,0,58
        197, 201, 4, 240, 18, 32
                                EL 1232Ø DATA 126,58,32,67,4
BB 12000 DATA 231,43,32,144.
                                        5,32,144,41,169,18
        43,169,0,133,181,32
                                B6 12330 DATA 32,99,41,32,14
N 12010 DATA 208,43,230,197
                                        4, 41, 32, 46, 45, 169
        ,76,99,56,169,240,1
                                JH 1234Ø DATA Ø, 133, 203, 169,
                                        54,133,204,32,218,4
B 12020 DATA 206,173,56,40,
        133, 207, 169, 255, 133
                                FN 12350 DATA 169,246,133,18
        . 188
                                        8,169,60,133,189,16
NI 12030 DATA 169,32,133,189
                                        9,44
        ,169,1,133,190,141,
                                BP 12360 DATA 133, 176, 169, 0,
                                        162,0,160,0,192,255
A6 12040 DATA 40,169,0,133,1
                                HE 12370 DATA 240,4,200,76,4
        97, 133, 192, 133, 193,
                                        6,58,224,255,240,34
        141
                                BH 1238Ø DATA 232, 141, 50, 40,
Æ 12050 DATA 43,40,141,44,4
0,32,28,44,24,165
                                        142, 49, 40, 140, 48, 40
                                M 1239Ø DATA 32,144,43,32,1
AB 12060 DATA 197,105,1,201,
                                        67,43,32,190,42,32
       4,208,7,169,0,133
DATA 197,76,182,56,
                                HF 12400 DATA 208,43,173,50,
LD 12070
                                        40, 174, 49, 40, 172, 48
                                JD 12410 DATA 40,76,44,58,20
        133, 197, 32, 231, 43, 3
                                        1,5,240,5,105,1
```

```
CB 1242Ø DATA 76,42,58,169,1
7,32,99,41,32,144
AC 12430 DATA 41,32,46,45,32
          ,210,41,173,54,40
LA 12440
         DATA 141,45,40,32,2
         4, 45, 76, 69, 57, Ø
```

### Program 2: Atari Laser Beam, Loader Program

```
BF 100 OPEN #1,4,0,"D:LASERB
      EM.OBJ"
DM 110 GET #1, X:GET #1, X
FN 120 TRAP 210
J8 13Ø GET #1, STARTLO: BET #1
      , STARTHI: GET #1, LASTL
      O:GET #1,LASTHI
JK 140 START=STARTLO+256$STA
      RTHI
IN 150 LAST=LASTLO+256*LASTH
6J 16Ø FOR I=START TO LAST
FA 170 GET #1, X
JF 180 POKE I, X
CC 190 NEXT I
FP 200 GOTO 130
IA 210 CLOSE #1: X=USR (14848)
6L 22Ø END
```

### Program 3: Commodore 64 **Laser Beam**

Version by Kevin Mykytyn, Editorial Programmer

Please refer to the "MLX" article in this issue

```
before entering the following listing.
49152 :169,004,141,181,002,032,017
49158 :058,197,032,204,196,169,094
49164 :000,141,021,208,169,147,186
49170 :032,210,255,169,000,141,057
49176 :033,208,141,032,208,169,047
49182 :046,141,160,206,133,010,214
49188 :032,202,204,162,009,160,037
49194 :017,024,032,240,255,169,011
49200 :221,160,204,032,030,171,098
49206 :169,109,141,160,206,133,204
49212 :010,032,202,204,162,012,170
49218 :160,018,024,032,240,255,027
49224 :169,233,160,204,032,030,132
49230 :171,162,011,165,162,197,178
49236 :162,240,252,202,208,247,115
49242 :173,181,002,009,048,141,132
49248 :112,006,173,000,220,074,169
49254 :176,010,174,181,002,224,101
49260 :009,240,003,238,181,002,013
49266 :074,176,008,174,181,002,217
49272 :240,248,206,181,002,074,047
49278 :074,074,176,205,173,181,241
49284 :002,041,015,141,181,002,002
49290 :169,003,141,179,002,169,033
49296 :000,141,185,002,141,186,031
49302 :002,169,010,056,237,181,037
49308 :002,010,133,079,133,078,079
49314
     :169,007,141,178,002,032,179
49320 :226,202,032,025,199,032,116
49326 :204,196,032,070,195,169,016
49332 :020,141,183,002,032,123,169
49338 :199,172,179,002,200,169,083
49344 :032,153,223,007,136,169,144
49350 :040,153,223,007,169,007,029
49356 :153,223,219,136,208,243,106
49362 :032,169,197,165,162,197,108
49368 :162,240,252,173,030,208,001
49374 :173,031,208,032,169,197,008
49380 :198,065,208,021,165,066,183
49386 :133,065,032,231,197,032,156
49392 :133,204,032,069,205,169,028
49398 :000,141,180,002,032,072,161
49404 :193,198,078,208,007,165,077
49410 :079,133,078,032,194,195,201
49416 :234,032,031,193,032,095,113
49422 :203,032,055,204,173,141,054
```

49428 :002,240,202,173,141,002,012

```
49980 :012,141,012,212,169,021,115
                                                                                50526 :002,165,003,105,000,133,246
49434 : 208, 251, 076, 225, 192, 162, 116
                                       49986 :141,011,212,096,238,160,156
49992 :206,173,160,206,201,122,116
                                                                                50532 :003,165,002,201,231,208,142
49440 :002,173,031,208,074,074,082
      :144,026,072,189,038,208,203
                                                                                50538 :232,169,191,133,002,169,234
49446
                                        49998 :208,017,169,000,141,160,005
49452 :041,015,201,001,240,015,045
                                                                                50544 :036,032,154,197,198,002,219
                                        50004 :206,240,010,206,160,206,088
                                                                                50550 :165,002,201,154,208,243,067
      :169,001,157,038,208,202,057
49458
      :228,167,208,004,169,024,088
                                        50010 :016,005,169,121,141,160,190
                                                                                50556 :230,002,169,033,032,154,232
49464
                                        50016 :206,173,160,206,168,032,017
                                                                                50562 :197,165,002,056,233,040,055
      :133,169,232,104,232,224,132
49470
                                        50022 :111,195,185,000,206,032,063
      :009,208,222,096,165,010,010
                                                                                50568 :133,002,165,003,233,000,160
49476
                                        50028 :156,195,096,173,155,195,054
                                                                                50574 :133,003,201,003,208,234,156
      :208,003,076,022,194,173,238
49482
                                        50034 :201,025,176,005,238,155,146
50040 :195,208,005,169,005,141,075
                                                                                50580 :169,020,141,160,206,096,172
      :180,002,208,008,032,236,234
49488
      :198,144,003,076,026,194,215
                                                                                50586 :232,157,000,206,165,002,148
49494
                                       50046 :155,195,169,020,141,011,049
50052 :212,169,007,141,001,212,106
                                                                                50592 :157,000,207,165,003,157,081
49500 :165,083,208,045,174,160,159
                                                                                50598 :128,207,096,169,000,133,131
49506
      :206,189,000,207,133,170,235
                                        50058 :173,155,195,141,008,212,254
50064 :169,038,141,012,212,169,117
                                                                                50604 :016,162,007,160,014,189,208
50610 :150,003,201,002,208,018,248
49512
      :133,251,189,128,207,133,121
      :171,133,252,189,000,206,037
49518
                                       50070 :021,141,011,212,096,005,124
50076 :072,173,160,206,168,185,096
                                                                                50616 :173,060,003,157,060,003,128
      :133,084,074,144,008,169,216
49524
                                                                                50622 :173,070,003,157,070,003,154
50628 :173,080,003,157,080,003,180
50634 :189,080,003,074,038,016,090
49530
      :064,133,149,169,036,208,113
                                        50082 :000,207,133,004,185,128,051
50088 :207,133,005,104,160,000,009
49536
      :006,169,066,133,149,169,052
49542
      :022,133,147,133,148,133,082
                                        50094 :145,004,165,004,024,105,109
                                                                                50640 :189,060,003,153,000,208,053
49548
      :083,165,084,201,035,176,116
                                        50100 :000,133,004,165,005,105,080
                                                                                50646 :189,070,003,153,001,208,070
49554
      :023,201,033,208,004,169,016
                                        50106 :212,133,005,169,007,145,089
50112 :004,096,162,007,189,150,032
                                                                                50652
                                                                                      :136,136,202,016,208,165,059
49560
      :001,208,002,169,040,024,084
                                                                                50658 :016,141,016,208,096,169,104
49566
      :101,170,133,170,165,171,044
                                        50118 :003,240,003,076,131,196,079
                                                                                50664 :000,133,006,160,000,165,184
49572
      :105,000,133,171,208,025,038
                                                                                50670 :083,240,001,096,173,000,063
                                        50124 :189,070,003,201,055,208,162
49578
      :201,036,240,004,169,001,053
                                        50130 :005,254,070,003,208,007,245
                                                                                50676 :220,074,176,015,174,070,205
49584
      :208,002,169,040,133,016,232
                                        50136 :201,215,208,017,222,070,125
                                                                                50682 :003,224,055,240,008,206,218
49590
      :165,170,056,229,016,133,183
                                        50142 :003,189,100,003,073,001,079
49596
      :170,165,171,233,000,133,036
                                                                                50688 :070,003,162,001,134,006,120
                                        50148 :157,100,003,032,138,196,086
49602
      :171,165,149,160,000,145,216
                                                                                50694 :200,074,176,015,174,070,203
                                        50154 :032,183,196,189,060,003,129
49608
      :170,165,170,024,105,000,066
                                                                                50700 :003,224,215,240,008,238,172
49614
      :133,253,165,171,105,212,221
                                        50160 :201,055,208,010,189,080,215
                                                                                50706 :070,003,162,002,134,006,139
                                        50166 :003,208,005,254,060,003,011
49620
      :133,254,169,010,160,000,170
                                                                                50712
                                                                                      :200,074,176,059,032,236,033
49626
      :145,253,169,128,141,011,041
                                        50172 :208,015,189,060,003,201,160
                                                                                50718 :198,176,015,208,052,072,239
49632
      :212,169,008,141,012,212,210
                                        50178 :055,208,022,189,080,003,047
                                                                                50724
                                                                                      :169,032,032,156,195,032,140
49638
      :165,147,024,105,010,010,179
                                        50184 :240,017,222,060,003,189,227
                                                                                50730 :087,195,104,076,087,198,021
49644
      :141,008,212,169,129,141,012
                                        50190 :090,003,073,001,157,090,172
                                                                                      :174,080,003,208,007,174,182
                                                                                50736
49650
      :011,212,198,147,208,030,024
                                        50196 :003,032,138,196,032,183,092
                                                                                50742
                                                                                      :060,003,224,025,240,027,121
                                        50202 :196,189,090,003,208,029,229
49656
      :165,149,201,032,240,018,029
                                                                                50748 :072,173,060,003,056,233,145
                                        50208 :189,130,003,024,125,110,101
49662
      :169,032,133,149,165,251,129
                                                                                50754 :001,141,060,003,173,080,012
49668
      :133,170,165,252,133,171,004
                                        50214 :003,157,130,003,189,060,068
                                                                                50760 :003,233,000,141,080,003,020
49674
      :165,148,133,147,208,006,049
                                        50220 :003,105,000,157,060,003,116
                                                                                50766 :192,000,208,004,169,003,142
                                        50226 :189,080,003,105,000,157,072
49680
      :169,000,133,010,133,083,032
                                                                                50772 :133,006,104,074,176,059,124
49686
      :096,076,212,194,169,000,001
                                        50232 :080,003,076,087,196,189,175
                                                                                50778 :032,236,198,176,015,208,187
      :133,010,166,166,189,150,074
                                        50238 :130,003,056,253,110,003,105
                                                                                50784 :052,072,169,032,032,156,097
49692
49698
      :003,201,002,144,240,173,029
                                                                                50790 :195,032,070,195,104,076,006
                                        50244 :157,130,003,189,060,003,098
49704
                                                                                50796 :149,198,174,080,003,240,184
      :080,003,240,235,173,060,063
                                        50250 :233,000,157,060,003,189,204
                                                                                50802 :007,174,060,003,224,055,125
49710
      :003,201,055,208,228,173,146
                                        50256 :080,003,233,000,157,080,121
49716
      :070,003,201,214,144,221,137
                                        50262 :003,189,100,003,208,021,098
                                                                                50808 :240,027,072,173,060,003,183
49722
      :138,072,032,023,195,104,110
                                        50268 :189,140,003,024,125,120,181
                                                                                50814 :024,105,001,141,060,003,204
                                        50274 :003,157,140,003,189,070,148
      :170,169,026,133,169,134,097
                                                                                50820 :173,080,003,105,000,141,122
49734
      :016,162,000,160,006,185,087
                                        50280 :003,105,000,157,070,003,186
                                                                                50826 :080,003,192,000,208,004,113
49740
      :040,208,041,015,201,001,070
                                        50286 :076,131,196,189,140,003,077
                                                                                50832 :169,004,133,006,104,074,122
49746
      :208,001,232,136,016,243,150
                                        50292 :056,253,120,003,157,140,077
                                                                                50838 :176,004,169,001,133,010,131
49752
      :189,050,197,024,109,185,074
                                        50298 :003,189,070,003,233,000,108
                                                                                50844 :165,006,208,010,166,063,006
49758
      :002,141,185,002,173,186,015
                                        50304 :157,070,003,202,240,003,035
                                                                                50850 :189,016,199,141,248,007,194
      :002,105,000,141,186,002,024
                                        50310 :076,196,195,096,032,167,128
49764
                                                                                50856 :208,063,198,064,208,048,189
      :032,120,205,166,016,169,046
49770
                                        50316 :196,024,125,110,003,201,031
                                                                                50862 :169,009,133,064,165,012,214
      :255,157,070,003,206,178,213
49776
                                        50322 :100,144,003,157,110,003,151
                                                                                50868 :073,001,133,012,169,064,120
                                        50328 :032,167,196,024,125,120,048
49782
      :002,208,080,169,000,141,206
                                                                                50874 :141,004,212,165,006,205,151
      :021,208,169,147,032,210,143
                                        50334 :003,201,150,144,003,157,048
49788
                                                                                50880 :131,204,240,008,141,131,023
49794
      :255,162,010,160,015,024,244
                                        50340 :120,003,096,173,027,212,027
                                                                                50886 :204,169,000,141,132,204,024
49800
      :032,240,255,032,213,194,078
                                        50346 :041,031,172,027,212,016,157
                                                                                50892 :238,132,204,173,132,204,007
49806
                                        50352 :005,073,255,024,105,001,127
      :169,032,160,205,032,030,002
                                                                                50898 :024,105,005,010,141,001,240
49812
      :171,173,183,002,010,133,052
                                        50358 :096,169,128,141,004,212,164
                                                                                50904 :212,169,065,141,004,212,251
49818 :016,010,010,024,101,016,075
                                        50364 :169,064,141,005,212,169,180
                                                                                50910 :165,012,166,006,024,125,208
49824
      :170,072,169,000,032,205,040
                                        50370 :020,141,001,212,169,129,098
                                                                                50916 :020,199,141,248,007,134,209
49830 :189,104,024,109,185,002,011
                                        50376 :141,004,212,096,032,084,001
                                                                                50922 :063,096,174,060,003,224,086
                                        50382 :204,169,000,133,012,133,089
49836
       :141,185,002,173,186,002,093
                                                                                50928 :025,208,028,174,070,003,236
                                        50388 :010,133,083,169,009,133,237
                                                                                       :224,055,208,021,174,080,240
                                                                                50934
49842
       :105,000,141,186,002,169,013
                                        50394 :064,141,170,002,169,128,124
                                                                                50940 :003,208,016,206,167,002,086
49848
      :000,133,162,165,162,201,239
                                        50400 :141,015,212,141,018,212,195
50406 :169,008,133,065,133,066,036
                                                                                50946 :208,008,174,168,002,142,192
49854 :120,208,250,104,104,238,190
                                                                                50952 :167,002,162,000,024,144,251
49860
      :181,002,076,151,192,032,062
                                        50412 :169,003,141,184,002,169,136
50418 :007,141,167,002,141,168,100
                                                                                50958 :001,056,096,204,207,211,021
49866 :035,195,169,001,157,150,141
                                                                                50964 :213,205,208,210,212,169,213
49872 :003,032,255,194,096,169,189
49878 :020,141,004,212,141,011,231
                                        50424 :002,160,007,032,042,197,176
                                                                                50970 :147,032,210,255,169,000,071
                                        50430 :153,110,003,032,042,197,023
      :212,169,010,141,005,212,201
                                                                                50976 :141,033,208,169,011,141,223
49884
                                        50436 :153,120,003,173,027,212,180
                                                                                50982 :032,208,169,024,133,016,108
      :141,012,212,173,181,002,179
49890
      :010,024,105,005,141,001,006
:212,169,035,141,008,212,247
                                        50442 :041,001,153,090,003,173,215
                                                                                50988 :169,105,160,199,032,030,227
49896
                                        50448 :027,212,041,001,153,100,038
50454 :003,136,208,225,169,009,004
                                                                                50994 :171,198,016,208,245,160,024
49902
       :169,017,141,004,212,169,188
                                                                                51000 :037,152,153,191,007,169,253
49908
                                        50460 :133,164,169,000,133,168,027
                                                                                       :001,153,191,219,200,192,250
                                                                                51006
49914
       :021,141,011,212,096,230,193
                                        50466 :032,255,194,169,001,133,050
                                                                                51012
                                                                                      :040,208,242,162,019,169,140
49920
       :168,166,168,189,249,199,115
                                                                                51018 :160,157,192,007,169,010,001
51024 :157,192,219,202,016,243,085
                                        50472 :063,096,173,027,212,201,044
      :134,167,141,032,208,160,080
49926
                                        50478 :150,144,249,096,000,005,178
49932
       :007,185,249,199,153,039,076
                                        50484 :010,020,040,080,120,160,226
                                                                                51030 :162,024,160,020,024,032,252
49938
       :208,136,016,247,096,162,115
                                        50490 :162,255,169,003,133,002,014
                                                                                      :240,255,169,112,160,199,203
49944
       :024,160,005,138,032,165,036
                                        50496
                                              :169,004,133,003,169,034,064
                                                                                51042
                                                                                       :032,030,171,032,120,205,176
       :204,202,208,247,096,169,132
49950
                                        50502 :032,154,197,230,002,165,082
                                                                                51048
                                                                                      :096,030,018,032,032,032,088
       :020,141,011,212,173,178,003
49956
                                        50508 :002,201,040,208,243,198,200
50514 :002,169,035,032,154,197,159
                                                                                51054
                                                                                       :013,000,159,018,083,067,194
      :002,024,105,004,141,001,063
49962
                                                                                51060 :079,082,069,146,032,048,060
       :212,173,179,002,010,010,122
49968
49974 :010,010,141,008,212,169,092
                                        50520 :165,002,024,105,040,133,045
                                                                                51066 :000,160,000,185,034,200,189
```

```
51618 :000,000,000,000,000,000,162
                                                                             52164 :208,041,015,201,001,208,102
51072 :153,000,051,185,034,201,240
                                      51624 :000,240,000,000,252,000,148
                                                                             52170 :001,096,169,005,133,016,110
51078 :153,000,052,185,034,202,248
                                      51630 :000,188,000,000,252,000,102
                                                                             52176
                                                                                   :169,020,141,011,212,169,162
51084 :153,000,053,136,208,235,157
51090 :169,255,141,021,208,169,085
51090 :169,255,141,021,208,169,085
51096 :007,168,056,237,178,002,032
51102 :133,016,185,249,199,153,069
51108 :039,208,185,001,200,153,182
                                      51636 :000,060,000,000,251,000,235
                                                                             52182 :000,141,008,212,169,010,242
                                                                             52188 :141,012,212,169,021,141,148
                                      51642 :020,250,000,006,254,128,076
                                      51648 :000,255,128,000,086,000,149
                                                                             52194
                                                                                   :011,212,162,000,172,027,042
                                      51654 :000,248,000,000,255,000,189
                                                                             52200 :212,169,000,153,000,051,049
                                                                             52206 :153,000,052,142,008,212,037
51114 :248,007,173,001,200,141,172
                                      51660 :003,207,000,015,015,000,188
                                      51666
                                            :012,015,000,008,003,168,160
                                                                             52212 :153,128,052,032,049,204,094
51120 :248,007,185,009,200,153,210
                                                                             52218 :202,208,233,198,016,208,035
                                      51672 :008,000,008,008,000,008,248
51126 :060,003,173,009,200,141,000
                                                                             52224 :229,104,104,032,202,204,107
                                      51678 :040,000,000,255,000,000,005
51132
      :060,003,185,017,200,153,038
                                                                             52230 :206,179,002,240,003,076,200
                                      51684 :000,000,000,000,000,240,212
51138
      :070,003,173,017,200,141,030
                                                                             52236 :184,192,169,000,141,021,207
                                      51690
                                            :000,000,252,000,000,188,162
51144
      :070,003,185,025,200,153,068
                                      51696
                                             :000,000,252,000,000,060,040
                                                                             52242 :208,162,011,160,015,024,086
51150 :080,003,169,000,141,080,167
                                      51702 :000,000,251,000,000,251,236
                                                                             52248
                                                                                   :032,240,255,169,032,141,125
51156
      :003,169,000,153,150,003,178
                                      517Ø8
                                            :000,002,171,000,000,255,168
                                                                             52254
                                                                                   :224,007,169,015,160,205,042
51162 :141,150,003,136,196,016,092
                                      51714
                                            :000,000,084,000,000,252,082
                                                                             52260 :032,030,171,173,000,220,150
51168
      :208,190,169,255,141,028,191
                                      5172Ø
                                             :000,000,252,000,000,060,064
                                                                             52266 :041,016,208,249,076,005,125
51174
      :208,169,007,141,037,208,232
                                      51726
                                             :000,000,060,000,000,060,134
5118Ø
      :169,006,141,038,208,169,199
                                                                             52272 :192,160,100,136,208,253,073
                                      51732
                                             :000,000,040,000,000,040,100
51186
      :026,133,169,032,023,195,052
                                                                             52278 :096,165,169,010,010,010,002
                                      51738
                                            :000,000,040,000,000,168,234
      :096,002,002,003,004,013,112
51192
                                                                             52284 :024,105,023,205,070,003,234
                                             :000,255,000,000,000,000,031
                                      51744
51198
      :006,007,011,204,214,214,142
                                                                             52290 :176,015,173,080,003,208,209
                                      51750 :000,000,000,015,000,000,053
51204
      :214,214,214,214,214,025,075
                                                                             52296 :010,173,060,003,201,042,049
                                            :063,000,000,062,000,000,169
                                      51756
51210 :100,100,100,100,100,100,098
                                                                             52302
                                                                                   :176,003,076,204,203,096,068
                                      51762 :063,000,000,060,000,000,173
51216 :100,100,100,100,100,100,104
                                                                             52308 :162,000,138,157,000,212,241
                                      51768 :239,000,000,175,032,002,248
      :100,100,100,000,000,000,066
51222
                                                                             52314
                                                                                   :232,224,026,208,248,169,173
                                      51774 :191,128,002,255,000,000,126
51228 :000,000,000,000,000,000,096,124
                                                                             52320 :020,141,001,212,169,066,193
                                      51780 :149,000,000,039,000,000,000
      :000,000,000,000,000,000,000,034
51234
                                                                             52326
                                                                                   :141,005,212,169,008,141,010
                                      51786 :245,000,000,243,192,000,242
51240 :000,060,000,000,255,000,099
                                                                             52332 :003,212,169,005,141,012,138
                                      51792 :240,240,000,240,048,042,122
      :000,255,000,000,255,000,044
51246
                                                                             52338
                                                                                   :212,169,005,141,010,212,095
                                      51798 :192,032,032,000,032,032,150
51252
      :000,060,000,002,255,128,241
                                                                             52344 :169,255,141,015,212,169,057
                                      51804 :000,032,000,000,040,255,163
51258
      :002,255,128,002,255,128,060
                                                                             52350 :015,141,024,212,096,000,102
                                      5181Ø
                                            890,000,000,000,000,000,000
                                                                             52356 :000,206,170,002,208,026,232
52362 :169,050,141,170,002,165,067
      :000,255,128,000,085,128,148
51264
                                      51816
                                            :000,015,000,000,063,000,182
      :000,255,000,000,255,000,068
51270
                                                                             52368 :169,201,026,240,015,198,225
                                      51822
                                            :000,062,000,000,063,000,235
      :000,255,000,000,255,000,074
51276
                                      51828 :000,060,000,000,239,000,159
      :000,255,000,000,100,000,181
                                                                             52374 :169,016,006,169,000,133,131
51282
      :000,170,000,000,170,000,172
                                      51834
                                             :000,239,020,000,234,144,247
                                                                             52380 :169,240,005,160,007,032,001
51288
      :000,170,000,000,000,000,008
                                      51840 :000,255,000,000,021,000,148
51294
                                                                             52386 :165,204,096,132,016,168,175
                                      51846
                                            :000,063,000,000,063,000,004
51300 :000,000,000,000,000,060,160
                                                                             52392 :169,216,133,002,169,215,048
                                      51852 :000,060,000,000,060,000,004
51306
      :000,000,255,000,000,255,104
                                                                             52398 :133,003,165,002,024,105,094
                                      51858 :000,060,000,000,040,000,246
51312
      :000,000,255,000,000,060,171
                                                                             52404 :040,133,002,165,003,105,116
                                      51864 :000,040,000,000,040,000,232
51318
      :000,002,255,128,002,255,248
                                                                             52410 :000,133,003,136,208,240,138
51324 :128,002,255,128,000,255,124
                                       51870 :000,042,000,255,000,000,199
                                                                             52416 :165,016,160,002,145,002,170
5133Ø
      :128,000,085,128,000,255,214
                                       51876
                                            :000,000,000,000,000,000,164
                                                                             52422 :136,016,251,096,169,001,099
51336
      :000,000,255,000,000,255,134
                                       51882 :000,000,170,000,002,170,000
                                                                             52428 :141,180,002,032,072,193,056
51342
      :000,000,175,000,000,175,236
                                            :128,010,090,160,009,090,151
                                                                             52434
                                                                                   :165,162,197,162,240,252,108
                                       51888
                                                                             52440 :165,010,208,238,096,158,067
52446 :146,076,032,065,032,083,144
51348 :000,000,010,000,000,010,168
                                       51894 :160,041,106,168,041,170,100
51354
                                       51900
      :000,000,010,000,000,010,174
                                            :168,042,170,168,042,170,180
51360 :000,000,000,000,000,000,160
                                       51906 :168,042,170,168,042,170,186
                                                                             52452 :032,069,032,082,000,066,253
51366
      :000,000,000,060,000,000,226
                                       51912 :168,042,170,168,010,170,160
                                                                             52458
                                                                                   :032,069,032,065,032,077,029
51372
      :255,000,000,255,000,000,170
                                       51918 :160,010,170,160,002,170,110
                                                                             52464 :150,017,017,017,157,157,243
51378
      :255,000,000,060,000,002,239
                                       51924
                                             :128,000,170,000,000,000,254
                                                                             52470 :157,157,157,157,157,076,083
51384
      :255,128,002,255,128,002,186
                                       51930 :000,000,000,000,000,000,218
                                                                             52476 :069,086,069,076,032,032,104
51 390
      :255,128,002,255,000,002,064
                                             :000,000,120,169,051,133,185
                                                                                   :017,017,017,157,157,157,012
                                       51936
                                                                             52482
51396
      :085,000,000,255,000,000,024
                                       51942 :001,169,000,133,002,169,192
                                                                             52488
                                                                                   :157,157,157,157,157,157,182
                                                                             52494
51402
      :255,000,000,255,000,000,200
                                       51948
                                            :056,133,003,169,000,133,218
                                                                                   :157,018,159,072,073,084,065
51408 :250,000,000,250,000,000,196
                                       51954 :004,169,208,133,005,162,155
                                                                             52500 :032,070,073,082,069,066,156
51414
      :160,000,000,160,000,000,022
                                       51960 :008,160,000,177,004,145,230
                                                                             52506 :085,084,084,079,078,000,180
51420
      :160,000,000,160,000,000,028
                                       51966 :002,136,208,249,230,005,060
                                                                             52512
                                                                                   :158,076,069,086,069,076,054
51426
      :000,000,000,000,000,000,226
                                       51972 :230,003,202,208,242,169,034
                                                                             52518 :032,067,079,077,080,076,193
51432 :000,060,000,000,255,000,035
                                       51978 :055,133,001,169,030,141,027
                                                                                   :069,084,069,068,017,017,112
51438
      :000,235,000,000,255,000,216
                                       51984
                                             :024,208,160,063,185,031,175
                                                                             52530 :157,157,157,157,157,157,224
51444
      :000,060,000,002,255,128,177
                                            :203,153,008,057,136,016,083
                                                                             52536
                                                                                   :157,157,157,157,157,157,230
51450
      :002,255,128,001,255,128,251
                                       51996
                                             :247,088,096,128,192,216,227
                                                                             52542 :066,079,078,085,083,032,229
51456
      :001,255,128,000,085,128,085
                                            :231,231,216,192,128,255,007
                                                                             52548
                                                                                   :000,173,183,002,240,045,199
51462
      :000,255,128,000,255,000,132
                                       52008 :126,024,036,036,024,024,054
                                                                             52554
                                                                                   :206,182,002,208,040,206,150
51468 :000,255,000,000,255,000,010
                                                                             5256Ø
                                       52014 :024,001,003,027,231,231,051
                                                                                   :184,002,208,035,162,003,162
51474
      :000,255,000,000,170,000,187
                                       52020 :027,003,001,024,024,024,155
                                                                             52566 :142,184,002,206,183,002,037
51480
      :000,170,000,000,170,000,108
                                       52026 :036,036,024,126,255,127,150
                                                                             52572
                                                                                   :173,183,002,208,016,169,075
51486
      :000,170,000,000,000,000,200
                                       52032 :063,042,031,021,015,010,246
                                                                             52578 :024,133,169,169,001,162,244
51492
      :000,000,000,000,000,060,096
                                       52038 :007,255,255,165,255,082,065
                                                                             52584
                                                                                   :006,157,040,208,202,016,221
51498
      :000,000,255,000,000,235,020
                                       52044
                                            :255,165,255,248,240,080,039
                                                                             52590 :250,169,000,170,169,032,132
51504
      :000,000,255,000,000,060,107
                                       52050 :224,160,192,064,128,028,110
                                                                             52596
                                                                                   :157,192,007,096,162,024,242
5151Ø
      :000,002,255,128,002,255,184
                                            :020,029,063,092,060,020,116
                                       52056
                                                                             52602 :160,026,024,032,240,255,091
51516
      :128,001,255,128,001,255,060
                                       52062 :054,173,030,208,041,001,089
                                                                             52608 :173,186,002,201,255,240,161
51522
      :128,000,085,128,000,255,150
                                             :240,101,162,007,169,255,010
                                                                             52614 :007,174,185,002,032,205,227
                                      52068
      :000,000,255,000,000,255,070
:000,000,255,000,000,175,252
51528
                                            :133,016,169,009,133,164,218
                                                                             52620 :189,096,169,152,160,205,087
                                       52074
51534
                                      52080
                                             :189,150,003,208,057,173,124
                                                                                   :032,030,171,104,104,096,171
                                                                             52626
      :000,000,010,000,000,010,104
5154Ø
                                       52086
                                            :080,003,221,080,003,208,201
                                                                             52632 :147,017,017,017,032,067,193
51546
      :000,000,010,000,000,010,110
                                       52092
                                            :049,173,060,003,056,253,206
                                                                             52638 :079,078,071,082,065,084,105
51552
      :000,000,000,000,000,000,000
                                      52098 :060,003,016,005,073,255,030
                                                                             52644 :085,076,065,084,073,079,114
51558
      :000,000,000,060,000,000,162
                                      52104 :024,105,001,201,015,176,146
                                                                             52650 :078,083,044,032,089,079,063
51564 :255,000,000,235,000,000,086
                                       52110 :031,133,165,173,070,003,205
                                                                             52656 :085,032,065,082,069,032,029
5157Ø
      :255,000,000,060,000,002,175
                                      52116 :056,253,070,003,016,005,039
                                                                             52662 :079,078,069,032,079,070,077
51576
      :255,128,002,255,128,002,122
                                      52122 :073,255,024,105,001,201,045
                                                                             52668 :032,084,072,069,032,070,035
51582
      :255,128,002,255,128,001,127
                                      52128 :015,176,011,024,101,165,140
                                                                             52674 :069,087,032,084,079,032,065
51588
      :085,000,001,255,000,000,217
                                      52134 :197,016,176,004,133,016,196
                                                                             52680 :087,073,078,032,065,084,107
      :255,000,000,255,000,000,136
51594
                                      52140 :134,164,202,208,191,166,213
                                                                             52686
                                                                                   :032,076,065,083,069,082,101
                                            :164,224,009,240,020,169,236
:002,157,150,003,134,166,028
51600 :255,000,000,250,000,000,137
                                      52146
                                                                             52692
                                                                                   :032,066,069,065,077,046,055
51606 :160,000,000,160,000,000,214
                                      52152
                                                                             52698 :000,013,013,013,013,013,027
51612 :160.000,000,160,000,000,220
                                      52158 :228,167,208,010,189,039,007
```

## Reviews

## The Original Boston Computer Diet

Tony Roberts, Production Director

Requirements: IBM PC, PCjr, or XT with at least 128K RAM; Apple II-series computer with at least 64K RAM; or a Commodore 64/128. All versions also require a disk drive.

Discipline is a key ingredient in any weight-loss program, and that remains true with *The Original Boston Computer Diet*, a software package from Scarborough Systems.

While the program takes a conservative, balanced-diet approach to weight loss, its strengths are in the ways it helps dieters gather information about their eating habits and how it takes the drudgery out of counting calories. Before embarking on the diet, you choose one of three "counselors" who engages you in a question-and-answer session. Based on this information, the counselor sets up goals and procedures for the diet and assigns readings on nutrition and health.

The program requires about an hour a day for the first week or so, after which the daily meal planning and reporting routine takes only about 15 minutes. The program maintains seven days' worth of data for meals, and a series of charts are available to help you amass and assess information about your eating habits. The information includes statistics on the intake of various vitamins and minerals, as well as data about how your mood—from depression to elation—affects the number of calories consumed.

The heart of the program is the food planning and reporting section. Counting calories is practically effortless. As you plan future meals, the screen shows how each selection affects the number of calories in the scheduled meal as well as the balance of the weekly diet. With the touch of a key, you can tell the computer how much you ate during your last meal, and it adjusts the calorie count accordingly.

As the program builds its database of information about how you eat, it watches for and warns you of possible problems. Should your diet fall out of balance, the program might warn that your intake of calcium has been low recently, bolstering its comment with a graph or two. Another possible problem is undereating, which is as unacceptable to your counselor as pigging out.

The program can't guarantee you'll lose all the weight you hope to, but its

evaluation of your eating habits, its insistence on planning and setting goals, and its readings on health and nutrition in the manual do give you the tools to help you maintain interest in your diet and develop the willpower to carry it off.

It's worth noting that the program is set up to handle the data for only one dieter at a time. A second family member who plans to take the treatment would have to obtain another copy of the program or wait until dieter No. 1 has had his fill.

The Original Boston Computer Diet Scarborough Systems, Inc. 25 N. Broadway Tarrytown, NY 10591 Apple & IBM \$79.95 Commodore \$49.95

## Free Catalog!

Your 80-page guide to computer supplies and accessories-including complete new product descriptions.



- Packed with over 1600 products for microcomputers, minicomputers, and word processors – many available nowhere else.
- Big special section devoted to new supplies and accessories.
- Comprehensive product descriptions including more than 475 full-color photos – clearly explain features and benefits.
- Easy-to-use cross reference guides to magnetic media, ribbons, and more—along with the industry's most complete cable guide.
  - Helpful suggestions and tips, ranging from flexible disk care to proper ribbon selection to useful application ideas.

Phone toll-free 1-800-547-5444

### inmac in the second of the sec

Inmac Catalog Dept. 2465 Augustine Drive Santa Clara, CA 95054

Please rush my free copy of the Inmac Catalog. I understand there is no obligation whatsoever.

### Phone toll-free 1-800-547-5444 or send coupon today.

NAME

COMPANY

A00RESS

CITY

STATE

ZIP

PHONE

### **COMMODORE 64**

### COMPUTER AND SOFTWARE SALE

5 **1 3 9** 9 5

- 170K Disk Drive \$149.95
- Tractor Friction Printer \$159.95
- 13" Hi-Res Color Monitor \$169.95

### CALL **BEFORE** YOU ORDER

**PRICES** MAY BE LOWER

## C128 COMMODORE E COMPUTER

(Order Now)

- 340K 1571 Disk Drive \$259.00
- Voice Synthesizer \$39.95
- 12" Green or Amber Monitor \$69.95
- Printer/Typewriter Combination \$249.95

### **COMMODORE 64 COMPUTER \$139.95**

You pay only \$139.95 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$39.9\$!!

### 170K DISK DRIVE \$149.95

You pay only \$149.95 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your disk drive that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net disk drive cost is \$49.95.

### 13" HI-RES COLOR MONITOR \$169.95

You pay only \$169.9S when you order this 13" COLOR MONITOR with sharper and clearer resolution than any other color monitors we have tested! LESS value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your monitor that allows you to save over \$500 off software sale prices!! With only \$100 of savings applied, your net color monitor cost is only \$69.95. (16 Colors).

### 80 COLUMN 80 CPS **TRACTION/FRICTION PRINTER \$159.95**

You pay only \$159.95 when you order the Comstar T/F deluxe line printer that prints 8½ x11 full size, single sheet, roll or fan fold paper, labels, etc. Impact dot matrix, bidirectional. LESS the value of the SPECIAL matrix, bidirectional. LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your printer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied your net printer cost is only \$59.9S.

### 80 COLUMN BOARD \$59.95

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION 80ARD!! PLUS 4 slot expander!

### **80 COLUMNS IN COLOR** PAPERBACK WRITER 64 WORD PROCESSOR \$39.95

This PAPER8ACK WRITER 64 WORD PROCESSOR is the finest available for the COMMODORE 64 computer!
The ULTIMATE FOR PROFESSIONAL Word Processing. DISPLAYS 40 or 80 COLUMNS IN COLOR or black and white! Simple to operate, powerful text editing, complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! List \$99.00. **SALE \$39.95**. Coupon \$29.95.

### SPECIAL SOFTWARE COUPON

We pock o SPECIAL SOFTWARE DISCOUNT We pock a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER, DISK DRIVE, PRINTER, or MONITOR we sell! This coupon ollows you to SAVE OVER \$500 OFF SALE PRICES!!

### (Examples)

### PROFESSIONAL SOFTWARE **COMMODORE 64**

Name	List	Sale	Coupon
Paperback Writer 64	\$99.00	\$39.95	\$29.95
Paperback Data Base	\$69.00	\$34.95	\$24.95
Paperback Dictionary	\$24.95	\$14.95	\$10.00
Practicale II	\$69.95	\$49.95	\$44.95
Print Shap (Disk)	\$44.95	\$32.95	\$26.95
Practicalc	\$59.95	\$24.95	\$19.95
Pragrammers Reference Guide	\$20.95	\$16.95	\$12.50
Pragrammers Helper (Disk)	\$59.95	\$29.95	\$t9.95
80 Calumn Screen (Disk)	\$59.95	\$29.95	\$19.95
Disk Filer (by Flip-N-File)	\$39.95	\$14.95	\$12.95
Deluxe Tape Cassette	\$89.00	\$44.95	\$34.95
Pra Jay Stick	\$19.95	\$12.95	\$10.00
Light Pen	\$39.95	\$14.95	\$ 9.95
Dust Caver	\$ 8.95	\$ 6.95	\$ 4.60
Siman's Basic	\$29.95	\$22.95	\$19.95
Pitstap II Epyx	\$39.95	\$22.95	\$19.95
Super Graphics Expander	\$29.95	\$22.95	\$19.95
Music Calc 1	\$59.95	\$29.95	\$12.95
Filewriter	\$59.95	\$29.95	\$24.95
/0			

(See over 100 coupon items in our cotolog)

Sample SPECIAL SOFTWARE COUPON!

Write or call for

## ATTENTION

Computer Clubs We Offer Big Volume Discounts CALL TODAY!

### PROTECTO WARRANTY

All Pratecta's praducts carry a minimum 90 day warranty. If anything fails within 90 days from the date af purchase, simply send your praduct to us via United Parcel Service prepaid. We will IMMEDIATELY send you a replacement at no charge via United Parcel Service prepaid. This warranty praves ance again that We Love Our Customers

### C128 COMMODORE COMPUTER \$289.95

We expect a limited supply the 1st week in July. We will ship on a first order basis. This all-new revolutionary 128K computer uses all Commodore 64 software and accessories plus all CPM programs formatted for the disk drive. List \$349.00. SALE \$289.95.

### 340K 1571 COMMODORE DISK DRIVE \$259.00

Double Sided, Single Disk Drive for C-128 allows you to use C-128 mode plus CPM mode. 17 times faster than 1541, plus runs all 1541 formats. List \$349.00. **Sole \$259.00**.

### SUPER AUTO DIAL MODEM \$39.95

Easy to use. Just plug into your Commodore 64 computer and you're ready to transmit and receive messages. Easier to use than dialing your telephone, just push one key on your computer! Includes exclusive easy to use program for up and down loading to printer and disk drives. Best in U.S.A. List \$129.00. SALE \$39.95.

### **VOICE SYNTHESIZER \$39.95**

For Commodore-64 computers. Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! FOR ONLY \$19.9S you games and JEXT TO SPEECH, just type a word and hear your computer talk — ADD SOUND TO "ZORK", SCOTT ADAMS AND OTHER ADVENTURE GAMES!! (Disk or tape.) List \$89.00. **SALE \$39.95** 

### 12" GREEN OR AMBER MONITOR \$69.95

Your choice of green or amber screen monitor, top quality, 80 columns x 24 lines, easy ta read, anti-glare! PLUS \$9.95 for connecting cable. Com-64 or VIC-20. List \$159.00. SALE \$69.95.

### PRINTER/TYPEWRITER COMBINATION \$249,95

"JUKI" Superb letter quality, daisy wheel printer/typewriter combination. Two machines in one — just a flick of the switch. 12" extra large carriage, typewriter keyboard, automatic margin control and relocate key, drop in cassette ribbon! (90 day warranty) centronics parallel or RS232 serial port built in (Specify). List \$349.00. SALE \$249.95. (Ltd. Qty.)

### 13" RGB & COMPOSITE MONITOR \$279.00

Must be used to get 80 columns in color with 80 column computers (C128 & Atari ST). (Add \$14.50 shipping) List \$399.00. **SALE \$279.00**.

- LOWEST PRICES
   15 DAY FREE TRIAL
- BEST SERVICE IN U.S.A. ONE DAY EXPRESS MAIL

### PHONE ORDERS

- 8 a.m. 8 p.m. Weekdays 9 a.m. 12 noon Saturdays
- 90 DAY FREE REPLACEMENT WARRANTY
- OVER 500 PROGRAMS
   FREE CATALOGS

\* Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 210 7 days for phone orders. 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

## PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

# IANT PRINTER SA

List \$399.00

10" Printer

10" Comstar 10X - This Bi-directional Printer Tractor/Friction prints standard sheet 81/2"x11" paper and continuous forms or labels. High resolution bit image graphics, underlining, horizontal tab setting, true lower descenders, with super scripts and subscripts, prints standard pica, compressed, expanded, block graphics, standard pica, (Centronics Fantastic value. parallel interface.) List \$399.00. Sale \$179.00.

List \$499.00

10" Printer

10" Comstar 160 + High Speed - This Bi-directional Tractor/Friction Printer combines the above features of the 10" Comstar 10X with speed (150-170 cps) and durability. Plus you get a 2K buffer, 96 user definable characters, super density bit image graphics, and square print pins for clearer, more legible print (near letter quality). This is the best value for a rugged dependable printer. (Centronics parallel interface.) List \$499.00. Sale \$229.00.


List \$599.00

10" Printer

10" Comstar 2000 - The ultimate printer arrived! This Bi-directional Tractor/Friction Printer gives you all the features of the Comstar 160 plus speed (165-185cps), downloadable characters, proportional setting, external dark printing mode and a \*lifetime printhead warranty. PLUS ...

1 Year Warranty

Premium Quality




List \$599.00

151/2" Printer

151/2" Comstar 15X - Has all the features of the 10" Comstar 10X plus a wider 15½'' carriage and more powerful electronics to handle large ledger business forms! (Better than FX-100). The 151/2" Comstar 15X also prints on standard size paper and continuous forms and labels. Fantastic value. (Centronics parallel interface.) List \$599.00. Sale \$249.00.

1 Year Warranty

High Speed



Lifetime warranty\*

High Speed & Letter Quality


List \$699.00

151/2" Printer

15½" Comstar 160 + High Speed - This Bi-directional Tractor/Friction Printer has all the features of the 10" Comstar 160+ High Speed plus a wider 151/2" carriage and the heavy duty electronics required for today's business loads. You can use large ledger business forms as well as standard sheets and continuous forms and labels. This is the best wide printer in the carriage (Centronics parallel interface.) List \$699.00. Sale \$299.00.

List \$599.00

10" Printer



With the flip of a switch you can go into the letter quality mode which makes all your printing look like it came off a typewriter. Turn in term papers, do articles or just print programs. Have the best of letter quality and speed in one package. Fantastic printer (Centronics parallel interface.) List \$599.00. Sale \$259.00.

15 Day Free Trial — 1 Year Immediate Replacement Warranty **Parallel Interfaces** 

Commodore-64, VIC 20 - \$39.00

Atari - \$59.00

Apple II, II+, IIe - \$59.00

Add \$10.00 for shipping, hondling and insurance. Illinois residents please odd 6% tox. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Conodion orders must be in U.S. dollors. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Coshiers Check, Money Order or Personal Check. Allow 14 doys for delivery, 2 to 7 doys for phone orders, 1 doy express moil! VISA - MASTER CARD - C.O.D.

No C.O.D. to Conodo, APO-FPO.

PROT 

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

# OLOR MON

(Premium Quality)

- Built in Speaker and Audio
- Front Panel Controls
- For Video Recorders
- For Small Business Computers
- Apple Commodore -Atari - Franklin - etc.

Add \$14.50 shipping, hondling and insurance. Illinais residents please add 6% tax. We da nat ship ta fareign cauntries (including Canoda), Aloska, Puerta Rico, APO-FPO.

Enclase Cashiers Check, Maney Order ar Persanol Check. Allow 14 doys for delivery, 2 to 7 days far phone arders, 1 day express mail!



(Premium Quality)

- Beautiful Color Contrast
- **High Resolution**
- Separated Video
- **Sharp Clear Text**
- **Anti-Glare Screen**
- 40 Columns x 24 Lines
- **Supports 80 Columns**

List \$32900

13" Color Computer Monitor

\*Connecting cable \$9.95

13" RGB & COMPOSITE MONITOR

List \$399.00

Must be used to get 80 columns in color with 80 column computers (C128 & Atari ST). (add \$14.50 shipping)

Sale \$27900\*

14" COMMODORE 1702 COLOR MONITOR

(add \$14.50 shipping)

PENITH

List \$299.00

Sale \$17900\*

15 Day Free Trial - 90 Day Immediate Replacement Warranty

12" XTRON SUPER HI-RESOLUTION MONITOR

Sale \$10995\*

80 Columns x 24 Lines, Super Hi-Resolution 1000 lines Green or Amber Super-Clear "Easy to Read" text with special anti-glare screen! (Ltd. Qty.) List \$249.00

HI-RESOLUTION GREEN OR AMBER TEXT DISPLAY MONITOR 80 Columns x 24 Lines, Hi-Resolution, crisp clear easy to read text with anti-glare screen! A MUST for word processing. (Ltd. Qty.) List \$199.00

Sale \$89<sup>95</sup>\*

12" MONITOR GREEN OR AMBER TEXT

80 Columns x 24 Lines, easy to read up front controls (Ltd. Qty.)

List \$159.00

Sale \$6995\*

\* Connecting cable \$9.95

• LOWEST PRICES • BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinais residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO arders. Canadian arders must be in U.S. dallars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclase Cashiers Check, Maney Order ar Persanal Check. Allaw 14 days far delivery, 2 ta 7 days far phane arders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

Na C.O.D. ta Canada, APO-FPO.

ROT 

We Love Our Customers

22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

# 88K Lowest Price In The USA! 152K

Computer System Sale

Students • Word Processing • Home • Business



LOOK AT ALL	YOU GET FOR ONLY

Atari 800XL 88K Computer Atari 1050 127K Disk Drive

Atari 1027 Letter Quality 20 CPS Printer

Atari Writer Word Processer Atari BASIC Tutorial Manual

All connecting cobles & T.V. interfoce included. Monitors sold separetly.

TOTALS

INDIVIDUAL LIST PRICE SALE PRICE

\$179.00 \$10900 299.00 19900 299.00 19900

59.95 3995 16.95 1295

\$852.90 \$559.90 **SAVE \$100** All 5 ONLY

SYSTEM SALE PRICE

152K SYSTEM \$49900

# Other Accessories

12" Hi Resolution Green or Amber Screen Monitor \$199.00 13" Hi Resolution Color Monitor

\* ATARI 130XE 152K Computer

\$399.00

\$249.00

Sale 69.95

169.95 159.00

Add \$9 95 for Connection Cobles (Monitors Only) (Ltd. Qty)

Add \$10 for UPS

15 DAY FREE TRIAL. We give you 15 days to try out this ATARI COMPUTER SYSTEM!! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!! 90 DAY IMMEDIATE REPLACEMENT WARRANTY. If any of the ATARI COMPUTER SYSTEM equipment or programs fail due to faulty workmanship or materiol within 90 days of purchase we will replace it IMMEDIATELY with no service charge!

Best Prices • Over 1000 Programs and 500 Accessories Available • Best Service One Day Express Mail
 Programming Knowledge
 Technical Support

### Add \$25.00 for shipping and handling!!

Enclose Cashiers Check Money Order or Personal Check, Allow 14 doys for delivery. 2 to 7 doys for phone orders. 1 day express mail! We accept Viso and MasterCard. We ship C.O.D. to continental U.S. addresses only. Add \$10 more if C.O.D.

# COMPUTER D

We Love Our Customers 22292 N. Pepper Rd., Barrington, Ill. 60010 312/382-5050 to order

# The Writer's Tool For Atari

Robert L. Riggs

Requirements: Atari 400/800, XL, or XE computer with at least 48K RAM, a disk drive, and a printer.

Those of us who can't afford the superexpensive computers—and still need to do extensive computing—try to get multiple duty from our inexpensive machines. Games are nice. But we also want programming languages, spreadsheets, database managers, and quality word processors. As a high school teacher, I use my Atari 800XL for all kinds of time- and labor-saving jobs. Still, word processing is my primary concern and, until now, I've not found a program that was sophisticated enough for all my needs.

But The Writer's Tool is an extrapolation of all the other Atari word processors I've tried. Anything they can do, The Writer's Tool does better. Even the documentation is superior. The 166-page manual is clear and concise, and it includes an 89-page tutorial especially designed for those who are completely new to word processing, plus a 56-page reference section.

If you've tried other word processors for Atari computers, you'll find the transition to The Writer's Tool quite painless—and exciting. A quick onceover to note the new capabilities gets you started. Just pull out the quick reference card from the front of the manual and start typing. Then, after getting comfortable with The Writer's Tool, read the entire manual and try out each new feature. The tutorial section leads you, step by step, through each function. The reference section provides detail. Optimized Systems Software makes this word processor very easy to learn and use.

This doesn't mean that The Writer's Tool is a simplistic, third grade level word processor—not by a long shot. It starts right out with a customizer program that lets you personalize The Writer's Tool to suit your own purposes and tastes. You can preset the printing format, screen display, and sound options so your preferences load automatically each time you boot the program. It's great to be able to change the luminance of the characters and background colors for clearer visibility. Or you can vary the blinking speed of the cursorwhich, by the way, can be either a block or an underline. You can even adjust the screen width to display more or fewer characters per line.

# Printing Versatility

By presetting the printer format, you can select new default values for page length, line spacing, beginning footer line, font, single sheet option, line length, left margin, justification, and all tab stops. The selectable fonts are interesting, too. I have two Centronics printers, a 737 (equivalent to the Atari 825) and a 739 (a 737 with graphics). According to their manuals, each has only three fonts plus elongated versions. But The Writer's Tool can print four fonts. Somehow it comes up with a second proportionally spaced font that Centronics doesn't even document!

The Writer's Tool, of course, supports all the major printers: Atari, the Epsons, Gemini 10X, Prowriter/NEC 8023, Okidata 82A and 92, Comriter CR-II, Mannesman Tally Spirit 80, and so on. There's also a generic printer option, or you can insert printer control codes directly into the text. Printer problems should be practically nonexistent with *The Writer's Tool*.

Among the special printing features is something called the automatic header block. SHIFT-CTRL-H puts a

# Here are 87 reasons to buy at Elek-Tek, not to mention the fastest delivery anywhere.

# [·MEGA **BERNOULLI BOX**

1. 5 meg Drive for MacIntosh . . . . . . . \$ 1375 Cartridges for above . . . . . 43
 10 meg Drive for IBM-PC/XT/ AT & compatibles ... 4. 20 meg Drive for IBM PC/XT/ AT & compatibles . . . . . 2490

5. 10 meg Drive w/ Auto Boot for IBM-PC/XT & compatibles ...1890 20 meg Drive w/ Auto Boot for IBM-PC/XT & compatibles . . . 2590 7. 10 meg cartridges for above

3 pak special) ...

# Save 30% to 43% off Manufacturer Suggested Ret. prices on EPSON • Okidata • Star • DIABLO • TOSHIBA • COMIREX •

#### **EPSON®** \$ 230 1 X 80 RX 100+ FX 85 350 CALL 230 LQ 1500 parallel DX10 Daisy Wheel 10CPS DX20 Daisy Wheel 20CPS Comrex II Comriter CALL

	STAR	
	SG 10	235
	SD 10/15	CALL
	SR 10/15	CALL
	OKI	
١.	Oki 182	CALL
١.	Oki 192/193	CALL
	01 01	

Mar	
W	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
1	EDOO!
	EPSON FX 85

# DTHER PRINTERS

2. 3.	Olympia Compact 2 Olympia Compact RO	\$ 350 CALL
4.	Toshiba P351	1080
5.	Toshiba P1340	560

## PRODUCTS FOR IBM-P

26	Amdek 310A
20.	Amber Monitor \$ 150
	Other Amdek Monitors . CALL
27	Zenith Monitors CALL
	AST Six Pak +
20.	
	Multifunction Board, 64K 229
29.	AST Six Pak + (loaded)
	Multifunction Board, 384K 289
30.	AST Megaplus II
	Multifunction Board 64K 270
31.	Quadram Quadboard
	Multifunction Board 0K 195
32.	Quadram Quadboard
	Multi Board, 64K/384K 210/267

31/2" SSDD

5¼" OSOOHO

8" SS00"

8" OSOO"

0500 5¼" SS00 OSOO SSOD96TPI

33.	Generic Multi	-11
	Multifunction Board 64K	150
34.	Orchid Tech.	
	PC Turbo 186	CALL
35.	Paradise	
	Modular Graphics Card	275
36.	Hercules	
	Monochrome Card	329
37.	Hercules Color	
	Color Graphic Card	170
38.	Novation 4905911	
	Modem w/software	CALL
39.	Novation 4905921	
	Internal Modem w/software	e CALL

_		
40.	Hayes 1200B	
	Internal modem w/software	379
41.	AT&T 4000	
	300/1200 Ext Modem	335
42.	Hayes 1200	
	External modem	399
43.	Hayes 2400	
	External modem	599
44.	US Robotics Courier 2400	)
	Ext 2400B Smart Modem	460
45.	US Robotics Telpac	
	Telecomm Software	74
46.	TEAC FD55B	
	1/2 ht DSDD Disk Drive	95
47.	Preh Keyboard	
	13 prog keys, heavy duty	175

# DISKETTES

Dyşan	maxell.	3M	SONY	wabash	MEMOREX
28.00	25.00	25.00	25.00		
_	37.00	37.00	37.00		
17.00	14.00	14.50	13.00	11.50	11.50
21.00	18.00	18.00	16.00	12.50	14.00
28.00	24.00	24.00			
37.00	29.00	29.00			
45.00	39.00	40.00			
25.00	29.00	25.00		_	
29.00	32.00	29.00			

Call for Quantity pricing for 10 boxes or more.

# **3M DATA CARTRIDGES**

83. DC300A18.00	85. DC300XL/P22.00	87. DC1000 15.00
Call	for Quantity pricing for 10 cartridges or	r more.

#### CALL TOLL FREE 800-621-1269 EXCEPT Illinois, Alaska

Corp. Accts. Invited. Min. Ord. \$15.00, Viss or MastarCard by Mail or Phone. Mai Cashler's Check, Mon. Ord., Personal Check (2 wks. to clear) Add \$4,00 1st hem. (AK, Hi. P.R., Canada add \$10.00 first item) \$1.00 as. add'i shpg. & handi. Shipments to K. address add 7% tax. Prices subj. to change. WRITE for free catalog. RETURN POLICY.

EK-TEK, inc. 6557 N. Lincoln Ave., Chicago, IL 60645 (312) 631 7800 (312) 677 7660

block of easily modifiable printer commands on the screen for creating standard page formats. The block has a reverse slash that enables what OSS calls split justification. Everything to the left of the diagonal is justified to the left margin, while everything to the right is printed at the right margin. Now, printing tables of contents is a breeze.

In fact, The Writer's Tool offers four kinds of justification: (1) justification off, but word-wrap retained; (2) right justification; (3) word-wrap off; and (4) microspaced justification (for printers that offer this feature). You can insert "soft hyphens" in long words, but hyphenation occurs only if the word can be split between two print lines. Or you can insert "hard spaces" to prevent phrases like "Figure 5" from being split between lines.

Another special printing feature is a graphics driver that, with certain printers, lets you include pictures and graphs in your documents. The images can be created with a Koalapad, Atari Touch Tablet, Atari light pen, or virtually any other drawing program that uses graphics mode 7.5 or 8.

Like Atari's popular AtariWriter word processor, The Writer's Tool has a print-preview feature. But unlike Atari-Writer, it lets you edit the previewed text as well. There's also a Print System screen that tells you, among other things, the number of words in the document. You can use the Disk I/O System screen to determine the number of characters in the document, the location of the cursor, the amount of available memory, and how much memory remains.

# Typeover And Insert Modes

For entering text, The Writer's Tool offers both typeover and insert modes. Other word processors sometimes offer only one or the other (for example, AtariWriter is locked in insert mode). Even in typeover mode, you can insert characters or lines with The Writer's Tool by pressing CTRL-INSERT or SHIFT-INSERT. Pressing CTRL-I toggles the insert mode, denoted by a flashing vertical bar. If you don't like to watch the text ahead of the cursor repositioning itself as you insert, you can press SHIFT-CTRL-INSERT to open up a large block of empty space. After inserting your text, you can remove the unused space by pressing CTRL-J.

If you prefer one-handed cursor movement, CTRL-CAPS turns on a mode that lets you manipulate the cursor keys without simultaneously pressing CTRL. A reminder at the bottom of the screen indicates when this mode is switched on, along with the CAPS LOCK and inverse video modes.

A big kudo is deserved for the Merge command. Pressing M from the Print System menu activates the Merge System. This is a subprogram which handles the creation of database files and the merged printing of these files with template documents. That means that you can use the built-in database (or another, like SynFile) to automatically insert names and addresses, for example, into form letters. Don't worry. The tutorial section takes you through it step by step.

The Writer's Tool lets you move swiftly through your documents. You can quickly scroll forward or backward with CTRL-F (forward) or CTRL-R (reverse), though the text scrolls only 20 lines, so you have to glance up or down three lines to find where you left off. But it's fast—unlike AtariWriter.

# A Few Criticisms

There are a few things about The Writer's Tool that could stand improvement. CTRL-W moves the cursor by word, which is nice, but if you move to the

end of the document with CTRL-W, the cursor ends up on the last letter of the last word—so if you start typing immediately, you make a typo.

Another drawback is that The Writer's Tool uses OSS's DOS XL instead of Atari DOS. DOS XL supports single and double density but not the Atari 1050's one-and-a-half density. This isn't a severe handicap—since the disk isn't copy-protected, you can transfer the program to another disk that contains any DOS you like, including the latest DOS 2.5.

The provisions for tabs could be improved. A special feature of the old Atari Word Processor that came in handy was decimal and right-justified tabs. The Writer's Tool offers neither.

Still, I can live with a few relatively minor shortfalls. The Writer's Tool remains a superbly designed and executed word processor for serious use on Atari computers. OSS recently cut the price by \$30 and now includes a 20,000word spelling checker as well. And, for

# MICROSHAR



#### PET/CBM MULTI USER OISK SYSTEM


- · ALLOWS UP TO SIXTEEN USERS TO SHARE DISK DRIVES
- WORKS WITH ALL PET/CBM EQUIPMENT
   100% HARDWARE INTERFACED
- NO ALTERATIONS TO SOFTWARE OR SPECIAL SOFTWARE RE-
- OUIRED
   SOFTWARE TRANSPARENT WORKS WITH ALL PET/CBM
- LANGUAGE TRANSPARENT WORKS IN ANY LANGUAGE
- NO SPECIAL COMMANDS USED
   PROTECTS AGAINST SYSTEM LOCKUP



#### COMMODORE 64 MULTI USER DISK SYSTEM

- COMMINUOUSE OF MULTI USER UISK STSIEM
  ALLOWS UP TO EIGHT USERS TO SHARE DISK DRIVES
  AND/OR PRINTERS
  WORKS WITH ALL 64/VIC EOUPMENT
  BUILT IN IEEE AND 64/VIC SERIAL PORTS
  (WORKS WITH ALL IEEE DEVICES)
  100% HARDWARE INTERFACED
  NO ALTERATIONS TO SOFTWARE OR SPECIAL
  SOFTWARE REQUIRED SOFTWARE TRANSPARENT
  NO SPECIAL COMMANDS USED
  BUILT IN 16K OF THE PRINTERS
  OISK ORINE PRIORITY

# **GREATER PRODUCTIVITY & LOWER COST** FOR BUSINESS AND EDUCATIONAL USE



#### 40 TO BO COLUMN CONVERSION

- 40 TO BU CUCUMIN CONVENTION

  EXTERNALLY SWITCHABLE FROM 80 TO 40 COLUMNS

  EXTERNALLY SWITCHABLE FROM 80 TO 40 COLUMNS

  CONVERSIONS FOR BOTH 4032's AND 8032's

  100% SOFTWARE COMPATIBILITY IN EITHER MODE

  HARDWARE (NOT SOFTWARE) MODIFICATION

  ALL KEYS FROM 8032 EMULATED ON 4032

  SPECIAL FILINGTION KEYS

  SPECIAL FILINGTION KEYS

  SPECIAL FILINGTION KEYS

- SPECIAL FUNCTION KEYS





#### MICROSHARE 64K PRINT BUFFER

- LOW COST

  REDUCES LONG WAITS SAVES TIME

  ALLOWS YOU TO PRINT AND PROCESS SIMULTANEOUSLY

  IEEE INPUT IEEE OR CENTRONICS PARALLEL OUTPUT

  WORKS WITH ALL PET/OBM SOFTWARE

  NO INSTALLATION RECUIRED

- ELIMINATES THE FRUSTRATION OF WATING FOR YOUR

once, "user-friendly" doesn't mean "reduced to second grade simplicity." If you've been waiting for a word processor that makes serious writing a pleasure, or if you intend to use your Atari for more than occasional writing, wait no longer. The Writer's Tool can take care of your word processing needs for

a long time to come.

The Writer's Tool Optimized Systems Software 1221-B Kentwood Avenue San Jose, CA 95129 \$69

# Karateka

James V. Trunzo

Requirements: Apple II-series computer with at least 48K RAM and a disk drive; or a Commodore 64/128 with a disk drive. Joystick optional.

This superb action game is a nominee for the Most Underrated Program of the Year. It's a program that must be seen to be fully appreciated.

The theme of the game is simple. You, the hero, have been away from your village, studying karate under a master. Upon returning home, you find that the Japanese warlord Akuma has burned your village to the ground and kidnapped your betrothed, the lovely Mariko. Akuma has imprisoned Mariko in his mountain fortress, where she is guarded by Akuma's fierce warriorsthe least of whom is a first-degree black belt. You must fight your way into Akuma's stronghold and defeat opponent after opponent until, at last, you come face to face with the powerful Akuma himself.

The Apple version of Karateka has by far the best animation I've seen in an Apple arcade game. The smoothness of the animation, complete with scrolling background and beautiful, full-colored details, makes the game almost as enjoyable to watch as it is to play.

Using either the keyboard or a joystick, you maneuver your persona about the screen, kicking and punching as if he were Bruce Lee. Each opponent that Akuma sends against you has a unique style. Some are better with their feet, others are better with their hands, some are balanced fighters. As the opponents become tougher (corresponding to your success), they are better able to coordinate several kicks and punches in a row. Victory comes only after you learn the best way to fight the various warriors, each easily identified by his headgear.

Warriors aren't the only obstacle between you and your beloved Mariko, however. Akuma's pet eagle attacks from time to time, and the fortress conceals deadly traps. Furthermore, even if you vanquish an opponent, you sustain injuries that accumulate as the game progresses. Of course, your opponents are always fresh!

Karateka has more to offer, too. There are delightful animated sequences showing, among other things, Mariko despairing in her call for help and Akuma sending forth his warriors. There are the sound effects that accompany a victory. There are...well, to tell you more would ruin the surprise.

Is Karateka the perfect game? No. When you're defeated, you must start the game from the very beginning. You don't have multiple "lives," each one picking up where the previous one left off. Considering the effort it takes to progress through Akuma's stronghold, this can get a bit frustrating. Also, there are times when you try to throw a kick but your character just stands there. It's not a bug in the program, but I'm not sure if it's poor joystick response, confused commands from trying to throw two punches and two kicks at once, or what. Still, these problems are relatively minor compared to the action and enjoyment that Karateka brings to the screen.

Karateka Brøderbund Software 17 Paul Drive San Rafael, CA 94903 \$34.95

# Copies of articles from this publication are now available from the UMI Article Clearinghouse.

For more information about the Clearinghouse, please fill out and mail back the coupon below.

UMIArticle Clearinghouse

 □ I am interested in sending my order by mail.
 □ Please send me your current catalog and

 Please send me your current catalog and user instructions for the system(s) I checked above.

Title		
Institution/	Company	
Department		
City	State	Zip
Phone (	1	

Mail to: University Microfilms International 300 North Zeeb Road, Box 91 Ann Arbor, MI 48106

# GET THE KNOW-HOW TO REPAIR EVERY COMPUTER ON THIS PAGE.

Learn the Basics the NRI Way—and Earn Good Money Troubleshooting Any Brand of Computer

The biggest growth in jobs between now and 1995, according to Department of Labor estimates, will occur in the computer service and repair business, where demand for trained technicians will actually *double*.

You can cash in on this opportunity-either as a fulltime corporate technician or an independent serviceperson-once you've learned all the basics of computers the NRI way. NRI's practical combination of "reason-why" theory and "hands-on" building skills starts you with the fundamentals of electronics, then guides you through advanced electronic circuitry and on into computer electronics. You also learn to program in BASIC and machine language, the essential languages for troubleshooting and repair.

# You Build—and Keep—a 16-bit Sanyo personal computer

The vital core of your training is the step-by-step building of the 16-bit Sanyo MBC-550 series computer. Once you've mastered the details of this state-of-the-art machine, you'll be qualified to service and repair virtually every major brand of computer, plus many popular peripheral and accessory devices.

With NRI training, you learn at your own convenience, in your own home. You set the pace—without classroom pressures, rigid night-school schedules, or wasted time. You build the Sanyo IBM compatible computer from the keyboard up, with your own personal NRI instructor and the complete NRI technical staff ready to answer your questions or give you guidance and special help whenever you need it.

Praised by critics as the "most intriguing" of all the IBM-PC compatible computers, the new Sanyo uses the same 8088 microprocessor as the IBM-PC and

IBM is a Registered Trademark of International Business Machine Corporation.

Epson is a Registered Trademark of Epson America, Inc.

Apple and the Apple log are Registered Trademarks of Apple Computer, Inc

Compaq is a Registered Trademark of COMPAO
Computer Corporation.

Page AT&T
Technologies, Inc.

PSON

AND MORE.

features the MS/DOS operating system. As a result, you'll have a choice of thousands of off-the-shelf software programs to run on your completed Sanyo.

Your NRI course includes installation and troubleshooting of the "intelligent" keyboard, power supply, and disk drive, plus you'll check out

the 8088 microprocessor functions, using machine language. You'll also prepare the interfaces for future peripherals such as printers and joysticks.

# 100-Page Free Catalog Tells More

Send the coupon today for NRI's big 100-page color catalog on NRI's electronics training, which gives you all the facts about NRI courses in Microcomputers, Robotics, Data Communications, TV/Video/Audio Servicing, and other growing high-tech career fields. If the coupon is missing, write to NRI Schools, 3939 Wisconsin Avenue, NW, Washington, DC 20016.



double density/double sided alsk drive, and "intelligent" keyboard; the NRI Discovery Lab®, teaching circuit design and operations; a Digital Multimeter; Bundled Spread Sheet and Word Processing Software worth over \$1000 at retail—and more.

McGraw-Hill Continuing Education Cen 3939 Wisconsin Avenue, Washington, D We'll give you tomorrow.		For Career courses approved under GI bill,  check for details.
Computer Electronics with Microcomputers  Data Communications  Robotics & Industrial Controls  Video Electronics Servicing  Electronic Design Technology  Digital Electronics	Satellite communications  Communications Electronics  Industrial Electronics  Basic Electronics  Telephone Servicing  Small Engine Servicing  Appliance Servicing	Automotive Servicing Air Conditioning, Heating, Refrigeration, & Solar Technology Bulliding Construction Locksmithing & Electronic Security
Name (Please Print)		Age
Street		
City/State/Zip Accredite	ed by the National Home Study Council	198-105

# 1 Dir For IBM PC/PCjr

Arthur Leyenberger

Requirements: IBM PC/PCjr or compatible with at least 128K RAM (192K recommended), at least one disk drive, and DOS 2.0 or higher.

Whether you are a casual user or a "power user," getting the most from your IBM PC or compatible requires a thorough understanding of how to use MS-DOS. But the difference between merely understanding how to use MS-DOS and really using it effectively may be like the difference between walking around the block and competing in a marathon. With 1 Dir from Bourbaki, Inc., you can easily run circles around MS-DOS.

1 Dir (pronounced "wonder") stands for one directory. Its purpose is to simplify the use of MS-DOS for anyone, regardless of their level of expertise. It is called a shell for DOS because it sits between you and the operating system, simplifying command execution.

1 Dir eliminates the DOS A> prompt and the need to type filenames and commands on the command line. Instead, it presents a menu screen from which all operations take place (see photo). At the top left of the screen is an indicator showing which directory is being displayed; the indicator is blank for your root directory.

The rest of the screen is divided into seven columns grouped into three blocks. The first column displays the currently selected disk drive and a "file cursor"-a reverse video cursor used to select files from a directory. The next three columns list your filenames, extension names, and file sizes. The following two columns, grouped into another block, display the date and time that your files were last accessed. (If you like, 1 Dir can also display system and disk statistics in this area rather than file information.) The last column, separated from the others in its own block, contains the toggle and setup information.

### **Sorted Directories**

Toggles such as Caps, Print, Batch, and Edit are highlighted in reverse video when turned on. You can also switch the Pause option on or off, select which drive directory is displayed by default, and choose from four ways to sort file directories (by name, extension, date, and size). Each time you specify a different sort, the filenames instantly rear-

range themselves on the screen.

A horizontal block at the bottom of the screen contains a "command cursor" and nine commands: Erase, Rename, Type, Copy, Run, Compose, Execute, Date, and Time. By moving the command cursor with the left and right arrow keys to the command you want, and then moving the file cursor with the up and down arrow keys to the filename you want, you can execute DOS commands without having to remember the proper syntax. Just above the horizontal command block is a one-line area for typing commands and responding to prompts.



1 Dir makes it easier to use MS-DOS by organizing commands and file directories into menus.

Let's say you want to erase three files on a disk whose filenames are too different to permit use of a wildcard (which is a risky way to delete files, anyhow). Rather than erasing each file separately by typing ERASE A:FILE1. EXT, with 1 Dir you start by positioning the command cursor on the Erase command and then moving the file cursor to the first filename you want to delete. Press the + key to tag that file. Then move the file cursor to the second and third filenames and tag those files by pressing + each time. Although you've tagged the files, nothing yet has happened. When you press ENTER, the screen displays all three filenames and shows how many bytes will become available by erasing them. If you answer Y to the "Are you sure?" prompt, the files are deleted.

The Copy command works in much the same way. You point to either an individual file to be copied or tag several files. Then tell 1 Dir where the file(s) should be copied to and press ENTER. If you want to copy an entire

disk, you can tag the whole directory with one keystroke rather than tagging each file separately. You can also run programs simply by pointing to them with the file cursor, positioning the command cursor on Run, and pressing ENTER.

# Batch Files, Too

One of the most powerful features of MS-DOS is its ability to execute a group of commands with a batch file. Unfortunately, creating batch files with Edlin (the MS-DOS line editor) can be difficult, especially for novices and casual users.

With 1 Dir, creating batch files is easy. The Batch Builder feature automatically compiles a batch file as you issue the commands. In the Batch Builder mode, you can use 1 Dir to change directories, run programs, copy and erase files, or do whatever you want. When you're done, just turn off the mode and 1 Dir constructs the batch file.

1 Dir also lets you customize the command menu at the bottom of the screen. If you use the Batch Builder first to create your commands, it's easy to make menus corresponding to the batch files. You can put together customized shells in very little time.

I've been running 1 Dir for several months on a two-drive AT&T 6300 computer and have found it invaluable and easy to use. Although it's very useful on a floppy disk computer, it's even better if your computer has a hard disk. I set it up on a hard disk system accessed mostly by casual users, and there's no question that this particular computer gets more use because of 1 Dir.

A new version of 1 Dir, promised to be available by the time you read this, is supposed to be even more powerful. It will have expanded color options, password protection, a rewritten manual, the ability to rename subdirectories, and custom commands that allow abbreviations or descriptions to be displayed rather than actual command syntax.

Whether you're a beginner or an experienced user, 1 Dir can simplify your introduction to MS-DOS and make your time on the computer more productive.

1 Dir Bourbaki, Inc. 431 Main Street Boise, ID 83702 \$95

0

# Save With Replace: **Debugged At Last** Part 1

P. A. Slaymaker

Since the early days of the Commodore PET in the late 1970s, a controversy has raged over one particular disk command—Save-with-Replace. This convenient command automatically replaces an existing disk file with a new file of the same name, combining SCRATCH and SAVE in one operation. But for years, many Commodore users have shunned Save-with-Replace like poison, swearing that it contains a mysterious bug which unpredictably scrambles disks. And just as many other users contend the bug doesn't exist at all. Now, finally, there's proof: The bug does exist in the 1541 drive, it can be demonstrated, and most importantly, it can be avoided. This two-part article is the first full explanation of why the bug happens and how you can circumvent it. The author is the president of Quantum Software, which produces the Peek a Byte disk utility for the Commodore 64.

It's time to settle something once and for all: There is a Save-with-Replace bug! It afflicts the Disk Operating System (DOS) built into every 1541 disk drive, potentially threatening every disk on which you use the Save-with-Replace command. In this two-part series, we'll review what the Save-with-Replace bug typically does; list a program which demonstrates the bug beyond doubt; explain why it happens; and finally, recommend a procedure for avoiding the bug.

The Save-with-Replace command (typed as SAVE@) has been I

accused of scrambling, swapping, duplicating, or overwriting disk files and of messing up Block Allocation Maps (a BAM is a map on a disk which keeps track of which blocks are storing files and which are free). Many computer magazines and other authorities in the Commodore community have warned against using SAVE@. Yet other Commodore experts have never experienced problems with SAVE@ and swear the bug is an old hacker's tale. There are many anecdotes about when the bug strikes, which files are affected, and when the files or BAM will be garbled. The mystery has persisted for so long because usually the bug is not repeatable. But this article shows how to replicate the bug and explains why it is related primarily to the file length and the distribution of free blocks on the disk as determined by the BAM.

Recently some new evidence surfaced about SAVE@. In an article published in the July 1985 issue of The Transactor, "SAVE with Replace Exposed!!," author Charles H. Whittern showed that the bug exists under some conditions. This article made some observations on files likely to be affected and listed a program which repeatedly loaded and saved files using SAVE@. Afterward, an examination of the disk showed some files to be scrambled. Unfortunately, no details of the file configurations were given, and the editors admitted the bug had them baffled—but at least the problem was recognized, a first step.

Our investigation shows that the bug usually occurs when the drive number has not been specified on previous drive operations, such as loading a file or listing a directory. In other words, typing LOAD"filename",8 or LOAD"\$",8 instead of LOAD"0:filename",8 or LOAD"0: \$",8 sets up conditions for the bug. The drive number 0 should be specified in disk commands because, as we'll explain later, the SAVE@ bug is related to the phantom software drive 1 in the 1541. In addition, the bug tends to bite disks on which many files have been scratched and rewritten. This leaves gaps on the disk so that a file is scattered over many tracks. These gaps do not normally cause a problem if you specify the drive number in disk commands.

Therefore, the key to avoiding the SAVE@ bug is to always specify drive 0 when performing any disk drive function, or to always reset the drive before any SAVE@ operation. Resetting the drive requires either turning the drive off and then on, or sending a reset command (OPEN15, 8,15,"UJ").

# Demonstrating The Bug

At this point, some of you might be skeptical that the SAVE@ bug really exists. To prove that it does, the accompanying program formats a new disk with the single file "SAVE@ DEMO" and alters the BAM to simulate a partially used disk with a gap due to scratched files. Follow these instructions carefully:

# **COMPUTE! Back Issues**

Here are some of the applications, tutorials, and games from available back issues of COMPUTE!. Each issue contains much, much more than there's space here to list, but here are some highlights:

May 1981: Named GOSUB/GOTO in Applesoft, Generating Lower Case Text on Apple II, Copy Atari Screens to the Printer, Disk Directory Printer for Atari, Realtime Clock on Atari, PET BASIC Delete Utility, PET Calculated Bar Graphs, Running 40 Column Programs on a CBM 8032, A Fast Visible Memory Dump, Cassette Filing System, Getting To A Machine Language Program, Epidemic Simulation.

June 1981: Computer Using Educators (CUE) on Software Pricing, Apple II Hires Character Generator, Ever Expanding Apple Power, Color Burst for Atari, Mixing Atari Graphics Modes 0 and 8, Relocating PET BASIC Programs, An Assembler In BASIC for PET, Quadra PET: Multitasking?, Mapping Unknown Machine Language, RAM/ROM Memory, Keeping TABs on a Printer.

July 1981: Home Heating and Cooling, Animating Integer BASIC Lores Graphics, The Apple Hires Shape Writer, Adding a Voice Track to Atari Programs, Machine Language Atari Joystick Driver, Four Screen Utilities for the PET, Saving Machine Language Programs on PET Tape Headers, Commodore ROM Systems, Using TAB, SPC, And LEN.

August 1981: Minimize Code and Maximize Speed, Apple Disk Motor Control, A Cassette Tape Monitor for the Apple, Easy Reading of the Atari Joystick, Blockade Game for the Atari, Atari Sound Utility, The CBM "Fat 40," Keyword for PET, CBM/PET Loading, Chaining, and Overlaying, Adding A Programmable Sound Generator, Converting PET BASIC Programs To ASCII Files.

October 1981: Automatic DATA Statements for CBM and Atari, VIC News, Undeletable Lines on Apple, PET, and VIC; Budgeting on the Apple, Atari Cassette Boot-tapes, Atari Variable Name Utility, Atari Program Library, Train Your PET to Run VIC Programs, Interface a BSR Remote Control System to PET, A General Purpose BCD to Binary Routine, Converting to Fat-40 PET.

December 1981: Saving Fuel \$\$ (multiple computers), Unscramble Game (multiple computers), Maze Generator (multiple computers), Animating Applesoft Graphics, A Simple Atari Word Processor, Adding High Speed Vertical Positioning to Atari P/M Graphics, OSI Supercursor, A Look At SuperPET, Supermon for PET/CBM, PET Mine Maze Game, Replacing The INPUT # Command, Foreign Language Text on The Commodore Printer, File Recovery.

January 1982: Invest (multiple computers), Developing a Business Algorithm (multiple computers), Apple Addresses, Lowercase with Unmodified Apple, Cryptogram Game for Atari, Superfont: Design Special Character Sets on Atari, PET Repairs for the Amateur, Micromon for PET, Self-modifying Programs in PET BASIC, Tinymon: A VIC Monitor, VIC Color Tips, VIC Memory Map, ZAP: A VIC Game.

May 1982: VIC Meteor Maze Game, Atari Disk Drive Speed Check, Modifying Apple's Floating Point BASIC, Fast Sort For PET/CBM, Extra Atari Colors Through Artifacting, Life Insurance Estimator (multiple computers), PET Screen Input, Getting The Most Out Of VIC's 5000 Bytes.

August 1982: The New Wave Of Personal Computers, Household Budget Manager (multiple computers), Word Games (multiple computers), Color Computer Home Energy Monitor, A VIC Light Pen For Under \$10, Guess That Animal (multiple computers), PET/CBM

Inner BASIC, VIC Communications, Keyprint Compendium, Animation With Atari, VIC Curiosities, Atari Substring Search, PET and VIC Electric Eraser.

September 1982: Apple and Atari and the Sounds of TRON, Commodore Automatic Disk Boot, VIC Joysticks, Three Atari GTIA Articles, Commodore Disk Fixes, The Apple PILOT Language, Sprites and Sound on the Commodore 64, Peripheral Vision Exerciser (multiple computers), Banish INPUT Statements (multiple computers), Charades (multiple computers), PET Pointer Sort, VIC Pause, Mapping Machine Language, Commodore User-defined Functions Defined, A VIC Bug.

January 1983: Sound Synthesis And The Personal Computer, Juggler And Thunderbird Games (multiple computers), Music And Sound Programs (multiple computers), Writing Transportable BASIC, Home Energy Calculator (multiple computers), All About Commodore WAIT, Supermon 64, Perfect Commodore INPUTs, VIC Sound Generator, Copy VIC Disk Files, Commodore 64 Architecture.

May 1983: The New Low-Cost Printer/Plotters, Jumping Jack (multiple computers), Deflector (multiple computers), VIC Kaleidoscope, Graphics on the Sinclair/Timex, Bootmaker For VIC, PET and 64, VICSTATION: A "Paperless Office," The Atari Musician, Puzzle Generator (multiple computers), Instant 64 Art, 64 Odds And Ends, Versatile VIC Data Acquisition, POP For Commodore.

June 1983: How To Buy The Right Printer, The New, Low-Cost Printers, Astrostorm (multiple computers), The Hawkmen Of Dindrin (multiple computers), MusicMaster For The Commodore 64, Commodore Data Searcher, Atari Player/Missile Graphics Simplified, VIC Power Spirals, UnNEW For The VIC and 64, Atari Fast Shuffle,

# **COMPUTE! Back Issues**

VIC Contractor, Commodore Supermon Q & A.

**July 1983:** Constructing The Ideal Computer Game, Techniques For Writing Your Own Adventure Game, SpeedSki And Time Bomb (VIC), Castle Quest And Roadblock (Atari), RATS! And Goblin (64), How To Create A Data Filing System (multiple computers), How To Back Up Disks For VIC And 64, Atari Artifacting, All About The Commodore USR Command, TI-Mailing List.

**August 1983:** Weather Forecaster (multiple computers), First Math And Clues (multiple computers), Converting VIC And 64 Programs To PET, Atari Verify, Apple Bytechanger, VIC And 64 Escape Key, Banish Atari INPUT Statements, Mixing Graphics Modes On The 64, VICplot, VIC/64 Translations: Reading The Keyboard, Musical Atari Keyboard, VIC Display Messages.

**September 1983:** Games That Teach, Caves Of, Ice, Diamond Drop, Mystery Spell, and Dots (multiple computers), VIC Pilot, Ultrasort (VIC, 64, PET), Easy Atari Page Flipping, Computer Aided Design On The TI, Relative Files On the VIC/64, Atari Fontbyter, TI Sprite Editor, All About Interrupts (multiple computers), Cracking The 64 Kernal, Making Change On The Timex/Sinclair, Build Your Own Random File Manager (multiple computers).

October 1983: Computer Games By Phone, Coupon File (multiple computers), Dragon Master And Moving Maze (multiple computers), Merging Programs From Commodore Disks, Atari Master Disk Directory, Sprites In TI Extended BASIC, Commodore EXEC, Multicolor Atari Character Editor, High Speed Commodore Mazer, Apple Sounds, Extra Instructions (multiple computers), Commodore DOS Wedges, Invisible Disk Directory For VIC And 64.

February 1984: What Makes A

Good Game, Circus (multiple computers), Quatrainment (multiple computers), Commodore 3-D Drawing Master (Apple version also included), Speedy BASIC For VIC And 64, Dr. Video 64.

March 1984: All About Adding Peripherals, Modern Memory: The Future Of Storage Devices, Roader (multiple computers), Barrier Battle (multiple computers), Programming The TI: File Processing, Sound Shaper (multiple computers), Commodore Floating Subroutines, Big Buffer For Atari.

April 1984: Apple's Macintosh Unveiled, Securities Analysis (multiple computers), Worm Of Bemer (multiple computers), Programming The TI: File Processing, Part 2, 1540/1541 Disk Housekeeping, Hidden Atari DOS Commands, Function Keys For The Apple, TI Tricks And Tips, Super Directory (multiple computers).

May 1984: The Digital Palette: Fundamentals Of Computer Graphics, The Inside Story: How Graphics Tablets And Light Pens Work, Picture Perfect For Atari And Commodore 64, 64 Hi-Res Graphics Editor, Snertle (multiple computers), Pentominos: A Puzzle-Solving Program (multiple computers), A BASIC Cross-Reference (PET, 64).

June 1984: Choosing The Right Printer: The Easy Way To Hard Copy, Pests (multiple computers), Olympiad (multiple computers), Programming The TI: TI Graphics, MacroDOS For Atari, Part 1, Apple Variable Save, Programming 64 Sound, Part 1, Apple Input And Menu Screens.

July 1984: Evolutionary To The Core: The Apple IIc Heads For Home, The ABC's Of Data Bases, Statistics For Nonstatisticians (multiple computers), Bunny Hop (multiple computers), Blueberries (multiple computers), Atari Artist, Applesoft Lister, Program Conversion With Sinclair BASIC And TI BASIC, Commodore 64 ROM Generations.

September 1984: New Trends In Educational Computing, Choosing The Best Educational Software, Missile Math (multiple computers), Lightsaver (multiple computers), Multiple Choice Quiz Generator (multiple computers), Lightning Sort (multiple computers), Commodore Autoboot, Apple Editing Hints, Atari Paddle Fixer, Musical TI Keyboard.

January 1985: VIC/64 TurboTape: tape at disk speeds, Music In The Computer Age, Inside MSX, Paratrooper (multiple computers), Rescue Of Blondell (Commodore/ Atari), Guitar Tuner (multiple computers), Which Computer Language Is Best?, Machine Language Multiplication, Part 1, Enhanced Applesoft Input, Atari Terminal Program, IBM Pie Chart Maker.

February 1985: Special Games Issue, The New Atari, Fame Games, Birth Of A Computer Game, Acrobat (multiple computers), Terminal Program For VIC & 64, Programming The TI Without A Math Background, Adding Sound Effects To Atari, Rebound: Machine Language IBM Game, Apple Bowling Champ, 64 Sound Effects.

Back issues are \$6 each. Price includes freight in the US. Outside the US add \$1 per magazine ordered for surface postage, \$4 per magazine for air mail postage. All back issues subject to availability.

> In the Continental US call **TOLL FREE 800-334-0868** (919-275-9809 in NC)

Or write to:

**COMPUTE!** Back Issues P.O. Box 5058 Greensboro, NC 27403 USA

Prepayment required in US funds. MasterCard, Visa, and American Express accepted. NC residents add 4.5% sales tax. 1. The program is for the Commodore 64. For the VIC-20, change these lines:

10 POKE 36879,8 :rem 5
100 IF K<>39 THEN 90: REM WAIT
FOR F1 :rem 154
150 IF K=11 THEN 170: REM CONT
INUE IF <Y> :rem 187

For the Plus/4 and 16, change these lines:

10 COLOR 0,1:COLOR 4,1:rem 183
340 POKE 239,0: REM CLEAR KEYB
OARD BUFFER :rem 80
5000 POKE239,0:POKE198,64: REM
CLEAR KEYBOARD BUFFER

:rem 31 5010 K=PEEK(198) :rem 102

Type the program exactly as listed—including all uppercase REM statements (the lowercase rem statements are checksums for COMPUTE!'s "Automatic Proofreader"; do not type them in). It's important to type the program as listed because it must be at least nine blocks long on the test disk to insure proper results.

- 2. Save the program on another disk before running it.
- 3. Put a blank test disk in the drive and run the program. It will format the disk and save a file called SAVE@ DEMO on the disk. Type LOAD"\$",8 to list the directory and notice that 254 blocks are free.
- 4. Reset the drive by turning it off, then on. Load the file by typing LOAD"SAVE@ DEMO",8.
- 5. Save the file three times using the SAVE@ command (SAVE"@0: SAVE@ DEMO",8). Do not list the directory or perform any other operation between SAVE@ commands.
- 6. List the directory by typing LOAD"\$",8. What's this? There were 254 blocks free before, but now there are 258—a discrepancy of four blocks. (If you don't get this result, it probably means that you haven't followed the directions exactly. Start again at step 3.) If you examine the BAM with a disk utility, you'll see that the first four sectors of the file are marked as free! (Specifically, the file starts on track 17, block 0; blocks 0 through 3 are marked

- as unallocated.) If you executed a fourth SAVE@ command, it would overwrite the beginning of the file, and the disk would be corrupted even worse!
- 7. Now rerun the program to make a new test disk. Reset the drive and run the above test again, but specify the drive number for the load (LOAD''0:SAVE@DEMO'',8). The SAVE@bug does not occur!

# **Aiways Specify Drive 0**

This demonstration provides a powerful lesson: All DOS commands should include the drive number 0:

LOAD"0:filename",8 (Load file)
SAVE"0:filename",8 (Save file)
SAVE"@0:filename",8 (Save with Replace)
LOAD"\$0",8 (Load directory)
LOAD"\$0:filename",8 (Load directory entry with filename)
OPEN15,8,15,"10":CLOSE15 (Initialize drive 0)
OPEN15,8,15,"V0":CLOSE15 (Validate BAM)

Similarly, all disk file commands should specify the drive number.

Most Commodore users do not specify the drive number when loading the directory or files. The 1541 User's Manual examples for the LOAD command don't specify the drive, and neither do most magazine articles. If the drive number is not specified, the 1541 is supposed to default to drive 0. What actually happens very often causes an error message such as 74,DRIVE NOT READY,00,00. For a simple example, use the DOS 5.1 Wedge that comes with the 1541. List the directory for the file "TEST" on the 1541 Test/Demo disk by using the Wedge command:

>\$TEST (list directory for files "TEST")

Since this file doesn't exist on the *Test/Demo* disk, the red error light begins blinking. This command should include the drive number, but is accepted without it. Now repeat the command and read the error channel with this Wedge command:

> (read error channel)

The error will be 74,DRIVE NOT READY,00,00. Repeat this test, but specify the drive number: >\$0:TEST (List directory with drive specified)

No matter how many times this command is repeated, no error will occur.

# The Missing Drive

Part 2 in next month's COMPUTE! will present a full technical explanation of the SAVE@ bug. For those who aren't so technically inclined, here's a brief summary.

The early Commodore PETs were available with dual disk drives-two drives in one unit. The drives were addressed as 0: and 1: when using disk commands. But on later Commodore computers designed to use the 1540/1541, multiple drives are addressed by changing the device number, not the drive number. The device number for a single drive is 8. That's why you type a command like LOAD "filename",8. On two-drive systems, the second drive is usually addressed as device 9, as in LOAD "filename",9. Therefore, most people stopped (or never started) specifying the drive number, which is 0: for all 1541 disk drives. Drive 1: simply doesn't exist with the 1541.

What happens when the drive number is not specified for a LOAD or SAVE? DOS first checks for a drive number. If none is specified, it assumes drive 0. Okay so far. Then DOS attempts to read the disk. If no disk is found, DOS automatically switches to the nonexistent drive 1. A DRIVE NOT READY error then results whether or not a drive number was specified. If a disk is found, DOS searches its internal directory for the specified file. If the default drive was used, DOS switches to drive 1 to continue searching. This also causes the DRIVE NOT READY error, since there is no drive 1. Furthermore, drive 1 remains the default drive as long as there are directory searches to be done. The internal drive pointers must be reset to recover from this error condition.

SAVE@ always works properly in our tests if the drive number is specified on all operations and no direct access buffers are allocated. We are not aware of anyone who has documented a failure under these conditions (assuming a closed file was specified, sufficient room was present on the disk, and no read or write errors occurred). Thus,

Commodore experts who claim there is no bug are partially correct. We have also found that if the drive number is not always specified during loads and directory listings, as is common practice, the SAVE@ bug can occur even though the drive number is specified in the SAVE@ command.

Files stored on just one or two tracks—such as short files on a fresh disk-are not prone to the SAVE@ bug. Files stored over many tracks on disks on which many files have been saved and scratched are the most susceptible, as are files saved with some utilities intended to speed up the 1541 disk drive.

Next month: Part 2 examines the technical reasons for the Save-with-Replace bug in more detail. Our special thanks to Jim Gracely of Commodore and Associate Editor Jim Butterfield for very helpful discussions.

# **SAVE@ Bug Demonstration**

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEL.

- 10 POKE 53281,0:POKE 53280,11 :rem 232 20 PRINT" {CLR}"; CHR\$(14)CHR\$(8
- :rem 66 30 PRINT" [YEL] [RIGHT] [RVS] SAV
- :rem 90 E@ BUG EXAMPLE " PRINT" [CYN] [DOWN] THIS PROG RAM FORMATS":PRINT"A BLANK
- {SPACE}DISK, ALTERS" :rem 167
- 50 PRINT"THE BAM, SAVES ITSELF ":PRINT "AND THEN ALTERS THE :rem 149 60 PRINT"BAM AGAIN.":PRINT"
- (DOWN) SAVE@ WILL FAIL THE" :rem 213
- 70 PRINT"THIRD TIME IT IS USED ":PRINT"ON THIS DISK."
- rem 133 80 PRINT" [DOWN] [RIGHT] [GRN] INS ERT DISK TO FORMAT - PRESS {SPACE} {RVS} F1 {OFF}."
- :rem 116 90 GOSUB 5000: REM GET KEYPRES
- :rem 34 100 IF K<>4 THEN 90: REM WAIT {SPACE}FOR F1 :rem 98
- 110 PRINT" [DOWN] [RED] WARNING! {SPACE}THE DISK WILL BE ER ASED." :rem 116
- 120 PRINT" {DOWN } {RIGHT } {YEL } AR E YOU SURE?":PRINT"(PRESS {SPACE} {RVS}Y {OFF} TO CONT INJE.) :rem 31
- 130 FOR T=0 TO 100:NEXT: REM T IME DELAY :rem 165
- 140 GOSUB 5000: REM GET KEYPRE SS :rem 78
- 150 IF K=25 THEN 170: REM CONT INUE IF <Y> :rem 192

- 160 PRINT" [DOWN] [RIGHT] [YEL] PR OGRAM ABORTED. ":GOTO 330 :rem 4
- 170 CLOSE2:CLOSE15: REM {2 SPACES}CLOSE CHANNELS
- :rem 54 180 OPEN15,8,15: REM OPEN COMM AND CHANNEL :rem lll
- 190 PRINT" (DOWN) (RIGHT) (CYN) NO W FORMATTING DISK - PLEASE WAIT." :rem 28
- 200 PRINT#15, "NO: SAVE@ TEST"CH R\$(44)"PS": REM FORMAT DIS :rem 50
- 210 GOSUB 3000: REM CHECK ERRO R CHANNEL :rem 213 220 PRINT" (UP) [RIGHT] [PUR] FORM
- ATTING COMPLETED. {2 SPACES}{3 SHIFT-SPACE} [8 SPACES]" :rem 213
- 23Ø PRINT" (DOWN) { RIGHT } ALTERIN G BAM." :rem 232
- 240 GOSUB 4010: REM OPEN DIREC T CHANNEL AND CHECK ERROR
- {SPACE}CHANNEL :rem 147 250 GOSUB 1010: REM ALTER BAM :rem 63
- 260 CLOSE2:CLOSE15: REM CLOSE SPACE CHANNELS :rem 54
- 270 PRINT" [DOWN] [RIGHT] [RED] SA VING SAVE@ DEMO." :rem 190 280 SAVE"0:SAVE DEMO",8
- :rem 111 290 PRINT" (DOWN) (RIGHT) (YEL) AL
- TERING BAM." :rem 140 GOSUB 4000: REM OPEN DIREC T CHANNEL AND CHECK ERROR
- {SPACE}CHANNEL :rem 143 310 GOSUB 2010: REM ALTER BAM

:rem 61

- 320 PRINT" [DOWN] [RIGHT] [CYN] {TAB}DISK IS FINISHED! NOW REFER TO TEXT." :rem 236
- 330 CLOSE2:CLOSE15: REM CLOSE { SPACE } CHANNELS :rem 52
- 340 POKE 198,0: REM CLEAR KEYB :rem 84 OARD BUFFER 35Ø END :rem lll 1000 REM \* MODIFY BAM SECTOR F
- :rem 77 OR SAVE 1010 PRINT#15, "U1:2 0 18 0":GO SUB 3000: REM READ BAM SE :rem 90 CTOR
- 1020 PRINT#15, "B-P:2 52":GOSUB 3000: REM POSITION BUFFE R POINTER TRACK 13
- :rem 159 1030 FOR I=1 TO 20:PRINT#2,CHR \$(0);:NEXT: REM FILL BAM {SPACE}WITH ZEROS:rem 201
- 1040 PRINT#15, "B-P:2 76": GOSUB 3000: REM POSITION BUFFE R POINTER TRACK 19
- :rem 173 1050 FOR I=25 TO 92:PRINT#2,CH R\$(Ø);:NEXT: REM FILL BAM WITH ZEROS :rem 10
- 1060 PRINT#15, "U2:2 0 18 0":GO SUB 3000: REM WRITE TO BA M SECTOR :rem 114
- 1070 PRINT#15, "IO":GOSUB 3000: REM INITIALIZE BAM
- :rem 36 :rem 169 1080 RETURN 2000 REM \* MODIFY BAM SECTOR A
- FTER SAVE :rem 217 PRINT#15,"U1:2 Ø 18 Ø":GO SUB 3000: REM READ BAM SE :rem 91 CTOR
- 2020 PRINT#15, "B-P:2 60":GOSUB 3000: REM POSITION BUFFE

- R POINTER TRACK 15
- 2030 REM FREE UP 12 SECTORS ON TRACKS 15 TO 17 :rem 204

:rem 161

- 2040 PRINT#2, CHR\$(4) CHR\$(15) CH  $R$(\emptyset)CHR$(\emptyset);$ :rem 81
- 2050 PRINT#2, CHR\$(4)CHR\$(15)CH
- $R$(\emptyset)CHR$(\emptyset);$ :rem 82 2060 PRINT#2, CHR\$(4) CHR\$(15) CH
- R\$(Ø)CHR\$(Ø); :rem 83 2070 PRINT#15,"U2:2 Ø 18 Ø":GO
- SUB 3000: REM WRITE TO BA M SECTOR :rem 116
- 2080 PRINT#15, "IO":GOSUB 3000: REM INITIALIZE BAM
- :rem 38
- 2090 RETURN :rem 171 3000 INPUT#15,EN,E\$,ET,ES
- :rem 185 3010 IF EN=0 OR EN=73 THEN RET
- URN :rem 61 3020 PRINT" { 2 DOWN } { RIGHT } "EN;
- E\$;ET;ES :rem 179
- 3030 CLOSE2:CLOSE15:END :rem 149
- 4000 OPEN15,8,15:GOSUB3000: RE M OPEN COMMAND CHANNEL AN D CHECK ERROR :rem 210
- 4010 OPEN2,8,2,"#":GOSUB3000: [SPACE] REM OPEN DIRECT CH ANNEL AND CHECK ERROR CHA
- NNEL :rem 179 4020 RETURN :rem 166
- 5000 POKE198,0:POKE203,64: REM CLEAR KEYBOARD BUFFER
  - :rem 22
- 5010 K=PEEK(203) :rem 89 5020 IF K=64 THEN 5010 :rem 61
- 5030 RETURN
  - :rem 168 0

SMARTEAM MODEM - 1200/300

\$65.00

\$179.00

\$42.00

# IT MUST BE MAGIC! AFFORDABLE COMPUTER ACCESSORIES by MAGITRONIC®

BAUD

512K RAM CARD

IBM PC/XT COMPATIBLE MOTHERBOARD with BIOS & 128K Memory installed. Assembled & tested.

\$219.00 #92250 DISC NOTCHER #90090

COPY HOLDER SET #90030 HEAD CLEANER KIT

#90040 COLOR GRAPHIC CARD FOR

#92280 Holds 100 pcs DISKETTE FILE

#90060 Holds 100 pcs.

GENDER CHANGERS
Male to Male - #90080
Female to Female - #90070
\$7.95 each (10 or more \$6.95)

KEYBOARD COVER FOR IBM \$4,90 DISC DRIVE COVER \$11.95 \$3.95 #90120 KEYBOARD IBM COMPATIBLE #90130 \$69.00 \$4.95 MULTIPLE OUTLET \$13.00 \$80.00 150 W. POWER SUPPLY \$95.00 #90150 SERIAL INTERFACE SWITCH \$36.00 #90160

PARALLEL CONNECTOR

\* MANY OTHER CABLES & ACCESSORIES AVAILABLE \*

# LET YOUR COMPUTER DO THE TALKING

MURA MODEM - FSK telephone interface allows computers to talk to each other over telephone lines Compatible with all major personal & home computers & most time sharing systems. Sugg. Retail \$79.95

#10005 NOW JUST \$20.00



# THE WHOLESALE OUTLET DEPT. C 1-Interstate Ave.

Albany, NY 12205
Albany, NY 12205
1-800-344-4387 (orders only)
In NY (518) 459-7883
Customer pays freight & handling FOB Albany, NY
VISA & MASTERCARD accepted, Personal & Company checks on
mail-in orders only. \$25.00 MINIMUM ORDER.

# Dynamic Keyboard For Commodore Machines Part 1

Jim Butterfield, Associate Editor

Dynamic keyboard techniques let you perform tasks that would otherwise be difficult or impossible in BASIC. The first article in this two-part series covers the fundamentals. In Part 2, we'll look at more advanced uses of the dynamic keyboard.

Many BASIC commands can be used in either direct mode (typed directly on the keyboard without a line number) or program mode (as part of a program). Certain commands, however, work only in direct mode. Using them in a program requires the dynamic keyboard technique, which lets a program act like it's you—typing commands on the keyboard. This method is especially effective on Commodore machines because of their full-screen editing. The term dynamic keyboard was first used by Mike Louder in 1978, though the technique had been used previously by Larry Tessler to merge programs.

# **Direct Versus Programmed**

A direct-mode command doesn't have a line number and is executed as soon as you press RETURN. An example is PRINT "HELLO". In program mode, the command does have a line number and is executed only when you type RUN and then press RETURN. An example is 10 PRINT "HELLO". Most BASIC

commands work in both direct and program mode.

A few BASIC commands cannot be used in direct mode, however; they may appear only in a program. GET, INPUT, GET#, and INPUT# are the best-known of these. Usually these commands use a segment of memory called the input buffer to store data as it arrives, and they won't work in direct mode because the same input buffer is used to hold the command itself. Thus, the incoming data might overwrite the command you typed in. An easy way to see this conflict is to use GOSUB as a direct command, calling a routine that does input. Try the following simple program:

300 INPUT "YOUR NAME";N\$ 330 RETURN

Execute this routine by typing GOSUB 300 and pressing RETURN. The subroutine will ask YOUR NAME?. If you reply with a one-character name, such as X, everything works fine. The RETURN takes you back to the keyboard, and the computer reports READY. But if you reply with a longer name such as CHARLOTTE, you may get a strange error message. Why? Your original command GOSUB 300 is still sitting in the input buffer. When the subroutine ends, the system looks beyond the

GOSUB command to see what comes next. We expect it to find an end-of-command marker and quit. But the GOSUB command has been destroyed. It was overwritten by the name you typed in, which went to the same input buffer. The result is confusion.

On the other hand, some BASIC commands can be used only in direct mode—not in a program. CONT, for example, causes an indefinite pause when used in a program. LIST works in program mode, but on most Commodore computers the program ends after executing LIST. In direct mode, you can enter a program line to add to the program or change it. You can't do this while running a program. Again, there's a difference between programs and direct commands—they have different powers.

A very important difference is found in the LOAD command. If typed as a direct command, LOAD fills memory with a new program from tape or disk. If there was already a program in memory, it vanishes and its variables are thrown away. But a LOAD command executed within a program is quite different. The new program comes in, but' existing variables are not scrapped—they are preserved so that the new program can use them. This is a powerful programming technique called *chaining*, which

lets one program continue processing data that was generated by a previous program.

# **Invisible Fingers**

Direct keyboard statements can perform certain tasks that programs can't (at least, not in the usual way). For example, if we want a program to invite a student to type in a formula, BASIC doesn't allow the formula to be evaluated (an INPUT statement won't evalute the formula 2 + 2 as 4).

Similarly, suppose we want one program—perhaps a main menu program—to load and run another program. That's hard to do because BASIC wants to chain the new program to the old one. Instead of starting the next program fresh, it tries to make it a continuation of the previous program. On rare occasions, there may be a real need to allow a program to change itself, although this is tricky because every time you change a program (by editing a line, etc.), its variables go away. It's hard for any program to continue running after its variable values disappear.

We can accomplish these things, however, by using a startling technique: making the computer type on its own keyboard. How can a computer do this? It doesn't

even have any fingers.

Here's how it works. When you strike a key, the information always goes first to a memory area called the *keyboard buffer*. After it gets there, it is picked up and used by the computer. If we can put a character in the keyboard buffer without actually pressing any keys, it will appear to have been typed, and the computer responds exactly as if the corresponding key was pressed.

# Seif-Keying

Let's try a quick example to see how it works. The keyboard buffer is located in different places on different computers, so the commands must be tailored to the machine involved. We'll ask the machine to self-type the letter X:

For VIC-20 or Commodore 64: POKE 198,1:POKE631,88

For Plus/4 or 16: POKE 239,1:POKE 1319,88 For PET/CBM (3.0 and 4.0 BASIC): POKE 158,1:POKE 623,88

For Original ROM PETs: POKE 525,1:POKE 527,88

For Commodore B-128 (Model 700)
BANK 15:POKE 209,1:POKE 939,
88

The first POKE in each line tells the computer how many characters are waiting in the keyboard buffer. The second puts the character X in the first slot of the buffer. After you type the line and press RETURN, the computer reports READY and acts as if you pressed the X key. The letter X appears on the screen and the cursor flashes to its right. It would be easier just to type the X, of course, but we've established a new capability. A program can now, in effect, type on the keyboard.

# **Using The Screen**

With this technique alone, you're limited to pretty short commands. The keyboard buffer usually has a size limit of about nine characters. Also, it's cumbersome for a program to put characters into the buffer one at a time. But on Commodore machines we can take advantage of *screen editing* to process longer direct commands.

Whenever you press the RE-TURN key, the computer reads the screen. Whatever it finds there, it does—perform a command, enter a line, or whatever. To make a program execute a long direct-mode command, follow these steps:

- 1. PRINT the command on the screen in a known place.
- 2. Position the cursor a couple of lines above the command.
- 3. Put a carriage return in the keyboard buffer.
- 4. Terminate execution with an END command.

When the program reaches END, here's what happens. The desired command is on the screen and the RETURN is in the keyboard buffer. The program terminates, and the computer prints READY. Although the program has ended, the computer receives the RETURN as if you had just pressed that key,

so it executes the line on the screen. Among other things, that line might contain a GOTO or CONT that would continue the program.

# A Simple Example

Here's a simple program that uses the dynamic keyboard method to do something normally forbidden by BASIC: a computed GOTO. In most cases, a straightforward ON-GOTO command does the same job better, but let's use this example for the sake of simplicity. Type in line 100 as shown for your machine:

For VIC-20 or Commodore 64:

100 DATA 198,631

For Plus/4 or 16:

100 DATA 239,1319

For most PET/CBM:

100 DATA 158,623

Now enter the following lines:

110 READ A,B

120 PRINT "PICK A NUMBER 3 TO {SPACE}5"

130 INPUT "NUMBER";L

140 IF L<3 OR L>5 THEN 130

15Ø PRINT CHR\$(147)

160 PRINT

170 PRINT

180 PRINT "GOTO";L\*100

190 PRINT CHR\$(19)

The program isn't finished, but you might like to see what we have so far. If you run it and enter 3 in response to the prompt, you'll find the program stopped with the cursor blinking over a line that says GOTO 300. To execute that direct command, all you'd need to do is press RETURN. When we complete the program, it will press RETURN by itself. Finish the program by entering these lines:

200 POKE A,1

210 POKE B, 13

22Ø END

300 PRINT "THIS IS LINE 300"

310 GOTO 120

400 PRINT "HERE'S 400"

410 GOTO 120

500 PRINT "LINE 500 IS THE END

It's as easy as that. Once you grasp the basic method, all sorts of interesting applications come to mind. Next time, we'll look at more advanced, useful applications of the dynamic keyboard technique.

# All About IBM Batch Files

# Part 2

G. Russ Davies

Part 1 of this article (COMPUTE!, September 1985) covered the fundamentals of batch programming on the IBM PC/PCjr. This month we'll look at some advanced techniques and a utility that makes batch programs interactive and easier to use.

As we saw last month, IBM batch programs can be very powerful. The batch commands FOR, IF, and GOTO permit program loops, conditional tests, and program branching. You can also chain two or more batch programs together and pass information from one to another.

But batch programs have limitations, too. Visual displays are often unexciting, consisting of single-color alphanumerics (no graphics characters, etc.), and user input is even more restricted. The PAUSE command allows only two options: continuing after the pause or ending the program. This virtually rules out complex, interactive programs that let you select from several different options to perform various tasks.

# Adding Choices

The "CHOOSE.COM" program below provides the equivalent of a new batch command. As the name suggests, CHOOSE lets you make a choice. It can be used by itself to request a yes/no response, or with additional information to offer sev-

eral different options. Since CHOOSE.COM is a machine language program, we've included a BASIC filemaker program that creates it for you. Type in and save Program 1 as listed below, then run it. Once that's done, you can try out the simpler "yes/no" form of CHOOSE.

Remember from Part 1 that any batch program named AUTO-EXEC.BAT loads and runs automatically when you boot the system. An AUTOEXEC.BAT program that doesn't include the DOS commands DATE and TIME won't prompt you to enter the date and time (as normally happens when you boot up). Though it's often valuable to have correct date and time information on new files, there are also many times when you don't need it.

The short batch program that follows lets you choose whether to add date and time settings. Enter it as listed, using the EDLIN program (on the DOS Supplemental Programs disk) or any word processor or text editor that produces standard ASCII output. Since this and the following examples are not BASIC programs, don't try to enter them with COMPUTE!'s "IBM Automatic Proofreader." Once you have entered this program, save it with the filename AUTOEXEC.BAT. Because the program calls CHOOSE-.COM, you must save it on a disk that contains CHOOSE.COM.

echo off
MODE CO80
echo Do you wish to set the
date/time?
rem press Y,y,N, or n to
answer
CHOOSE
IF ERRORLEVEL 1 GOTO :setdt
goto :next
:setdt
date
time
:next
CHKDSK
BASICA MENU

After saving this program, run it by rebooting the system (press Ctrl-Alt-Del or enter AUTOEXEC). When used without parameters, CHOOSE checks for a yes/no response, permitting uppercase as well as lowercase Y and N (it's not necessary to press the Enter key after typing Y or N). Other responses (except Ctrl-Break) cause the prompt message to be displayed until a valid choice is made.

# **ERRORLEVEL** Is A Variable

After you respond with yes or no, CHOOSE passes this information to the batch program via ERROR-LEVEL. As explained in Part 1, ERRORLEVEL is a special variable you can test with IF. In this example, CHOOSE sets ERROR-LEVEL to 1 when the response is yes, and 0 when the response is no. The GOTO command then branches appropriately. Note that GOTO branches to a destination label, which is a colon followed by a string. This program uses the labels :setdt and :next. Don't confuse

the label :next with BASIC's NEXT statement (which doesn't exist in batch programming).

In this case, ERRORLEVEL can have only one of two possible values, but it can take higher values as well (see below). When testing ERRORLEVEL with IF, keep in mind that the IF ERRORLEVEL statement is true when ERROR-LEVEL is greater or equal to the number being tested. If you tested for 0 first in this program, ERROR-LEVEL would always be 0 (1 and 0 are both greater than or equal to 0). When testing ERRORLEVEL, you must always test for higher values before testing for lower ones.

# Multiple Options

Most utility programs offer a variety of options. Typically, they display a menu with a list of options, and you choose the option you want by pressing a certain key. CHOOSE makes it easy to present such menus within a batch program. First display the options on the screen, then use CHOOSE followed by a list of the keys you wish to test. For instance, the statement CHOOSE ABC checks the A, B, and C keys and returns appropriate values in ERRORLEVEL. The ERROR-LEVEL value corresponds to the position of the key in the list after the CHOOSE command. Thus, after the program performs CHOOSE ABC, ERRORLEVEL equals 1 if A was pressed, 2 if B was pressed, and so on.

When using CHOOSE with several option keys, it's critical to list the keys in the right order. Since you must always test for higher ERRORLEVEL values before testing for lower ones, you'll want to put the most likely (or most speedcritical) options at the end of the option key list. This assigns higher ERRORLEVEL values to the more important options.

# **Entering FILES.BAT**

The "FILES.BAT" program below demonstrates multiple-option selection as well as a colorful, attractively formatted menu and help panel. It sorts any disk directory by file size, date, filename extension, or alphabetical order, and can also create separate batch files for mass DOS operations. Entering the program requires several steps:

- 1. Make sure your disk contains the system file called ANSI.SYS. If necessary, copy ANSI.SYS from the DOS disk with the COPY command. This file contains the screen/keyboard driver used for graphics displays and temporary key assignments.
- 2. Make sure your disk contains a file named CONFIG.SYS that includes the statement DEVI-CE=ANSI.SYS. If your disk already has a CONFIG.SYS file, add that statement to the file with EDLIN or another text editor. If your disk doesn't have a CONFIG.SYS file, create one by entering these lines:

#### COPY CON:CONFIG.SYS DEVICE=ANSI.SYS

Next press the F6 key to end the file, then press Enter. Your disk now contains the necessary CONFIG.SYS file.

- 3. Using EDLIN or some other text editor, enter Program 2 as listed below and save it on disk with the name FILES.BAT. (Since this is not a BASIC program, don't try to enter it with the IBM Automatic Proofreader.) Several lines in the listing contain the characters {CTRL-P}. The braces indicate that this is a special control character which you must enter by pressing a combination of keys. Do not type the braces. Instead, wherever you see {CTRL-P} in the listing, hold down the Ctrl key and press the P key. On the screen, you'll see the wedge-shaped control character that precedes special ANSI.SYS screen or keyboard instructions. Type everything else in Program 2 exactly as it appears.
- 4. In the same manner, enter Program 3 as listed and save it on disk with the name FILES.MNU (do not use any other filename). This file is graphics data for the menu. Whenever you see {CTRL-P} in the listing, enter CTRL-P as described in step 3. A number enclosed in braces indicates a graphics character (the number is an ASCII code) which you must enter with the Altkeypad technique on the PC and by another method on the PCjr.

For instance, where the listing contains {218}, hold down the Alt key, then type the characters 2, 1, and 8 on the numeric keypad. When you release the Alt key, character 218 appears on the screen. On the PCjr, hold down Alt, press Function-N, then enter the numbers as on the PC. After all three numbers are entered, release the Alt key; the character will appear on the screen. When the braces enclose two numbers, several characters are needed; the first value shows how many characters to enter, and the second is the ASCII code. For instance, where you see {5 196}, use the above procedure to enter character 196 five times. Where you see the letters SP followed by a number and enclosed in braces, you should type the space bar the indicated number of times. For example, {SP 16} means to type 16 spaces.

- 5. Enter Program 4 as listed, using the technique described for step 4, and save it on disk with the filename FILES.HLP (don't use any other filename). This file contains graphics data for the Help screen.
- 6. Enter a batch program that contains nothing but a REM statement and save it on disk with the filename QUIT.BAT. This can be done with a text editor or by entering these statements from DOS:

### COPY CON: QUIT.BAT **REM ANYTHING**

Now press the F6 key followed by Enter.

- 7. Activate BASIC and type in Program 5. Since this program is listed in BASIC, enter and save it using the IBM Automatic Proofreader published bimonthly in COMPUTE!. You must save this program with the filename FILEGRP .BAS.
- 8. Finally, before using FILES.BAT, check your disk to make sure all the necessary files are present. It must contain CHOOSE.COM, ANSI.SYS, CONFIG.SYS, FILES.BAT, FILES.HLP, FI-LES.MNU, FILEGRP.BAS, and QUIT.BAT. The program will not work correctly unless all

these files are on one disk and named as shown here. Note that the FILEGRP option (see below) also requires BASIC.

# **Using FILES.BAT**

Before you run this program, reboot the system by turning the computer off and on or by pressing Ctrl-Alt-Del. This guarantees that the ANSI.SYS driver is present. To run FILES.BAT, enter FILES after the DOS prompt and press Enter. Most of the program is self-explanatory—after all, that's what menus and help screens are for—so we won't describe every option.

The FILEGRP option lets you create a separate batch file (named FILEGRP.BAT) for performing operations on a group of files. Every line in FILEGRP.BAT consists of a filename from the subject disk and four dummy parameters in this order:

%1 filename.extension %2 %3 %4

Dummy parameters are replaced by actual parameters you supply when running FILEGRP-.BAT. This makes it easy to perform the same operation (copy, print, delete, etc.) on a large group of files. After using the FILEGRP option, exit to DOS and use a word processor or text editor to edit FILEGRP-.BAT as needed, deleting the names of any files you don't want to include in the operation. Then run FILEGRP.BAT by entering its name followed by the needed parameters. The first parameter can be any DOS command; the rest will be parameters that are relevant to that command. For instance, you might enter FILEGRP COPY B: /V to copy the files listed in FILEGRP.BAT onto drive B. Incidentally, BASIC does not provide any way to set ERRORLEVEL.

# Advanced Batch Programming

FILES.BAT employs several techniques you may find useful. The DOS command BREAK ON makes the system respond to Ctrl-Break in more instances than normal. The TYPE command is used to display graphics like the menu and help screen. TYPE creates such displays much faster than the DOS ECHO command (you could also use COPY).

The ANSI.SYS driver assigns the lowercase keys a, s, d, e, b, and i to their uppercase equivalents to reduce the amount of testing required. The F1 and F10 keys are assigned to keys H and X, respectively, so those function keys perform their usual HELP and EXIT roles. After CHOOSE accepts a response, the modified keys are restored to their original definitions. Ctrl-Break while Pressing CHOOSE is active (or pressing Y in response to "Terminate batch file?") leaves these keys reassigned. To avoid this effect, you should normally exit by pressing F10.

The F10 (EXIT) function uses a trick to perform a quick exit. It simply runs QUIT.BAT, a batch program that consists of a do-nothing REM statement. When any batch program ends, it ends all preceding batch programs as well. Note that since ECHO OFF is in effect when QUIT.BAT is called, the REM is not displayed.

Batch commands are not particularly fast. To optimize speed, structure the program so that the most-often used (or speed-critical) routines are closest to the place you're branching from. The fewer program lines that a GOTO has to skip over, the quicker it executes. You can also speed up batch programs by using extra disk buffers as explained in the DOS Manual. REM statements slow batch programs drastically; if you want to document the program, store your comments in a separate file.

In some cases it's useful to test for the absence of a parameter. For instance, you might want to reprompt the user with a message like "You must enter more information." This can be done with a statement such as IF .--%1. GOTO .NOPARM. This line means "if a dot equals the parameter plus a dot then go to the no-parameter routine." The IF test is true only when no parameters have been entered.

# Program 1: CHOOSE.COM Filemaker

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.

N 100 OPEN "CHOOSE.COM" FOR OUT

```
PUT AS #1
LA 110 READ X$: IF X$="/*" GOTO 1
       30
CA 120 PRINT #1, CHR$ (VAL ("&H"+X$
      ));:GOTO 11Ø
ID 130 CLOSE #1:END
KB 140 DATA A0,80,0,3C,0,75,2D,
90,8A,60,1,84,9,CD,21,84
PC 150 DATA C, BØ, 7, CD, 21, 3C, 59,
      74, F, 3C, 4E, 74, 10, 3C, 79, 74
F6 16Ø DATA 7,3C,6E,74,8,EB,E1,
      90, B0, 1, EB, 3, 90, B0, 0, B4
EL 17Ø DATA 4C,CD,21,9Ø,BA,8Ø,1,B4,9,CD,21,B4,C,BØ,8,CD
GN 18Ø DATA 21,88,C4,9Ø,BD,Ø,Ø,
      45,8A,86,8Ø,Ø,3C,D,74,E4
KC 19Ø DATA 38,EØ,75,F3,89,E8,9
       Ø, 48, B4, 4C, CD, 21, 9Ø, 9Ø, 9Ø
NJ 200 DATA 43,68,6F,6F,73,65,2
       0,59,20,28,79,65,73,29,20
F# 210 DATA 72,20,4E,20,28,6E,6
      F, 29, 20, 2E, 2E, 2E, D, A, 24, 2
N 22Ø DATA 43,68,6F,6F,73,65,2
       0,64,65,73,69,72,65,64,20
OK 23Ø
       DATA 70,74,69,6F,6E,20,2
      E, 2E, 2E, D, A, 24, Ø, Ø, Ø, Ø
KH 24Ø DATA /*
```

# **Program 2: FILES.BAT**

```
echo off
rem Name: FILES.BAT
  [filename.ext]
                    See help
  panel for usage
break on
dir %1 >temp.dir
:menu
CIS
type files.mnu
echo(CTRL-P)["a"; "A"p(CTRL-P)[
  "s"; "S"p(CTRL-P)["d"; "D"p(CT
  RL-P) ["e"; "E"p(CTRL-P) ["b"; "
  В"р
          (CTRL-P)["i"; "I"p
echo(CTRL-P)[Ø;59;"H"p(CTRL-P)
  [Ø; 68; "X"p (CTRL-P)[2A
choose EIBSDHAX
echo(CTRL-P)["a"; "a"p(CTRL-P)[
  "s"; "s"p{CTRL-P}["d"; "d"p{CT
RL-P}["e"; "e"p{CTRL-P}["b"; "
  b"p{CTRL-P}["i"; "i"p
echo(CTRL-P)[0;59;0;59p(CTRL-P
  }[Ø;68;Ø;68p {CTRL-P}[Øm
if errorlevel 8 QUIT
if errorlevel 7 goto :a
if errorlevel 6 goto :h
if errorlevel 5 goto :d
if errorlevel 4 goto :s
if errorlevel 3 goto :b
if errorlevel 2 goto :i
                 goto :e
cls
sort /+1 <temp.dir >con
pause
goto :menu
:h
copy files.hlp con
pause
goto :menu
: d
CIS
sort /+24 <temp.dir >con
pause
goto :menu
:5
cls
sort /+14 /R <temp.dir >con
```

Dause goto :menu : 6 basic filegrp echo ----- FILEGRP. BAT Created ----Dause goto :menu : i cls dir %1 /p Dause goto : menu : . cls sort /+1Ø <temp.dir >con pause goto :menu

# Program 3: FILES.MNU

(CTRL-P)[2J (CTRL-P)[32m (SP 16) (218) (5 196) (CTRL-P)[33m DIRECTORY DISPLAYS MENU (CTRL-P)[32m(5 196) (191) (SP 16)(179)(SP 35)(179) (SP 16)(179)(CTRL-P)[35m A {CTRL-P}[32m- Alphabetical order by filename (179) (SP 16) (179) (SP 35) (179) (SP 16) (179) (CTRL-P) [35m E {CTRL-P}[32m- Ext name order(SP 17)(179) (SP 16) (179) (SP 35) (179) (SP 16) (179) (CTRL-P) [35m D {CTRL-P}[32m- Date order, Yr not significant {179} (SP 16)(179)(SP 35)(179) (SP 16) (179) (CTRL-P) [35m S (CTRL-P)[32m- Size order(SP 213 (179) (SP 16) (179) (SP 35) (179) (SP 16) (179) (CTRL-P) [35m B (CTRL-P)[32m- Bat file creation: FILEGRP.bat (179) (SP 16)(179)(SP 35)(179) (SP 16)(179)(CTRL-P)[35m I (CTRL-P)[32m- Intrinsic order of dir entries {179} (SP 16) (179) (SP 35) (179) (SP 16) (179) (CTRL-P) [35mF1 (CTRL-P)[32m- HELP(SP 273 (179) (SP 16) (179) (SP 35) (179) (SP16) (179) (CTRL-P) [35mF1Ø(CTRL -P)[32m- EXIT(SP 27)(179) (SP 16) (179) (SP 35) (179) (SP 16) (192) (36 196) (217) {CTRL-P}[31m

# Program 4: FILES.HLP

(CTRL-P)[44;33m(CTRL-P)[2J(CTR L-P)[1m (SP 7) (2Ø1) (15 2Ø5) (CTRL-P)[35m DIRECTORY DISPLAY HELP (CTRL-P)[33m(16 205) {187} (SP 7) (186) (SP 2) PURPOSE: Produces a directory listing(SP 17){186} (SP 7) (186) (SP 12) sorted in the desired order.{SP 16) (186) (SP 7) (186) (SP 2) SYNTAX: (SP 2)FILES [d:][filename][.ext]{SP 203 (186) (SP 7)(186)(SP 9)(if parameters are omitted, \*.\*

used) (SP 10) (186)

(SP 7) (186) (SP 56) (186) (SP 7) (186) (SP 2) MENU OPTIONS: (SP 41) (186) (SP 7){186}{SP 4}A: Directory sorted ascending by filename(SP 11)(186) (SP 7) (186) (SP 4) E: Directory sorted ascending by file extension(SP 5)(186) (SP 7) (186) (SP 4)D: Directory sorted ascending by file date (mm-dd) (SP 2) (186) (SP 7){186}(SP 7)giving calendar order, year least significant(SP 4){186} (SP 7) (186) (SP 4)S: Directory sorted DESCENDING by file size(SP 9)(186) (SP 7){186}{SP 7}allowing quick determination of largest files(SP 4)(186) (SP 7) (186) (SP 4)B: FILEGRP. BAT created as : %1 filename.ext %2 %3 %4(186) (SP 7){186}{SP 7}for editing and mass file copy, erase, type, etc. (186) (SP 7) (186) (SP 4) I: Directory in the order of the directory entries(SP 2)(186) (SP 7)(186)(SP 56)(186) (SP 7)(186)(SP 4)H or F1: Displays this help panel (SP 193 (186) (SP 7){186}{SP 4}X or F1Ø: Fast exit to DOS(SP 26)(186)

# Program 5: FILEGRP.BAS

2Ø5) {188} {CTRL-P} [Øm

(SP 7) (200) (56

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTEL.

NJ 10 'This program creates a ba tch file named FILEGRP.BAT using the

10 20 'TEMP.DIR file created by FILES.BAT. FILEGRP.BAT is useful for

Jf 30 'group file operations suc h as copying, deleting, pr inting, etc.

EK 40 'Each line in FILEGRP. BAT has the format: %1 filenam e.ext %2 %3 %4

6K 50 'Use a word processor or t ext editor to delete non-p articipating

10 60 'files from FILEGRP. BAT. PE 70 OPEN "temp.dir" FOR INPUT

AS #1'input file

MN 80 OPEN "filegrp.bat" FOR OUT PUT AS #2'output file

EC 90 FOR X= 1 TO 4: IF EOF(1) TH EN SYSTEM'skip 4-line head

KD 100 LINE INPUT#1, X\$: NEXT

6N 11Ø IF EOF(1) THEN SYSTEM'che ck for end-of-file

LA 120 LINE INPUT #1,X\$'get inpu t line

N 130 IF LEFT\$ (X\$,1)=" " GOTO 1 10'skip lines beginning w ith space

6E 14Ø Z=INSTR(X\$," "):Z=Z-1'fin

d length of filename
EG 15Ø PRINT #2, "%1 ";MID\$(X\$,1,
Z);".";MID\$(X\$,10,3);" %2 %3 %4"'form output

HL 160 GOTO 110' continue till en d-of-file

# Davidson is *"*1, *"*1, *"*1, & *"*1 in Education

For math, speed reading, spelling and vocabulary, Davidson's award winning software outsells all others. Why? Because enough people choose to buy the educational software that works.

MATH BLASTER makes it more fun to add, subtract, multiply, divide, and learn fractions, decimals



and percents. First through sixth graders master 600 math facts with exciting graphics, animation, sound effects...even an arcade game. Apple™, Macintosh™, IBM™, Commodore 64/128™, Atari™, 49.95.

SPEED READER II can quadruple your reading speed and improve your comprehension. Develop



good reading habits, chart your progress, and have fun! For high school age through adult. Apple II™, Macintosh™, IBM™, Commodore 64/128™. 69.95

WORD ATTACK lets students ten through adult discover the meanings and usages of 675 new words.



Includes a fun, fast-action arcade game and add-your-own-words editor. Apple™, IBM™, Commodore 64/128™, Atan™. 49.95

SPELL IT teaches ten year olds and older how to spell a thousand and one of our most commonly



misspelled words. Vivid graphics, animation, sound effects, a lively arcade game and add-vour-ownwords editor, too! Apple™, IBM™, Commodore 64/128™. Atari™. 49.95

Davidson & Associates, Inc. 800-556-6141 (In Calif., 213-534-4070)

Davidson.
Daviason.



Davidson & Associates, Inc. 3135 Kashiwa St. / Torrance, CA 90505

Please send me a FREE COLOR BROCHURE and the name of my nearest Davidson Dealer.

Name							
Address		N 211/2 N 21 N 2					
City	^		State	,	Zip_	, ,	

**Educational Software that Works** 

# 64 Multicolor Graphics Made Easy

James P. Hassett







"Color Plotter 64" gives your Commodore 64 a set of 14 powerful new commands for plotting multicolor high-resolution graphics. You can even mix text and graphics on the same screen. The photos on these pages were generated by the demo program following this article.

Have you ever admired a multicolor high-resolution graphics display on the Commodore 64? Usually you have to learn machine language to create such displays yourself—but not now.

With "Color Plotter 64" those screens become easy because you'll have 14 special graphics commands added to your Commodore 64

BASIC. And because the commands are written in machine language, they work fast and efficiently. Here is a summary of the new commands:

**IN,** Turns on hi-res multicolor mode.

**OFF**, Turns off hi-res multicolor mode.

CL, Clears hi-res screen.

**PC,** Pen Clear. Clears everything on high-res screen drawn with current pen number.

**P0**,n Sets color of PEN 0, which is also the background color, where n is one of the 16 standard colors (0-15).

P1,n Sets color of PEN 1 (n = 0-15).

**P2,** n Sets color of PEN 2 (n = 0-15).

**P3**, n Sets color of PEN 3 (n = 0-15).

**PEN**, *n* Defines active pen number (n = 0-3).

 $PL_{x,y}$  Plots point on hi-res screen at coordinates  $x_{,y}$  using active pen.

**DR**, *x*, *y* Draws best straight line from last point plotted to coordinates *x*, *y* using active pen.

CR,x,y Sets hi-res screen cursor to coordinates x,y.

**PR**, A\$ Prints contents of A\$ on high-res screen using active pen.

**PR**,"text" Prints text between quotes on hi-res screen using active pen.

Some of these commands may look familiar to those who have plotted graphics on other computers with other languages. You might be able to jump right in and

start plotting. Do note that all commands, even those without parameters (such as the IN, command), must be accompanied by the comma. There are also some special typing and loading instructions to follow with Color Plotter 64. For more details, see the sections

# Entering The Program

Since Color Plotter is written entirely in machine language, it must be entered with the "MLX" machine language editor program, found elsewhere in this issue. To enter the Color Plotter program, load and run MLX. When MLX asks for the starting and ending addresses for the machine language data to be entered, respond with 49152 and 51353, respectively. MLX will then prompt you with the line number of the first line of data, 49152. Begin typing the data shown in Program 1 and continue until all the data is entered. If you do not type in all the data in one sitting, follow the directions in the MLX article for saving your incomplete work. When all the data is entered, you're ready to start using the Color Plotter commands.

# Special Loading Instructions

You must issue a certain sequence of commands to load and activate Color Plotter 64. After turning on the power, enter these lines for disk, pressing RETURN each time:

> LOAD "COLOR PLOTTER",8,1 POKE 44,64:POKE 16384,0:NEW SYS 51260

For tape, change the first line above

### LOAD "COLOR PLOTTER",1,1

Of course, you can save Color Plotter 64 on disk or tape with any filename you like. To load a program that contains Color Plotter commands, use the normal LOAD command.

# Color Plotter Pen

As described above, the first three Color Plotter 64 commands (IN, OFF, and CL,) turn the hi-res multicolor mode on or off and clear the screen. (For those interested, the hires screen is located at memory addresses 8192 to 16191—hex \$2000-\$3F3F.)

PC, (Pen Clear) makes it possible to erase certain things off the screen while leaving all else intact. This is particularly useful for removing text, prompts, or messages while preserving the drawing in the background. To erase everything drawn with PEN 1, for example, execute:

#### PEN,1:PC,

The next five commands are very similar to each other; they all select drawing colors for the various pens. The parameter n should be a number, variable, or numeric expression in the range of 0 to 15 corresponding to standard Commodore 64 color numbers. (If you specify a number larger than 15, Color Plotter 64 does not report an error, however.) All the following statements are legal:

P0,0:REM Sets PEN 0 and background color to black.

P1,J:REM Sets color of PEN 1 to previously defined value of variable J. P2,J/2+1:REM Sets color of PEN 2 to value of expression J/2+1.

The command PEN,*n* defines the active pen number-in other words, which pen will be used with the drawing, printing, and penclearing commands that follow. Since there are only four pens, the parameter n should be a number, variable, or expression in the range of 0 to 3. PEN 0 is the background color, which makes it handy for erasing lines drawn with another color (simply draw over the lines with PEN 0).

As a technical aside, the pens draw in different colors by switching on different bit pairs on the hires screen. PEN 0 plots a 00 bit pair. PEN 1 plots the 01 pair, PEN 2 plots the 10 pair, and PEN 3 plots the 11 pair. PC, (Pen Clear) works by searching the screen and removing all occurrences of the bit pair that matches that of the active pen.

# **Drawing And Printing**

The next five commands all perform the actual drawing, plotting, and printing in the colors specified by the pen commands. They use a coordinate system so you can place the pens anywhere on the screen.

PL,x,y is the plot command. Screen coordinates in the multicolor hi-res mode range from 0 to 159 horizontally (x) and 0 to 199 vertically (y). Important: The origin is the *lower-left* corner of the screen. That means the coordinates of the lower-left corner of the screen display are 0,0, the upper-left coordinates are 0,199, the upper-right coordinates are 159,199, and the lower-right coordinates are 159,0.

Again, the parameters x and y can be numbers, variables, or numeric expressions. Trying to plot a location out of range causes an ILLEGAL QUANTITY ERROR.

 $DR_{,x,y}$  is the draw command. It works with the same coordinates as the plot command. Since the x,yparameters are the coordinates it draws to, at least one plot command should be executed to define the starting point before the first draw command.

CR,x,y positions the invisible hi-res cursor at the coordinates specified. This defines where a following print command will begin printing the text. Since a character is 8 bits high and 16 bits wide, the allowable range for coordinates with this command is 1 to 144 for x and 1 to 192 for y. Specifying a location out of range causes an ILLEGAL QUANTITY ERROR.

PR,A\$ and PR,'''' are the hi-res printing commands. To print a message, simply put the text between the quotes with PR,"" or define it as a string variable with PR,A\$. String expressions such as PR,A\$+B\$ or PR,A\$+"ABC" are not allowed.

# Nondestructive Printing

The printing commands are specially written so they never write over a bit that is already on. This means they print nondestructively; they won't interfere with your graphics. This is handy in many instances. For example, if you create a drawing or a graph, you can label it without erasing any lines. Then you can erase the text with the PC, command without disturbing the graphics, assuming the text is printed in a different color.

The printing commands also update the invisible hi-res cursor automatically. They provide for line advances and wraparound from the bottom to the top of the screen.

There is one limitation with the

printing commands. They can print only those characters with ASCII codes 33 to 95 (this includes most punctuation symbols, numbers, and letters, but no keyboard graphics). Trying to print characters out of this range will cause an error.

You can do lots of exciting things with these 14 commands. By executing P1,1 everything drawn on the screen with PEN 1 will change to white in a flash. With a simple loop (FOR X=0 TO 15:P1, X:NEXT X) everything drawn with PEN 1 will flash through all 16 colors in an instant. Drawings or objects can be made to disappear by executing a command to match the pen color to the background color. Then they can be made to instantly reappear by executing another pen color command using a contrasting color.

# **Additional Notes**

You should be aware that Color Plotter 64 affects a few normal BASIC commands. None of the new commands works with IF-THEN. For example, the following statement will cause a syntax error:

10 X=5:IF X=5 THEN CL,

Otherwise, IF-THEN works normally.

BASIC's pi function ( $\pi$ ) also is affected. It still operates and is evaluated as 3.1415 . . . but appears as a graphic symbol when listed. If a line containing a pi symbol is edited, the pi symbol will have to be retyped at the edited line. I have found it convenient to define the variable PI=3.14159 and use PI instead of the pi symbol.

The IN, command should never be executed when already in the hi-res mode. Otherwise, a system crash and lockup may result. This is because the IN, command saves the normal error vector (ERRVEC) and replaces it with a new vector. If it is executed again before an OFF, command, the ERRVEC will point to the address of the replacement vector—in effect, it will point to itself.

Anytime there's a syntax error, the normal text screen with the default colors is restored. When a program is running in the hi-res mode, you can stop it as usual by pressing the RUN/STOP key. To return to the normal text screen, deliberately

cause a syntax error by typing a key in direct mode and pressing RETURN.

If you press RUN/STOP-RESTORE, the Color Plotter 64 commands will no longer work. That's because BASIC ROM is switched back in. (Color Plotter 64 works by copying BASIC ROM into RAM and then modifying it to patch in the new routines.) In fact, the program won't even LIST properly. The first thing to do after pressing RUN/STOP-RESTORE is to enter SYS 51343 or POKE-1,PEEK(1) AND254. Either statement will switch out BASIC ROM and resurrect Color Plotter 64.

# Program 1: Color Plotter 64

Please refer to the "MLX" article before entering this listing.

49152 :076,039,192,076,092,192,155 49158 : 076, 134, 192, 076, 165, 192, 073 49164 : 076, 182, 192, 076, 254, 192, 216 49170 :076,068,193,076,162,198,023 49176 :076,045,194,076,059,194,156 49182 :076,150,196,076,211,196,167 49188 :076,102,197,032,253,174,102 49194 :173,017,208,009,032,141,110 49200 :017,208,173,022,208,009,173 49206 :016,141,022,208,173,024,126 49212 :208,009,008,141,024,208,146 49218 :173,000,003,141,238,207,060 49224 :173,001,003,141,239,207,068 49230 :169,168,141,000,003,169,216 49236 :196,141,001,003,076,006,251 49242 :197,096,032,253,174,173,247 49248 :017,208,041,223,141,017,231 49254 :208,173,022,208,041,239,225 49260 :141,022,208,173,024,208,116 49266 :041,240,009,004,141,024,061 49272 :208,173,238,207,141,000,063 49278 :003,173,239,207,141,001,122 49284 :003,096,032,253,174,169,091 49290 :063,133,252,169,000,133,120 49296 :251,168,133,251,145,251,063 49302 :160,063,162,032,145,251,195 49308 :136,208,251,198,252,202,123 49314 :208,246,096,032,253,174,147 49320 :032,158,173,032,170,177,142 49326 :152,141,033,208,141,032,113 49332 : 208,096,032,253,174,032,207 49338 :158,173,032,170,177,152,024 49344 :010,010,010,010,141,251,112 49350 :207,162,000,189,000,004,248 49356 :041,015,013,251,207,157,120 49362 :000,004,189,000,005,041,193 49368 :015,013,251,207,157,000,091 :005,189,000,006,041,015,222 49380 :013,251,207,157,000,006,094 49386 :232,208,220,162,024,189,245 49392 :232,006,041,015,013,251,030 49398 :207,157,232,006,232,208,008 49404 :242,096,032,253,174,032,057 49410 :158,173,032,170,177,152,096 49416 :041,015,141,251,207,162,057 49422 :000,189,000,004,041,240,232 49428 :013,251,207,157,000,004,140 :189,000,005,041,240,013,002 49434 49440 :251,207,157,000,005,189,073 49446 :000,006,041,240,013,251,077 49452 :207,157,000,006,232,208,086 49458 :220,162,024,189,232,006,115 49464 :041,240,013,251,207,157,197 49470 :232,006,232,208,242,096,054 49476 :032,253,174,032,158,173,122 49482 :032,170,177,152,041,015,149

49488 :162,000,157,000,216,157,004 49494 :000,217,157,000,218,232,142 49500 :208,244,162,024,157,232,095 49506 :218,232,208,250,096,032,110 49512 :253,174,032,158,173,032,158 49518 :170,177,170,240,003,076,178 49524 :166,196,140,253,207,140,194 4953Ø :247,207,192,160,144,004,052 49536 :234,076,166,196,032,253,061 49542 :174,032,158,173,032,170,105 49548 :177,170,240,003,076,166,204 49554 :196,140,254,207,140,248,051 49560 :207,192,200,144,004,234,109 49566 :076,166,196,169,000,133,130 49572 :254,056,169,199,237,254,053 49578 :207,072,041,248,010,038,018 49584 :254,010,038,254,010,038,012 49590 :254,170,141,251,207,165,090 49596 :254,141,252,207,138,010,166 496Ø2 :038,254,010,038,254,109,129 496Ø8 :251,207,133,253,165,254,183 49614 :109,252,207,133,254,173,054 49620 :253,207,041,252,010,144,095 49626 :002,230,254,024,101,253,058 49632 :133,253,169,000,101,254,110 49638 :133,254,104,041,007,101,102 49644 :253,133,253,169,032,101,153 49650 :254,133,254,173,253,207,236 49656 :041,003,141,249,207,169,034 49662 :003,056,237,249,207,141,123 :249,207,170,173,250,207,236 49668 49674 :141,251,207,169,003,141,154 49680 :252,207,138,240,015,014,114 49686 :251,207,014,251,207,014,198 :252,207,014,252,207,202,138 49698 :208,241,173,252,207,073,164 49704 :255,141,252,207,096,032,255 49710 :103,193,032,077,196,160,039 49716 :000,173,255,207,145,253,061 :096,032,253,174,032,158,035 49722 49728 :173,032,170,177,072,104,024 49734 :240,003,076,166,196,140,123 49740 :247,207,192,160,144,003,005 49746 :076,166,196,032,253,174,211 49752 :032,158,173,032,170,177,062 49758 :072,104,240,003,076,166,243 49764 :196,140,248,207,192,200,003 49770 :144,003,076,166,196,173,096 49776 :247,207,205,253,207,144,095 49782 :009,237,253,207,141,246,187 49788 :207,024,144,010,173,253,167 49794 :207,056,237,247,207,141,201 49800 :246,207,173,248,207,205,142 49806 :254,207,144,009,237,254,223 49812 :207,141,245,207,024,144,092 49818 :010,173,254,207,056,237,067 49824 :248,207,141,245,207,173,101 49830 :247,207,205,253,207,144,149 49836 :056,173,248,207,205,254,035 49842 :207,144,024,173,246,207,155 49848 :205,245,207,144,008,169,138 49854 :000,141,244,207,076,026,116 49860 :195,169,001,141,244,207,129 49866 : 076,026,195,173,246,207,101 49872 : 205, 245, 207, 144, 008, 169, 162 49878 :007,141,244,207,076,026,147 49884 :195,169,006,141,244,207,158 4989Ø :076,026,195,173,248,207,127 49896 : 205, 254, 207, 144, 624, 173, 215 49902 :246,207,205,245,207,144,212 499Ø8 :008,169,003,141,244,207,248 49914 :076,026,195,169,002,141,091 49920 :244,207,076,026,195,173,153 49926 :246,207,205,245,207,144,236 19932 :008,169,004,141,244,207,017 49938 :076,026,195,169,005,141,118 49944 :244,207,173,247,207,141,219 49950 :253,207,173,248,207,141,235 49956 :254,207,173,246,207,141,240 49962 :241,207,141,240,207,205,003 49968 :245,207,144,008,173,245,046 49974 :207,141,240,207,176,006,007 49980 :173,245,207,141,241,207,250 49986 :173,241,207,208,001,096,224 49992 :173,244,207,010,010,168,116 49998 :185,105,195,141,102,196,234 50004 :185,106,195,141,103,196,242 50010 :185,107,195,141,131,196,021 50016 :185,108,195,141,132,196,029

```
50556 :133,251,141,245,207,165,242
50022 :076,091,196,009,196,167,069
                                      50562 :035,133,252,141,246,207,120
50028
     :195,167,195,009,196,167,013
50034 :195,197,195,197,195,167,236
                                      50568 :165,253,072,165,254,072,093
50040 :195,197,195,137,195,137,152
                                      50574 :160,000,177,251,201,032,195
50046 :195,197,195,137,195,009,030
                                      50580 :208,003,076,097,198,141,103
50052 :196,009,196,137,195,165,006
                                      50586 :243,207,173,236,207,201,141
50058 :253,041,007,073,007,240,247
                                      50592 :153,144,023,169,000,141,022
                                      50598 :236,207,173,237,207,201,147
50064 :008,230,253,208,017,230,066
                                      50604 :008,176,006,169,200,141,104
50070 :254,208,013,024,165,253,043
                                      50610 :237,207,056,233,008,141,036
50076 :105,057,133,253,165,254,099
                                      50616 :237,207,173,237,207,201,166
50082 :105,001,133,254,096,165,148
                                      50622 :192,144,006,169,192,141,010
50088 :253,041,007,208,015,056,236
                                      50628 :237,207,024,105,007,141,149
50094 :165,253,233,057,133,253,244
                                      50634 :015,208,173,253,207,072,106
50100 :165,254,233,001,133,254,196
                                      50640 :173,254,207,072,173,236,043
50106 :208,008,165,253,208,002,006
                                      50646 : 207, 141, 253, 207, 173, 015, 186
50112 :198,254,198,253,096,238,149
50118 :249,207,173,249,207,201,204
                                      50652 :208,141,254,207,032,161,199
                                      50658 :193,104,141,254,207,104,205
50124 :004,208,016,169,000,141,230
                                      50664 :141,253,207,169,000,133,111
50130 :249,207,056,165,253,233,093
                                      50670 :252,173,243,207,201,032,066
50136 :008,133,253,176,002,198,218
50142 :254,173,249,207,170,173,168
                                      50676 :176,003,076,166,196,201,038
50148 :250,207,141,251,207,169,173
                                      50682 :096,144,003,076,166,196,163
50154 :003,141,252,207,138,240,191
                                      50688 :056,233,032,010,038,252,109
50160 :015,014,251,207,014,251,224
                                      50694 :010,038,252,010,038,252,094
50166 :207,014,252,207,014,252,168
                                      50700 :133,251,024,165,252,105,174
50172 : 207, 202, 208, 241, 173, 252, 255
                                      50706 :008,133,252,160,000,169,228
50178 : 207,073,255,141,252,207,113
                                      50712 :008,133,002,177,251,141,224
50184
     :096,173,249,207,208,018,191
                                      50718 : 240, 207, 152, 072, 173, 240, 090
50190 :024,165,253,105,008,133,190
                                      50724 :207,234,234,010,141,240,078
     :253,165,254,105,000,133,162
50196
                                      50730 :207,144,024,160,000,173,238
50202 :254,169,004,141,249,207,026
                                      50736 :252,207,073,255,049,253,113
50208 : 206, 249, 207, 173, 249, 207, 043
                                      50742 : 234, 234, 234, 234, 234, 234, 178
50214 :170,173,250,207,141,251,206
                                      50748 :208,007,177,253,013,251,201
                                      50754 : 207, 145, 253, 032, 009, 196, 140
50220 :207,169,003,141,252,207,255
50226 :138,240,015,014,251,207,147
                                      50760 :198,002,208,214,032,137,095
50232 :014,251,207,014,252,207,233
                                      50766 :195,169,008,133,002,032,105
50238 :014,252,207,202,208,241,162
                                      50772 :197,195,198,002,208,249,109
50244 :173,252,207,073,255,141,145
50250 :252,207,096,160,000,177,198
                                      50778 :104,168,200,192,008,144,138
                                      50784 :182,173,236,207,024,105,255
                                      50790 :008,141,236,207,206,242,118
50256 :253,045,252,207,013,251,077
                                      50796 :207,240,021,238,245,207,242
50262 :207,141,255,207,096,173,141
                                      50802 : 208,003,238,246,207,173,165
50268 :241,207,141,242,207,074,180
     :141,243,207,032,234,234,165
5Ø274
                                      50808 :245,207,133,251,173,246,095
50280 :032,077,196,173,243,207,008
50286 :024,109,240,207,141,243,050
                                      50814 : 207, 133, 252, 076, 142, 197, 109
                                      50820 :104,133,254,104,133,253,089
50292 :207,176,005,205,241,207,133
                                      50826 :169,000,141,236,207,173,040
50298 :144,009,237,241,207,141,077
                                      50832 :237,207,201,008,176,005,210
50304 :243,207,032,234,234,032,086
                                      50838 :169,200,141,237,207,056,136
50310 :077,196,160,000,173,255,227
                                      50844 :233,008,141,237,207,096,054
      :207,145,253,206,242,207,120
50316
                                      50850 :032,253,174,165,251,072,085
                                            :165,252,072,169,032,133,223
50322 :208,209,234,096,032,253,154
                                      50856
50328 :174,032,158,173,032,170,123
                                      50862 :252,169,000,133,251,168,123
                                      50868 :162,031,173,250,207,141,120
50334 :177,152,041,003,141,250,154
                                      50874 :243,207,010,010,141,244,017
50340 : 207,096,162,014,072,138,085
50346 :072,152,072,032,095,192,017
                                      50880 :207,010,010,141,245,207,244
50352 :169,006,141,033,208,169,134
                                      50886 :010,010,141,246,207,177,221
50358
      :014,141,032,208,169,147,125
                                      50892 :251,240,064,041,192,205,173
50364 :032,210,255,173,238,207,023
                                      50898 :246,207,208,006,177,251,025
                                      50904 :041,063,145,251,177,251,120
50370 :141,000,003,173,239,207,189
50376
      :141,001,003,104,168,104,209
                                      50910 :240,047,041,048,205,245,024
                                      50916 :207,208,006,177,251,041,094
50382
      :170,104,108,000,003,032,111
                                      50922 : 207, 145, 251, 177, 251, 240, 225
50388
      :253,174,032,158,173,032,010
                                      50928 :030,041,012,205,244,207,211
50394
      :170,177,170,240,003,076,030
                                            :208,006,177,251,041,243,148
50400 :166,196,192,153,144,003,054
                                      50940 :145,251,177,251,240,013,049
50406 :076,166,196,140,236,207,227
50412 :032,253,174,032,158,173,034
                                      50946 :041,003,205,243,207,208,141
50418 :032,170,177,170,240,003,010
                                      50952
                                            :006,177,251,041,252,145,112
50424 : 076, 166, 196, 192, 193, 144, 191
                                            :251,200,208,185,230,252,060
50430 :003,076,166,196,140,237,048
                                      50964 : 202, 208, 180, 198, 252, 165, 201
50436 :207,096,120,165,253,072,149
                                      50970 :251,201,064,240,012,169,195
50442 :165,254,072,169,225,141,012
                                      50976 :064,133,251,160,192,162,226
50448
      :040,003,169,142,032,210,100
                                      50982 :001,024,144,161,234,104,194
50454 :255,173,014,220,041,254,211
                                            :133,252,104,133,251,096,245
                                      50988
50460
      :141,014,220,165,001,041,098
                                      50994
                                            :073,206,079,070,198,067,231
50466
      :251,133,001,169,000,133,209
                                      51000 : 204,080,195,080,176,080,103
50472
      :251,169,209,133,252,169,199
                                      51006 :177,080,178,080,179,080,068
50478 :000,133,253,169,008,133,230
                                      51012
                                            :069,206,080,204,068,210,137
50484 :254,160,000,177,251,145,015
                                      51018
                                            :067,210,080,210,000,000,129
                                      51024
                                            :234,234,234,234,234,234,204
50490 :253,200,208,249,169,208,065
                                      51030
                                            :234,234,234,234,234,038,014
50496 :133,252,230,254,177,251,081
                                      51036
                                            :192,091,192,133,192,161,029
50502 :145,253,200,208,249,165,010
                                      51042
                                            :198,164,192,181,192,253,254
50508 :001,009,004,133,001,173,141
                                      51048 :192,067,193,149,196,044,177
50514 :014,220,009,001,141,014,225
                                      51054 :194,058,194,210,196,101,039
50520 :220,169,237,141,040,003,130
                                      51060 :197,234,234,032,115,000,160
50526
      :088,104,133,254,104,133,142
      :253,096,032,253,174,032,172
                                            :032,128,199,076,174,167,130
                                      51066
      :158,173,032,163,182,032,078
                                      51072
                                            :240,027,233,128,144,024,156
50544 :166,182,208,003,076,138,117
                                      51078
                                            :201,076,144,023,201,089,100
50550 :198,141,242,207,165,034,081
                                      51084 :176.019.233.075.010.168.053
```

51090 :185,092,199,072,185,091,202 51096 :199,072,076,115,000,096,198 51102 :076,165,169,076,243,167,030 51108 :032,008,200,201,204,144,185 51114 :015,173,055,200,233,076,154 51120 :141,055,200,169,199,162,078 51126 :050,076,190,199,169,160,002 51132 :162,158,141,050,167,142,240 51138 :049,167,141,058,167,142,150 51144 : 057, 167, 032, 249, 199, 076, 212 51150 :026,167,032,008,200,173,044 51156 :252,165,201,160,208,015,189 51162 :169,199,162,050,032,026,088 51168 :200,032,249,199,160,000,040 51174 :076,184,165,169,160,162,122 51180 :158,032,026,200,032,249,165 51186 :199,189,000,002,076,007,203 51192 :166,173,054,200,072,173,062 51198 :055,200,174,056,200,172,087 51204 :057,200,040,096,008,141,034 51210 :055,200,142,056,200,140,035 :057,200,104,141,054,200,004 51216 51222 :173,055,200,096,141,190,109 51228 :165,216,142,189,165,141,022 51234 :001,166,142,000,166,202,199 51240 :224,255,208,003,056,233,251 51246 :001,141,252,165,142,251,230 51252 :165,096,255,255,255,255,053 51258 :255,255,162,032,160,000,154 51264 :169,160,133,252,169,000,179 51270 :133,251,177,251,145,251,254 51276 :200,208,249,230,252,202,137 51282 :208,244,234,169,076,141,130 51288 :225,167,141,004,166,169,192 51294 :119,141,226,167,169,199,091 51300 :141,227,167,169,208,141,129 51306 :005,166,169,199,141,006,024 51312 :166,169,164,141,006,003,249 51318 :169,199,141,007,003,169,038 51324 :000,141,254,207,141,253,096 51330 :207,141,252,207,141,251,049 51336 :207,141,236,207,141,237,025 51342 :207,165,001,041,254,133,175 51348 :001,096,255,013,013,013,027

# Program 2: Color Plotter

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTE!.

```
14 REM COLOR PLOTTER 64:rem 92
18 REM **** INITIALIZE FOR DEM
  01*****
                        :rem 32
20 PEN,1:REM START USING PEN1
                       :rem 232
25 PØ,Ø:REM SET BKGRND COLOR=B
                        :rem 30
   LACK
30 Pl, 12: REM SET PEN1=GRAY
                         :rem 1
35 P2,14:REM SET PEN2=LT BLUE
                       :rem 159
40 P3,5:REM SET PEN3=GREEN
                        :rem 22
45 IN, : REM TURN ON HI-RES SCRE
                       :rem 152
   F:N
47 CL,: REM CLEAR HI-RES SCREEN
                        :rem 19
50 REM*** DEMO1, RANDOM SYMMET
   RY*****
                       :rem 186
```

53 X1=79:Y1=100:X2=79:Y2=100:X :rem 60 4=79:Y4=100 54 CR,Ø,Ø:PR, "PRESS A KEY TO C ONT": PEN, 2: PL, X1, Y1: :rem 134

CR, Ø, 192:PR, "DESIGNS IN ":P

R. " ":PR, "RANDOM SYMMETRY"

- 55 DX=INT(RND(Ø)\*5Ø)-25:DY=INT (RND(Ø)\*8Ø)-4Ø:PEN,2:rem 9Ø X1=X1+DX:IFX1>159THENX1=159 :rem 63
- :rem 17 62 IFX1<ØTHENX1=Ø

:rem 243

	·	
64 Yl=Yl+DY:IFYl>17ØTHENYl=17Ø	438 REM NEXT LINE COMPUTES DEL	,SY:X=Ø:Y=Ø:Z=65:GOSUB9ØØ:
:rem 58 66 IFY1<9THENY1=9 :rem 41	TX,DELTYS : rem 220   440 FORI=0TON-1:DX(I)=(X(I+1)-	DR,SX,SY :rem 70 732 SX=SX+3:CR,SX,SY:PR,"Z"
68 X2=X2-DX:IFX2>159THENX2=159	X(I))/NI:DY(I)=(Y(I+1)-Y(I))	:rem 177
:rem 77	))/N1:NEXTI :rem 123	733 X=Ø:Y=Ø:Z=Ø:GOSUB9ØØ:PL,SX
69 IFX2<ØTHENX2=Ø :rem 26 70 Y2=Y2+DY:IFY2>170THENY2=170	450 DX(N) = (X(0) - X(N))/N1 : DY(N)	,SY:Y=65:GOSUB900:DR,SX,SY
:rem 59	=(Y(Ø)-Y(N))/N1 :rem 19Ø   465 REM DRAW LINES BETWEEN POI	:SY=SY+3:CR,SX,SY :rem 243 734 PR,"Y":X=Ø:Y=Ø:Z=Ø:GOSUB9Ø
72 IFY2<9THENY2=9 :rem 40	NTS :rem 19	Ø:PL,SX,SY:X=8Ø:Y=Ø:Z=Ø:GO
74 DR,X1,Y1:X3=X1:Y3=Y1:PEN,3:	470 PL,X(0),Y(0):FORI=OTON:PEN	SUB900:DR,SX,SY :rem 235
PL, X4, Y4: DR, X2, Y2: X4=X2: Y4= Y2 :rem 160	,I:DR,X(I),Y(I):NEXTI:PEN, 2:DR,X(Ø),Y(Ø):PEN,3	735 SY=SY+4:CR,SX,SY:PR,"X":PE N,2 :rem 48
75 PL, X3, Y3 :rem 119	:rem 61	74Ø FORTH=ØTOPISTEP PI/1Ø
76 K=K+1:IFK>15THENK=Ø:FORJ=ØT	476 REM COMPUTE NEW X AND Y VA	:rem 44
0500:NEXTJ:PC,:PEN,2:PC,:G0 T055 :rem 88	LUES :rem 224   477 REM BASED ON NEWX=OLDX+DX	750 Z=R*COS(TH):R1=R*SIN(TH) :rem 206
78 GETA\$:IFA\$=""THEN55:rem 252	:rem 255	76Ø X=R1*COS(1.9*PI):Y=R1*SIN(
79 POKE198,0:CL, :rem 146	478 REM AND NEWY=OLDY+DY	1.9*PI) :rem 131
210 REM****DEMO2 GEOMETRIC PAT TERN***** :rem 5	:rem 218	77Ø GOSUB9ØØ:PL,SX,SY :rem 6Ø
TERN***** :rem 5 220 CL,:REM CLEAR SCREEN	480 FORI=0TON:X(I)=X(I)+DX(I): Y(I)=Y(I)+DY(I):NEXTI	775 IFTH=ØTHENNEXTTH :rem 69 78Ø FOR BETA=ØTO 2*PISTEP PI/1
:rem 148	:rem 103	Ø: :rem 70
225 PEN, 3:CR, 40, 100:PR, "NOW LE	485 REM CHECK IF DONE : rem 152	790 X=R1*COS(BETA):Y=R1*SIN(BE
T'S SEE":CR,40,90:PR,"A PA TTERN" :rem 18	486 REM IF NOT, DRAW LINES :rem 219	TA): :rem 66 800 GOSUB900:DR,SX,SY :rem 48
23Ø X1=Ø:Y1=Ø:X2=159:Y2=Ø:X3=1	487 REM BETWEEN NEW X AND Y'S	810 NEXT BETA : rem 244
59:Y3=199:X4=0:Y4=199	:rem 121	81Ø NEXT BETA : rem 244 82Ø NEXT TH : rem 117 83Ø PEN,3 : rem 221
:rem 175 240 PEN,1:PL,X1,Y1:DR,X2,Y2	488 K=K+1:IFK <n1 108<="" 470="" :rem="" td="" then=""><td>830 PEN,3 :rem 221 835 X=0:Y=0:Z=R:GOSUB900:PL,SX</td></n1>	830 PEN,3 :rem 221 835 X=0:Y=0:Z=R:GOSUB900:PL,SX
:rem 84	491 REM KEY PRESSED? :rem 192	,SY :rem 96
245 PEN, 2:DR, X3, Y3 :rem 27	492 REM IF TRUE THEN END	840 FORTH=0 TO 2*PI STEP PI/10
250 PEN,1:DR,X4,Y4 :rem 24 255 PEN,2:DR,X1,Y1 :rem 24	:rem 88   493 REM IF NOT THEN CONTINUE	:rem 137 841 X=Ø:Y=Ø:Z=R:GOSUB9ØØ:PL,SX
26Ø X1=X1+5:Y2=Y2+6.25:X3=X3-5	:rem 152	,SY :rem 93
:Y4=Y4-6.25	500 GETA\$:IFA\$<>""THEN700	845 FOR BETA=Ø TO PI STEP PI/1
268 PEN, 3 : rem 226	:rem 140     515 REM DELAY TO VIEW GRAPHICS	Ø :rem 178 85Ø Z=R*COS(BETA):X=R*SIN(BETA
269 IFY1=5ØTHEN28Ø :rem 37	:rem 29	)*COS(TH):Y=R*SIN(BETA)*SI
270 X1=50:Y1=50:X2=110:Y2=50:X 3=110:Y3=150:X4=50:Y4=150:	520 FOR I=0 TO 500:NEXTI	N(TH) : rem 68
GOTO240 :rem 92	:rem 46   :rem 46   : 526 REM LOOP THROUGH GENERATIO	855 GOSUB9ØØ:DR,SX,SY:NEXT BET A:X=Ø:Y=Ø:Z=-R:GOSUB9ØØ:DR
28Ø PEN,3:PC,:K=Ø :rem 199	N :rem 200	,SX,SY :rem 240
290 FORI=1T015:P1,I:P2,16-I:F0 RJ=0T0400:NEXTJ :rem 9	527 REM OF RANDOM COLORS	860 NEXT TH : rem 121
295 GETA\$:IFA\$=""THENNEXTI:K=K	:rem 170   528 REM FOR PENS 2 AND 3	865 PEN,1:PC,:FORI=ØTO1ØØ9:NEX T :rem 144
+1:IFK<2THEN29Ø :rem Ø	:rem 216	866 FORI=ØTO1Ø:C2=INT(RND(Ø)*1
300 Pl,15:P2,3:P3,14:CR,65,100 :PEN,3:PR,"DONE" :rem 32	530 FOR I=0 TO 5:Cl=INT(RND(1)	6):C3=INT(RND(Ø)*16):P2,C2
310 FORI=0T0500:NEXT:PEN,1:PC,	*15)+1:C2=INT(RND(1)*15)+1 :C3=INT(RND(1)*15)+1	:FORJ=ØTO15Ø:NEXTJ:rem 179 867 P3,C3:FORJ=ØTO15Ø:NEXTJ:NE
:FORI=ØTO5ØØ:NEXT:PEN,2:PC	:rem 123	XTI :rem 96
; rem 81 315 FORI=ØTO2ØØ:NEXT:CL,	532 Pl,Cl:P2,C2:P3,C3 :rem 119	870 PEN,1:CR,4,4:PR, "THAT'S AL
:rem 217	534 REM TIME DELAY :rem 30 536 FORJ=0TO300:NEXTJ :rem 53	L FOLKS" :rem 189 875 FORI=Ø TO 32:P1,I:FORJ=ØTO
320 CR,0,160:PR, "MORE RANDOM D	537 NEXTI . :rem 39	50:NEXTJ,I :rem 145
ESIGNS" :rem 150 330 FORI=0T0800:NEXT:CL,	538 CR,8,188:PR,"PRESS KEY TO	879 REM ****CLOSING CEREMONIES ******
:rem 220	{SPACE}EXIT":FORI=ØTO5ØØ:N   EXTI :rem 214	****** :rem 41 880 CL,:P0,14:P1,6:CR,15,95
35Ø POKE198,Ø:PEN,1 :rem 63 400 REM****DEMO3, RANDOM DESIG	540 REM CLEAR SCREEN ONE PEN	:rem 190
NS****** :rem 152	:rem 105   541 REM AT A TIME WITH DELAY	885 PR, "COLOR PLOTTER 64" :rem 202
402 PØ,Ø:REM SET PEN Ø(BKGRND)	:rem 46	888 PR," ":P2,1:PEN,1 :rem 77
=BLK :rem 174 403 Pl,1:REM SET PEN 1=COLOR 1	545 PEN,1:PC,:FORI=ØTO3ØØ:NEXT	895 FORI=Ø TO 1000:NEXTI
=WHITE :rem 62	I :rem 166     550 PEN,2:PC,:FORI=0TO300:NEXT	:rem 105 897 P3,6:FORI=0T0101:PL,0,I:DR
404 P2,2:REM SET PEN 2=COLOR 2	I :rem 163	,159,I:PL,Ø,199-I:DR,159,1
=RED :rem 157 405 P3,3:REM SET PEN,3=COLOR 3	560 PEN, 3:PC, :FORI=0TO300:NEXT	99-I:NEXTI : rem 105
=CYAN :rem 30	I :rem 165   580 REM CHECK FOR KEYPRESS	898 OFF,:POKE53281,6:POKE53280,14:PRINT"{CLR}" :rem 24
406 PEN,1:REM DEFINE ACTIVE PE	:rem 60	899 END :rem 129
N =PEN1 :rem 147 415 CL,:REM CLEAR HI-RES SCREE	590 REM IF TRUE THEN EXIT	900 Sl=SIN(PI/4):Cl=COS(PI/4):
N :rem 66	:rem 186     600 REM ELSE CONTINUE :rem 8	S2=SIN(PI/4):C2=COS(PI/4): D=100:PH=120 :rem 237
418 N=3:REM SET NUMBER OF RAND	61Ø GETA\$:IFA\$<>""THEN7ØØ	905 XE=-X*S1+Y*C1 :rem 205
OM PTS :rem 123 420 N1=20:REM SET INTERVAL DIV	:rem 142 640 K=0:GOTO415 :rem 95	91Ø YE=-X*C1*C2-Y*S1*C2+Z*S2
IDER :rem 42	700 REM ****DEMO4 GLOBAL GRAPH	:rem 62 915 ZE=-X*S2*C1-Y*S2*S1-Z*C2+P
423 REM NEXT LINE GENERATES RA	ICS**** :rem 8Ø	H :rem 25
NDOM X,Y :rem 32 430 FORI=0TON:X(I)=INT(RND(0)*	710 CL,:P0,0:P1,1:P2,6:P3,2:PE N,1 :rem 52	920 SX=D*XE/ZE+80 :rem 239 925 SY=D*YE/ZE+100 :rem 31
120)+20:Y(I)=INT(RND(1)*19	730 R=69:PI=3.14159 :rem 4	925 SY=D*YE/ZE+100 :rem 31 930 RETURN :rem 124
Ø):NEXTI :rem ll	731 X=0:Y=0:Z=0:GOSUB900:PL,SX	1000 END :rem 152 ©

# Apple II Pull-Down Menus

Lee Swoboda

With this program, you can add attractive, Macintosh-like pull-down menus and instruction screens to any BASIC program. For all Apple II-series computers with DOS 3.3 or ProDOS.

Apple's Macintosh has forced programmers to reevaluate software for the venerable Apple II. Recent Apple II programs go to some lengths to emulate the Mac's pull-down menus and icons to make the software less intimidating. No amount of programming magic will turn an Apple II into a Mac, but the following programs let you add pull-down menus and instruction screens to any Applesoft BASIC program.

Two programs are needed to make this happen: a BASIC subroutine you can easily add to the end of any BASIC program, and a machine language (ML) routine that temporarily saves and later restores, the text behind the pull-down menu. Although BASIC takes several seconds to move an entire text screen, machine language performs the same task in an instant. Don't worry if you're unfamiliar with machine language. We've listed a BASIC filemaker program that automatically creates the ML routine for you.

# **Starting Out**

To get "Pull-Down Menus" running, you need to type in and save

both programs listed below. Program 1 is the filemaker program that automatically saves the ML routine to disk as a binary file named MOVE. Type it in and save a copy, then run it. Program 2 is an example BASIC program that demonstrates pull-down menus. It is designed to run with either DOS 3.3 or ProDOS. If you're using DOS 3.3, type the program exactly as shown. For ProDOS, change line 150 as shown here:

## 75 15Ø HIMEN: 3584Ø

Since this program loads the MOVE file from disk, be sure to put the right disk in the drive before you run it. Once you have it running, the program simulates a crude word processor with a screenful of text. You can type on the screen and move the cursor with the arrow keys (use CTRL-J and CTRL-K for the up and down cursor keys if you don't have a IIe or IIc). When you press the ESC key, the pull-down menu appears. Then you can move the selection cursor inside the menu with the cursor keys, and choose a selection by pressing RETURN. Note that the text behind the menu is always restored correctly when you leave the menu.

# **Create Your Own Menus**

The important part of the demonstration program is the subroutine beginning at line 63000. This routine allows you to add pull-down menus to your own programs with

a minimum of work: It generates the window shape and calls MOVE at the appropriate time. All you need to do is add lines 63000–63500 to the end of any BASIC program, and follow the steps listed below:

- 1. Your program must BLOAD MOVE as shown in lines 180-190 before calling the ML routine.
- 2. Set HIMEM *immediately* (line 150) before you declare any strings or open any files. Use a value of 36914 for DOS 3.3 or 35840 for ProDOS.
- 3. Set the variable NN to equal the maximum number of items you will have in the largest menu (line 160). The menu subroutine automatically determines how many items are in each menu and adjusts the size of the menu window accordingly.
- 4. DIMension the string array MM\$ for the number of menu selection labels you need (line 170). Then fill each array element with a label string, either by READing string DATA as in lines 200–220 or by defining each string expressly (with statements like MM\$(1)="Leave menu").
- 5. Define the string variable TITLE\$ as your menu title (line 470). The menu subroutine automatically centers the title for you.

6. Provide some means of branching to the rest of your program based on the value of the variable SELECT (line 480). This may be done with ON SELECT GOTO as in this program, or with ON SELECT GOSUB or a series of IF-THEN statements.

Lines 690–850 of the program show how to use MOVE to add instructions to your programs without losing the original screen. In this case, CTRL-I is used to request instructions.

# **Using A Mouse**

If you have an Apple mouse, you can use it to call the menu and make selections. This requires several changes in the demonstration program. First, delete lines 320, 330, and 63360-63460. Then change lines 310, 450, and 63350 as follows:

```
E9 310 PRINT "PRESS ESC KEY OR M
      OUSE BUTTON FOR MENU";
98 45Ø GOTO 311
66 6335Ø HTAB 3: VTAB SELECT + 2
```

: INVERSE : PRINT ">" C HR\$ (8);: NORMAL

Now add these lines:

```
D2 235 PRINT : HOME : PRINT D$"P
      R#2": PRINT CHR$ (1): PRI
      NT D$"PR#Ø"
M 311 VTAB 15: HTAB 1: PRINT CH
      R$ (13)D$"IN#2"
55 312 VTAB 23: HTAB 40: INPUT "
       "; X, Y, BØ
# 313 IF BØ = 1 OR BØ < Ø THEN
      316
8 314 VTAB CV: HTAB CH: FLASH:
PRINT " ";: NORMAL
A8 315 GOTO 312
C2 316 PRINT D$"IN#Ø"
57 317 IF BØ = 1 THEN IN$ = CHR$
        (27): GOTO 319
8F 318 IN$ = CHR$ ( PEEK ( - 163
      84) - 128)
```

34 319 POKE - 16368, Ø 80 320 VTAB CV: HTAB CH: PRINT "

F7 395 IF CH > Ø THEN HTAB CH 79 396 IF CV > Ø THEN VTAB CV F8 6336Ø VTAB 1: HTAB LMAX + 5: PRINT : HTAB LMAX + 5: PRINT D\$"IN#2": VTAB 1: HTAB LMAX + 5: INPUT " "; XØ, YØ, BØ

61 6337Ø IF BØ = 1 THEN 6343Ø 88 6338Ø YØ = INT (YØ / 1Ø) 68 6339Ø VTAB SELECT + 2: HTAB 3

: PRINT " "; C9 63400 SELECT = YO: IF SELECT

> NITEMS THEN SELECT = NITEMS 3D 6341Ø IF SELECT < 1 THEN SELE

CT = 164 6342Ø GOTO 6335Ø 00 6343Ø PRINT DS"IN#Ø"

If you're using ProDOS, change line 311 to the following:

```
# 311 VTAB 15: HTAB 1: PRINT D$
      "IN#2"
```

The PR#2 and IN#2 in lines 235, 311, and 63360 assume the mouse interface is in slot 2. If your interface is in another slot, substitute the appropriate slot number in those lines. If you have an Apple IIc, substitute PR#4 and IN#4 for PR#2 and IN#2 in those lines. (Although the IIc doesn't have physical slots, the mouse is in *logical* slot 4.) Once you've made all the changes, install the mouse and rerun the program. It works much as described above, using the mouse button instead of RETURN for menu selections.

For instructions on entering these listings, please refer to "COMPUTEI's Guide to Typing in Programs" published bimonthly in COMPUTEL.

# Program 1: MOVE Filemaker

```
87 100 REM BASIC PROGRAM FOR
A8 110 REM GENERATING THE
44 120 REM BINARY FILE
28 13Ø REM 'MOVE
4C 14Ø HOME
IC 15Ø VTAB 12: PRINT "WORKING .
92 16Ø FOR I = Ø TO 459
21 17Ø READ A
CC 18Ø POKE 36915 + I,A
N 190 VTAB 12: HTAB 13: PRINT I
DE 200 NEXT I
FF 21Ø PRINT CHR$ (4) "BSAVE MOVE
        ,A36915, L460"
2A 22Ø PRINT : PRINT "DONE!"
A8 23Ø DATA 173,89,17Ø,72,165,21
       7,72,165,118,72,169
JF 24Ø DATA 2,133,118,169,255,13
       3,217,169,191,133,51
5D 25Ø DATA 169, Ø, 133, 243, 76, 86,
       144,76,86,76,86
DB 260 DATA 76,86,169,80,133,133
       ,169,144,160,0,162
33 270 DATA 5,32,254,144,76,104,
144,76,104,169,102
35 28Ø DATA 133,133,169,144,16Ø,
Ø,162,1,32,254,144
97 290 DATA 169,0,141,80,144,169
       ,4,141,81,144,173
F5 300 DATA 81,144,201,8,48,14,2
       ØB, 9, 173, 8Ø, 144
6# 31Ø DATA 2Ø1,Ø,144,5,24Ø,3,76
       ,234,144,173,8Ø
70 320 DATA 144,141,161,144,173,
81,144,141,162,144,173
99 33Ø DATA Ø, 16, 141, 82, 144, 169,
       Ø, 141,83,144,24
N 340 DATA 169, 255, 109, 102, 144,
       141,84,144,169,145,109
## 350 DATA 103,144,141,85,144,1
       73,84,144,141,204,144
8D 36Ø DATA 173,85,144,141,205,1
       44,173,82,144,141,0
D9 37Ø DATA 16,24,173,102,144,10
       5, 1, 141, 102, 144, 173
6E 38Ø DATA 103,144,105,0,141,10
3,144,238,80,144,208
63 39Ø DATA 3,238,81,144,76,127,
       144, 104, 133, 118, 104
35 400 DATA 133,217,104,141,89,1
70,169,141,141,1,2
```

```
C2 41Ø DATA 169, 1, 133, 52, 96, 133,
       134, 132, 135, 160, 0
88 42Ø DATA 169,Ø,145,133,2ØØ,2Ø
       8, 2, 230, 134, 138, 208
F3 43Ø DATA 4,198,135,48,4,202,7
       6, 4, 145, 96, 173
83 44Ø DATA 89,17Ø,72,165,217,72
       , 165, 118, 72, 169, 2
8A 45Ø DATA 133,118,169,255,133,
217,169,191,133,51,169
44 46Ø DATA Ø,133,243,76,6Ø,145,
       76,60,76,60,76
E6 47Ø DATA 6Ø,169,54,133,133,16
9,145,160,0,162,5
84 48Ø DATA 32,228,145,76,78,145
       ,76,78,169,76,133
7A 49Ø DATA 133,169,145,16Ø,Ø,16
       2, 1, 32, 228, 145, 169
E7 500 DATA 255,141,54,145,169,1
       45, 141, 55, 145, 173, 55
5A 51Ø DATA 145,2Ø1,149,48,14,2Ø
       8, 9, 173, 54, 145, 201
85 52Ø DATA 255,144,5,240,3,76,2
       Ø8, 145, 173, 54, 145
A7 53Ø DATA 141,135,145,173,55,1
       45,141,136,145,173,0
IE 540 DATA 16,141,56,145,169,0,
       141,57,145,24,169
80 550 DATA 0,109,76,145,141,58,
145,169,4,109,77
74 56Ø DATA 145,141,59,145,173,5
       8,145,141,178,145,173
4D 57Ø DATA 59,145,141,179,145,1
       73,56,145,141,0,16
#E 580 DATA 24,173,76,145,105,1,
       141,76,145,173,77
04 590 DATA 145,105,0,141,77,145
       ,238,54,145,208,3
07 600 DATA 238,55,145,76,101,14
       5, 104, 133, 118, 104, 133
22 610 DATA 217,104,141,89,170,1
       69, 141, 141, 1, 2, 169
33 620 DATA 1,133,52,96,133,134,
132,135,160,0,169
41 63Ø DATA Ø,145,133,200,208,2,
       230, 134, 138, 208, 4
C9 640 DATA 198,135,48,4,202,76,
       234, 145, 96
Program 2: Apple II Pull-
Down Menus
IC 100 REM LINES 150-850 ARE
08 110 REM A SAMPLE PROGRAM
EA 120 REM DEMONSTRATING
No 130 REM PULL-DOWN MENUS
8A 14Ø REM
58 15Ø HIMEM: 36914: REM FOR DOS
       3.3 ONLY. FOR PRODOS USE
       3584Ø
14 160 NN = 20: REM MAXIMUM NU
MBER OF ITEMS IN ANY MENU
C6 17Ø DIM MM$(NN): REM MM$=MENU
       SELECTIONS
62 18Ø D$ = CHR$ (4)
50 190 PRINT D$"BLOAD MOVE"
FD 200 FOR I = 1 TO 5
8E 21Ø READ MM$(I)
E2 22Ø NEXT I
48 23Ø HOME
41 240 FOR I = 1 TO 15
57 250 PRINT "THIS IS A SAMPLE P
      ULL-DOWN MENU. ";
EA 26Ø NEXT I
83 27Ø CV = 13:CH = 16
12 28Ø VTAB 21: HTAB 1: PRINT "-
                ----": REM 39 DA
      SHES
BE 290 PRINT TAB( 5) "USE ARROW K
      EYS TO MOVE CURSOR"
```

35 300 PRINT TAB( 5) "PRESS CTRL-

I FOR INSTRUCTIONS"

```
36 310 PRINT TAB ( 8) "PRESS ESC K
                                    22 85Ø RETURN
      EY FOR MENU ":
8A 32Ø VTAB CV: HTAB CH
91 33Ø GET IN$
62 340 IF IN$ = CHR$ (9) THEN GO
      SUB 690
31 350 IF IN$ = CHR$ (27) THEN 4
      70
C4 36Ø IF IN$ = CHR$ (8) THEN CH
       = CH - 1
7# 37Ø IF IN$ = CHR$ (21) THEN C
      H = CH + 1
09 38Ø IF IN$ = CHR$ (11) THEN C
      V = CV - 1
53 39Ø IF IN$ = CHR$ (1Ø) THEN C
      V = CV + 1
8A 4ØØ IF IN$ > CHR$ (31) THEN P
      RINT IN$;:CH = CH + 1: IF
       CH > 40 THEN CH = 1:CV =
       CV + 1
73 41Ø IF CH < 1 THEN CH = 1
C6 42Ø IF CH > 4Ø THEN CH = 4Ø
7E 43Ø IF CV < 1 THEN CV = 1
4F 44Ø IF CV > 2Ø THEN CV = 2Ø
9A 45Ø GOTO 32Ø
36 460 REM THE FOLLOWING LINE AC
      TIVATES THE MENU
33 470 TITLE$ = "MENU": GOSUB 63
      949
59 48Ø ON SELECT GOTO 28Ø,49Ø,5Ø
      0,510,590
59 490 HOME : PRINT "THE FIRST F
      UNCTION OF YOUR PROGRAM G
       DES HERE": GOTO 520
74 500 HOME : PRINT "THE SECOND
      FUNCTION OF YOUR PROGRAM
GOESHERE": GOTO 520
#8 510 HOME : PRINT "THE THIRD F
       UNCTION OF YOUR PROGRAM G
       DES HERE": GOTO 520
JF 520 VTAB 24: PRINT "PRESS ANY
       KEY TO CONTINUE ... ";
07 53Ø GET A$
35 540 FOR I = 1 TO NITEMS
97 55Ø MM$(I) = ""
ED 56Ø NEXT I
№ 57Ø RESTORE
IF 58Ø GOTO 2ØØ
25 590 HOME : PRINT "GOOD-BYE!":
        END
99 600 DATA "LEAVE MENU"
CD 610 DATA "FIRST SELECTION"
71 620 DATA "SECOND SELECTION"
80 630 DATA "THIRD SELECTION"
AE 640 DATA "QUIT PROGRAM"
98 65Ø END
93 66Ø REM
8E 67Ø REM INSTRUCTIONS
97 68Ø REM
6C 69Ø CALL 36915
DS 700 HOME : INVERSE : PRINT BL
       ANK$
IC 710 VTAB 1: HTAB 14: PRINT "I
       NSTRUCTIONS": NORMAL : VT
       AB 3
68 75Ø PRINT "FOR THIS SAMPLE PR
OGRAM, YOU CAN MOVE"
12 760 PRINT "THE CURSOR WITH TH
       E ARROW KEYS AND TYPE"
39 770 PRINT "ON THE SCREEN. WH
       EN YOU PRESS ESC, THE"
64 780 PRINT "COMPUTER WILL DISP
LAY A PULL DOWN MENU."
30 790 PRINT "USE THE ARROW KEYS
TO MOVE THE SELEC-"
47 800 PRINT "TION CURSOR TO THE
       DESIRED OPTION, THEN"
9A 81Ø PRINT "PRESS RETURN TO SE
      LECT IT."
42 820 VTAB 24: PRINT "PRESS ANY
       KEY TO CONTINUE ... ";
DA 83Ø GET A$
61 84Ø CALL 37145
                                   72 63500 RETURN
```

```
A5 62999 REM
              #63000
24 63ØØØ REM
              PULL-DOWN MENU
EA 63Ø1Ø REM
81 63Ø2Ø REM
              SUBROUTINE
30 63Ø3Ø REM
96 63Ø4Ø BLANK$ = "
          ": REM 39 SPACES
A4 63050 LMAX = 0:NITEMS = 0
53 63060 REM DETERMINE MENU SIZE
24 63Ø7Ø FOR II = 1 TO NN
59 63080 IF MM$(II) = "" THEN 63
      120
A3 63090 LL = LEN (MM$(II))
62 63100 IF LL > LMAX THEN LMAX
C2 6311Ø NITEMS = NITEMS + 1
CC 6312Ø NEXT II
65 63130 IF LMAX > 28 THEN PRINT
       "NAME IS TOO LONG": EN
83 6314Ø REM SAVE SCREEN TEXT
98 6315Ø CALL 36915
A3 63160 REM DISPLAY MENU
8A 6317Ø POKE 32,5: POKE 33,LMAX
       + 5: POKE 34, Ø: POKE 3
      5, NITEMS + 4: REM SET T
      EXT WINDOW FOR MENU SIZ
6F 6318Ø HOME
32 6319Ø INVERSE : PRINT LEFT$ (
      BL$,LMAX + 5)
M 63200 VTAB 1: HTAB 3 + ((LMAX
       - LEN (TITLE$)) / 2):
      PRINT TITLE$
0 63210 FOR II = 1 TO NITEMS +
€C 6322Ø VTAB II + 1: HTAB 1: PR
      INT " ":
60 63230 HTAB LMAX + 5: PRINT "
E# 6324Ø NEXT II
C# 6325Ø POKE 35,24
FF 6326Ø PRINT LEFT$ (BL$,LMAX +
       5);
17 63270 POKE 35, NITEMS + 4
M 6328Ø VTAB 1
70 6329Ø NORMAL
A8 63300 FOR II = 1 TO NITEMS
78 6331Ø HTAB 4: VTAB II + 2: PR
      INT MM$(II)
D4 6332Ø NEXT II
03 63330 REM MAKE SELECTION
99 6334Ø SELECT = 1
88 6335Ø HTAB 3: VTAB SELECT + 2
: PRINT ">" CHR$ (8);
43 6336Ø GET SELECT$
9 63370 HTAB 3: VTAB SELECT + 2
      : PRINT
A4 6338Ø IF SELECT$ = CHR$ (13)
      THEN 6348Ø
DF 6339Ø IF SELECT$ < > CHR$ (10
      ) AND SELECT$ < > CHR$
       (21) THEN 6343Ø
18 63400 SELECT = SELECT + 1
66 63410 IF SELECT > NITEMS THEN
       SELECT = 1
#4 6342Ø GOTO 6335Ø
56 6343Ø IF SELECT$ < > CHR$ (11
       ) AND SELECT$ < > CHR$
       (8) GOTO 6335Ø
46 63440 SELECT = SELECT - 1
83 63450 IF SELECT < 1 THEN SELE
      CT = NITEMS
24 6346Ø GOTO 6335Ø
50 63470 REM RESTORE SCREEN TEXT
83 63480 CALL 37145
94 63490 POKE 32,0: POKE 33,40:
      POKE 34, Ø: POKE 35, 24:
       REM RETURN THE TEXT WI
      NDOW TO NORMAL
```

# Save Your Copies of COMPUTE!

Protect your back issues of COMPUTE! in durable binders or library cases. Each binder or case is custom-made in flag-blue binding with embossed white lettering. Each holds a year of COMPUTE!. Order several and keep your issues of COMPUTE! neatly organized for quick reference. (These binders make great gifts, too!)



\$8.50 each; \$6.95 each; 3 for \$24.75; 3 for \$20.00; 6 for \$48.00 6 for \$36.00

(Please add \$2.50 per unit for orders outside the U.S.)

Send in your prepaid order with the attached coupon

0

# Using The Atari 130XE And DOS 2.5

Tom R. Halfhill, Editor

The Atari 130XE is the first computer in Atari's XE line and by far the least expensive 128K RAM computer on the market. Here's a guide to using the new features of the 130XE and the latest version of Atari DOS.

Making good on its promise to continue supporting the 8-bit line of computers first introduced in 1979, Atari recently brought out the 130XE, its most powerful 8-bit machine yet. Atari also started distributing free copies of its new disk operating system, DOS 2.5, to solve some compatibility problems between the single-density DOS 2.0 and the enhanced-density DOS 3.

Both products are evolutionary rather than revolutionary. DOS 2.5 bears a strong resemblance to DOS 2.0 and is designed to smoothly handle both Atari disk formats. Likewise, the 130XE has much in common with the XL series and original 400/800. Because the 130XE's internal operating system is virtually identical to the 800XL's, the 130XE works with all existing Atari peripherals and nearly all the software. Nevertheless, the 130XE does incorporate some features not found on earlier Ataris:

• 128K of Random Access Memory (RAM), with the extra 64K accessible by bank-switching in 16K banks. Without bank-switching, the amount of free memory for BASIC programs remains the same as on 48K and 64K Ataris—about 32K or 37K, depending on whether DOS is booted.

- A high-speed RAM disk option for the extra 64K when DOS 2.5 is booted with a special startup file. (A RAM disk is a disk drive simulated in memory; you can save and load files much faster with a RAM disk than with a conventional disk drive, although the contents of the RAM disk are erased when power is shut off.) The RAM disk can be disabled if you want to use the extra 64K for other purposes.
- Revision C Atari BASIC. The 130XE's BASIC has been cured of the infamous lockup bug that plagued the revision A BASIC cartridge sold for the 400, 800, and 1200XL, and the even-worse bugs that infested revision B BASIC in the 600XL and 800XL when Atari tried to fix revision A.
- Enhanced Cartridge Interface (ECI) for future expansion. The expansion connector found on the rear of the 600XL and 800XL has been slightly redesigned for the 130XE. The new ECI is supposed to be more versatile than the rarely used XL connector, allowing you to add faster disk drives, hard disks, and other devices—none of which have been announced, however. (Don't confuse the ECI with the ROM cartridge slot, which is fully compatible with cartridges made for older Atari computers.)
- Chroma and luma video outputs for sharper screen displays. This allows you to hook up the 130XE to video monitors with sepa-

rate chroma and luma inputs for a much sharper image than with normal composite video. The old Atari 800 had this feature, but it was eliminated on later models.

# **Dual-Personality DOS**

Before examining the 130XE's new features in greater detail, let's cover the new functions of DOS 2.5, since they affect all users of 8-bit Atari computers as well as 130XE owners.

First of all, if you don't have a copy of DOS 2.5, get one soon. Atari is shipping DOS 2.5 with 1050 disk drives and distributing it free through user groups, electronic bulletin boards, and the Atari forum on CompuServe. It is quickly replacing DOS 3 because it integrates the best features of existing DOS versions, is compatible with all Atari computers, and works interchangeably with both singledensity (810 format) and enhanced-density (1050 format) disk drives. (Of course, enhanced density disks are still unreadable on 810 drives.)

The new DOS menu is identical to the DOS 2.0 menu except for one extra feature: option P, Format Single. Since DOS 2.5 is a dual-density DOS, it must be capable of formatting disks for both single density and enhanced density. Option P formats a disk in single density, leaving 707 sectors free (about 88K of storage). Option I, Format Disk, now defaults to *enhanced* density, leaving 1010 sectors free (about 126K). Also, one

existing option has been slightly changed: Option J, Duplicate Disk, now formats the target disk before copying.

Three new utility files are included with DOS 2.5. The first, SETUP.COM, lets you customize DOS in various ways without the POKEs that used to be necessary. For instance, you can significantly speed up disk accesses by turning off the write-with-verify mode. You can also set up one of three AUTORUN.SYS files: the usual RS-232 handler for the 850 Interface Module; a file which automatically boots a BASIC program; or a file which boots both the RS-232 handler and a BASIC program.

The second utility, DISKFIX-.COM, can help clean up garbled disks by closing open files and verifying that allocated sectors correspond to information in the disk directory. It can even recover deleted files, as long as new data hasn't been saved over the deleted data. The third utility, COPY-32.COM, converts DOS 3 files to 2.0/2.5 format. All three utilities guide you with screen prompts and are nearly foolproof.

#### New Disk Commands

DOS 2.5 also makes a few additional disk commands available in BASIC. There are now two methods of reading a disk directory:

OPEN #1,6,0,"D:\*.\*":FOR X=1 TO 1E9:GET #1,A:? CHR\$(A);:NEXT X OPEN #1,7,0,"D:\*.\*":FOR X=1 TO 1E9:GET #1,A:? CHR\$(A);:NEXT X

The first method is the same as before. But the second method identifies files in the directory which cannot be accessed from DOS 2.0 because they occupy extra sectors on an enhanced-density disk. These files are flagged by a pair of less-than/greater-than symbols, such as <FILENAME.BAS>.

Also, there are now three ways to format a disk from BASIC:

XIO 253,#1,0,0,"D1:" XIO 253,#1,34,0,"D1:" XIO 254,#1,0,0,"D1:"

The first XIO statement formats a disk in single density. The second formats in enhanced density (generating an error 139 if attempted on an 810 drive). The third XIO statement attempts to format in enhanced density, then switches to single density if the drive isn't 1050-compatible.

Incidentally, if you select option J (Duplicate Disk) with DOS 2.5 when using a 1050 drive, the disk is automatically formatted in the DOS command in BASIC. Usually this takes 10 to 20 seconds or more. But with DUP.SYS stored in the RAM disk, the DOS 2.5 menu comes up almost instantly when you type DOS.

# Memory Location 54017 (130XE Only)

# Bit Position Function

0	If 1, enable OS ROM, disable RAM from \$C000-\$FFFF (default)
	If 0, disable OS ROM, enable RAM from \$C000-\$FFFF
1	If 0, enable BASIC ROM at \$A000-\$BFFF (default)*
	If 1, disable BASIC ROM, enable RAM at \$A000-\$BFFF
2-3	If 00 (decimal 0), switch first 16K bank of extra 64K into \$4000-\$7FFF
	If 01 (decimal 4), switch second 16K bank of extra 64K into \$4000-\$7FFF
	If 10 (decimal 8), switch third 16K bank of extra 64K into \$4000-\$7FFF
	If 11 (decimal 12), switch fourth 16K bank of extra 64K into \$4000-\$7FFF
4	If 1, deny 6502 access to extra bank (default)
	If 0, allow 6502 access to extra bank
5	If 1, deny ANTIC access to extra bank (default)
	If 0, allow ANTIC access to extra bank
6	Not presently used. Default = 1
7	If 1, disable self-test ROM, enable RAM at \$5000-\$57FF (default after powerup)
	If 0, enable self-test ROM, disable RAM at \$5000-\$57FF

\*Note: A similar chart on page 122 of the 130XE Owner's Manual indicates that bit 1 should always be set. However, bit 1 should not be set unless you want to disable BASIC.

enhanced density before copying starts. Keep this in mind if you're duplicating a disk for someone who doesn't have an enhanced-density drive. Instead, you'll have to format the destination disk for single density (option P) and then copy the source disk one file at a time.

### Instant DOS

The 130XE's extra 64K RAM can be used as either a superfast RAM disk with DOS 2.5 or as additional memory for programming. Of these two options, the RAM disk is by far the easiest to use, especially for those who aren't too familiar with bankswitching or bit manipulations.

The only accessory you need to set up a RAM disk with the 130XE is a free DOS 2.5 file called RAM-DISK.COM. When you boot DOS 2.5 on a 130XE, RAMDISK.COM automatically initializes the RAM disk and loads two DOS files: DUP.SYS and MEM.SAV DUP.SYS is the DOS utility package—the part that normally must be loaded from disk when you type

The second DOS file stored in the RAM disk, MEM.SAV, temporarily saves the portion of BASIC memory that would be overwritten when you enter DOS. That means you can enter DOS and return to BASIC without losing your BASIC program.

DUP.SYS and MEM.SAV take up 87 sectors total, leaving the RAM disk with 412 free "sectors"-51.5K of high-speed (though temporary) storage. If you don't mind waiting for the DOS menu to load from disk as usual, you can delete DUP.SYS and MEM.SAV from the RAM disk to create 499 free sectors (62.3K).

You access the RAM disk by addressing it as drive 8 (D8:). For LOAD"D8:FILEexample, NAME.EXT" or SAVE"D8:FILE-NAME.EXT'' Almost all DOS commands work, too: Disk Directory, Delete File, Rename File, Copy File, Lock File, Unlock File, Binary Load, Binary Save, and Run At Address.

Duplicate File doesn't work because there's no way to swap disks with a RAM disk (use the two-drive Copy File command instead). Also, the Format Disk and Duplicate Disk commands sometimes cause strange results and should be avoided. For instance, if you erase DUP.SYS by deleting it or formatting the RAM disk, then replace it by duplicating a floppy disk that contains DUP.SYS, you might not be able to enter DOS from BASIC afterward.

Aside from these exceptions, the 130XE RAM disk seems to be very transparent; it's worked with everything we've tried. Although a RAM disk is no substitute for a floppy—it's at the mercy of power interruptions and system crashes—it can make a world of difference when running disk-intensive applications, such as assemblers, compilers, database managers, mailing list programs, and word processors with linked files.

# Like Memory In The Bank

Using the 130XE's extra memory for programming is a lot more difficult than using it as a RAM disk. For one thing, the 6502 microprocessor which is the central brain of 8-bit Atari computers was not designed to access more than 64K memory at a time. So even though the 130XE has 128K RAM, the 6502 is "blind" to the extra 64K.

Making the extra memory visible requires a technique known as bank-switching. A block, or bank, of memory in the regular 64K is temporarily switched off and replaced with a bank from the "hidden" memory. Under program control, banks can be switched in and out at will. It's sort of like reading a book and flipping between the page you're on and a footnote section in the back.

The 130XE organizes its extra 64K RAM into four 16K banks. Only one of these banks can be switched in at a time. When you're using the RAM disk, the RAM-DISK.COM file and DOS 2.5 handle these details for you automatically. But using this memory for other purposes means writing your own bank-switching routine in BASIC or machine language.

Bank-switching on the 130XE is controlled by memory location

54017 (\$D301 hexadecimal). This byte was previously reserved for port B of the Peripheral Interface Adapter (PIA), an input/output control chip. On the Atari 400 and 800, it's used for controller jacks 3 and 4, which have been eliminated on the XL and XE series. On the 1200XL, part of this byte controls the keyboard LEDs, which were dropped from the 600XL, 800XL, and XE series. On all XLs and XEs, location 54017 also lets you switch off the operating system and BASIC ROM to reveal the full 64K RAM underneath. On the 130XE, you can now flip other bits at this location to switch on any 16K bank of the extra 64K RAM into the address space from 16384 to 32767 (\$4000 to \$7FFF). See the accompanying table for a guide to this important address.

Notice that bits 4 and 5 control whether the 6502 and ANTIC chips can access the extra banks of memory. Some special applications may blind either chip from seeing the banks. Also note that the 130XE Owner's Manual contains errors on page 122 when explaining how location 54017 works. The location normally contains 241 when the RAM disk is booted and 253 otherwise, not 193; and all bits except bit 1 should be set for normal operations.

If you're an experienced machine language programmer, you shouldn't have any trouble manipulating the bits at location 54017. BASIC programmers won't have it so easy, because bit-flipping is rarely required in BASIC and Atari BASIC lacks bitwise operators. So try this formula:

POKE 54017,193+4\*bank+16\*mode

where bank is the 16K bank you want to select (0 = bank 1, 1 = bank 2, 2 = bank 3, 3 = bank 4) and mode chooses which chip has access to the extra banks (0 = 6502/ANTIC, 1 = ANTIC, 2 = 6502, 3 = neither).

A word of caution: One wrong POKE into this critical memory location could instantly disable the operating system or BASIC or both, triggering a hopeless system crash. The only recovery might be to switch the machine off and then on again, wiping out your program. So be careful when experimenting. ©

# Atari Animation With P/M Graphics Part 2

Robert J. Powell

Part 1 of this series introduced the basic concepts of Atari player/missile graphics and showed how to display all four player strips on the screen. This month, Part 2 demonstrates how to redefine players into any shapes you want and how to move them horizontally.

If you ran last month's example program, you saw the Atari's players as they really appear: four colored strips which are eight bits wide and taller than the screen. To really make use of player/missile graphics, your program must transform these featureless strips into shapes of your own design. It isn't a difficult task, though it helps if you have a grasp of binary numbering. But even if you know nothing about binary, we'll provide plenty of stepby-step examples so you can learn by experimentation.

First, run last month's program again. (For those who missed it, it's listed below as Program 1.) When the program finishes, you should see four colored strips at the right side of the screen and the READY

prompt at the left. Don't press SYS-TEM RESET or any other keys for now; we'll illustrate how shapes are defined by changing one of these players in direct mode so you can see the effects immediately.

If you refer to the P/M memory map in Part 1, you'll notice that the memory area for the four players extends from PMBASE+1024 to PMBASE+2048. That's a total of 1,024 bytes, or 1K. (Remember, this program is using single-line resolution P/M graphics, so each of the four players is 256 bytes tall. If it were using double-line resolution, each player would be only 128 bytes tall, and player memory would extend from PMBASE+512 to PMBASE+1024.)

The numbers stored in this memory area determine the shape of each player. Right now, the memory area for all four players is filled with the number 255, POKEd there by line 90 of Program 1. The players appear as solid strips because 255 is the largest number which can be stored in a single byte. The key to defining a shape is to selectively display only parts of the player strip by POKEing numbers between 0 and 255 into the player's memory area.

# **Building A Box**

Let's start by redefining the shape of player 0 (by custom, the four players are numbered 0 to 3). Referring again to the P/M memory map in Part 1, notice that player 0's memory extends from PMBASE+1024 to PMBASE+1280 (256 bytes). This is the target for our POKEs. In direct mode—that is, without a line number—type this line and press RETURN:

FOR X=PMBASE+1024 TO PM BASE+1280:POKE X,0:NEXT

You should see the player 0 strip disappear. Why? Because this line POKEs 256 zeros into the memory area for player 0, erasing the 255s previously stored there. Notice that players 1, 2, and 3 remain unaffected.

Now let's restore part of the player 0 strip to make a simple shape. One by one, enter the following lines, pressing RETURN each time:

POKE PMBASE+1152,255 POKE PMBASE+1153,129 POKE PMBASE+1154,129 POKE PMBASE+1155,129 POKE PMBASE+1156,255

Each time you press RETURN, you should see a hollow box taking shape where the player 0 strip used to be. If you examine the POKE statements, you'll notice that the first number in each statement is a memory address in the middle of the player 0 memory area. These addresses determine the shape's vertical position within the strip—and therefore its vertical position on the screen.


The second number in each statement actually defines part of the box. Experiment by POKEing other numbers between 0 and 255 into these addresses (as well as other addresses in the player 0 memory area). Once you learn how these numbers are arrived at, you can create almost any shape you want.

When a certain bit position in a player/missile strip is turned "on," it appears onscreen as a tiny dot. Bits which are turned "off" do not appear onscreen. To define a shape, then, you have to figure out which bits to turn on, add up the bit values of their positions, and POKE the resulting number into the appropriate memory address.

The accompanying figure makes this explanation more clear. It shows the bit pattern for a player defined as a happy face. The bit values are the numbers running across the top of the figure; notice now the values double for each bit position running from right to left.

The numbers running down the side of the figure are the byte values, or the sums of the bit values for each byte. To arrive at the byte values, you add up all the bit values for "on" bits in each row. For instance, the top row, or byte, has two bit positions turned "on": bits 8 and

# Calculating byte values for a player shape.



# **Patterns Of Bits**

The numbers between 0 and 255, when POKEd into a byte, represent bit values in the binary number system. These bit values translate directly into player shapes.

A byte contains eight bits, or positions. Each position has a different value ranging from 1 to 128.

16. Therefore, the byte value for that row is 8+16, or 24. The next byte has four bit positions turned "on": bits 4, 8, 16, and 32. Therefore, the byte value is 4+8+16+32, or 60. All the other byte values are determined in a similar fashion. These are the numbers you POKE into the player memory area

to make the shape appear.

To see this in action, press SYSTEM RESET and run Program 1 again. When it stops, fill the player 0 memory area with zeros using the FOR-NEXT loop as we did before. Then enter these lines, pressing RETURN after each one:

```
POKE PMBASE+1152,24
POKE PMBASE+1153,60
POKE PMBASE+1154,126
POKE PMBASE+1155,90
POKE PMBASE+1156,219
POKE PMBASE+1158,219
POKE PMBASE+1159,195
POKE PMBASE+1160,102
POKE PMBASE+1160,102
POKE PMBASE+1161,60
POKE PMBASE+1162,24
```

Each time you press RETURN, another byte of the player shape

should appear.

Try designing your own shape using a blank version of the grid in the figure. After coloring in each square to make the shape, add up the bit values to arrive at the numbers for your POKE statements. Remember that your shape can be only eight bits wide, but can be as tall as the screen.

# **Storing Player Shapes**

When you're writing a program that defines player shapes, it's inconvenient to POKE the byte values into memory in direct mode, of course. Usually the byte values are stored in a DATA statement, retrieved by a READ statement within a FOR-NEXT loop, and then POKEd into memory.

To see an example, add these lines to Program 1:

```
XT X

100 FOR X=1 TO 11

110 READ A

120 POKE PMBASE+1152+X,A

130 NEXT X

140 DATA 24,60,126,90,219

,255,219,195,102,60,2
```

Line 90 clears out the player memory area with zeros. Lines 100–130 are the loop which READs the DATA in line 140. Notice that line 120 POKEs the byte values into the middle of the player 0 memory area. To define this shape as player 1, you could simply add 256 to this address; to define it as player 2, add 512; and to define it as player 3, add 768.

Missiles are defined in a similar way, with one important difference: Because each missile is only two bits wide, all four missiles share the same amount of memory as a single player. That means the bit patterns are two-bit slices of the grid in the figure. By referring to this figure and the P/M memory map in Part 1, you can see that missile 0 is defined by adding the bit values 1 and 2; missile 1 is defined by the bit values 4 and 8; missile 2 is defined by the bit values 16 and 32; and missile 3 is defined by the bit values 64 and 128.

Of course, with only two bits to work with, missile shapes are pretty limited. That's why they're used mostly in games as "bullets" fired by player shapes.

# **Horizontal Animation**

By now you're probably wondering how to animate the shapes you've created. We'll tackle horizontal movement first because it's the easiest; we'll save vertical animation for Part 3 next month.

In Part 1 we mentioned that each player has a horizontal position register, a memory location which determines the horizontal placement of the player on the screen. These memory locations are 52348 for player 0, 53249 for player 1, 53250 for player 2, and 53251 for player 3. Line 80 of Program 1 POKEs these registers to group all four players together near the right edge of the screen. Any number from 0-255 can be POKEd into the registers, but the range of numbers which position the player on the visible part of the screen is only about 45 to 205.

Moving a player horizontally is as simple as POKEing different numbers into the appropriate position register. Add these lines to Program 1:

```
100 FOR X=45 TO 205
110 POKE 53248,X
120 NEXT X
```

When you type RUN, this loop moves player 0 across the screen from left to right. By changing the register address in line 110, you can move any of the four players.

Missiles are moved horizontally like players; the four horizontal

position registers for the missiles are at memory locations 53252 to 53255. To see the missiles onscreen, add these lines to Program 1:

```
85 POKE 53252,140:POKE 53
253,144:POKE 53254,148
:POKE 53255,152
90 FOR X=PMBASE+768 TO PM
```

BASE+2048:POKE X,255:N

# **One-Way Registers**

There's only one tricky detail to keep in mind when manipulating the horizontal registers—they are write-only memory locations, which means they can be POKEd but do not return useful values when PEEKed. This makes your programming more complicated, because you can't keep track of a player or missile's horizontal screen position merely by PEEKing its horizontal register. Instead, you have to set aside a variable for each object to store its horizontal position. Every time the object moves, your program must update the corresponding variable.

This technique is demonstrated in Program 2. It's a modified version of Program 1 that lets you move player 1 left or right with a joystick plugged into port 1. Notice how the variable P1 keeps track of the player's horizontal position. Also notice how player 1 moves over players 2 and 3, but beneath player 0. These different display priorities let your programs simulate

3-D graphics effects.

Try modifying Program 2 yourself to move the other three players. Be careful about moving the player too far off the edges of the screen, though—if the program tries to POKE a value smaller than 0 or greater than 255 into the horizontal register, it will crash with an error.

In Part 3, we'll cover a method of vertical animation and a few other details about player/missile graphics as well.

For instructions on entering these listings, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.

# Program 1: P/M Demo

Mf 10 POKE 106, PEEK (106) -8 NF 20 POKE 54279, PEEK (106) HD 30 GRAPHICS 0: SETCOLOR 2, CN 40 PMBASE=PEEK (106) \$256 ML 50 POKE 559,62 PM 60 POKE 53277,3 P 70 POKE 704,68:POKE 705,1 98:POKE 706,168:POKE 7 Ø7,148 PA 80 POKE 53248,160:POKE 53 249,170:POKE 53250,180 :POKE 53251,190 DN 90 FOR X=PMBASE+1024 TO P MBASE+2048: POKE X, 255: NEXT X

# **Program 2: Horizontai** Animation

10 POKE 106, PEEK (106) -8 20 POKE 54279, PEEK (106) 3Ø GRAPHICS Ø:SETCOLOR 2, 0,0 40 PMBASE=PEEK(106) \$256 5Ø POKE 559,62 60 POKE 53277,3 70 POKE 704,68:POKE 705,1 98:POKE 706,168:POKE 7 Ø7,148 80 POKE 53248, 160: POKE 53 249,170:POKE 53250,180 : POKE 53251,19Ø FOR X=PMBASE+1024 TO P MBASE+2048: POKE X,255: NEXT X 100 P1=170 11Ø S=STICK(Ø) 120 IF S=7 THEN P1=P1+1:I F P1>255 THEN P1=255 130 IF S=11 THEN P1=P1-1: IF P1<1 THEN P1=1 131 POKE 53249,P1 14Ø GOTO 11Ø

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.

# Lightning Renumber For Atari

Raymond Citak

This fast, convenient utility renumbers any BASIC program. It runs on any Atari 400, 800, XL, or XE with at least 48K RAM.

If you write BASIC programs, you know how frustrating it can be to run out of space to insert program lines, especially when the program is nearly finished. Since Atari BASIC has no RENUMBER command, you may be forced to renumber dozens of lines manually, creating the risk that you'll inadvertently delete or misnumber a line. "Lightning Renumber" removes that worry and saves a lot of time, too. It can handle any Atari BASIC program, and it renumbers internal line references as well as the lines themselves. Because it uses a machine language (ML) routine, it does the job in only a few seconds. But it's easy enough for anyone to use, even if you don't know anything about machine language.

Type in and save Lightning Renumber as listed below, then run it. The program offers two options. You can either write the ML routine as a binary (machine language) file to disk, or POKE it directly into memory. The binary file option is straightforward: After you designate the drive number, the program creates and locks a binary file named RENUMBER.OBJ on your disk. The binary file can then be loaded into memory and called with a USR statement (see below) whenever you like. If you don't have a disk drive, select the second option to POKE the ML into memory.

# Call It With USR

Once the ML routine is in memory, enter NEW and load the BASIC program you want to renumber. Now you can call the ML routine by typing in a USR statement and pressing RETURN. The USR statement must include three numbers: the address of the routine (always 38900), the starting line number, and the line increment value. For example, the statement U=USR(38900,10,10) renumbers a program so the first line is 10 and the rest are numbered in increments of 10 (20, 30, and so on). To start with line 1000 and renumber in increments of 100, use the statement U=USR(38900,1000,100), and so on. When the message \*\*RENUM-BERED\*\* appears, the job is complete. At this point, you should resave the renumbered program.

The routine checks for several errors. First, it makes sure the renumbered program will not have line numbers above 32767. If the values you specify in the USR statement would create a line number greater than 32767, you'll get the

message ERROR — CHANGE YOUR USR ARGUMENTS. Enter a new USR statement with appropriate values.

Incorrect line references are detected as well. For instance, your program may contain the statement GOTO 300 when no line 300 exists. When such an error occurs, you'll see the message ERROR — LINE # MISMATCH. Mismatched line references (300 in this example) are replaced by 55555, and the rest of the program is renumbered as usual. When this error message appears, you must LIST the program and change any 55555 line references to the correct line numbers before resaving the program.

TRAP statements (except for TRAP 40000) are also renumbered by this routine. However, it cannot change *computed* line references (GOTOs or GOSUBs that use a variable to refer to a line number). If your program uses computed line references, LIST the program and change them yourself after the rest of the program is renumbered.

# Possible Memory Conflicts

Although Lightning Renumber is designed to be reliable, it's possible to disrupt it by running BASIC programs. The ML normally resides in high memory just beneath the display list in GRAPHICS 0. Running a BASIC program that's very long or that uses the same memory area for other graphics modes, playermissile data, etc., may overwrite and destroy the ML. When that occurs, trying to call the routine may crash the computer (and destroy your program). When in doubt, save your BASIC program and reload the binary file (RENUMBER-.OBJ) from disk; then reload the BASIC program and call the routine with USR.

If you use this routine frequently, you may want to include the USR call within the BASIC program itself. Since line 32767 will never be renumbered, place the USR statement in that line. Then you can renumber the program at any time by entering GOTO 32767.

You could also create an AUTORUN.SYS file that loads Lightning Renumber into memory automatically when the disk is booted. If you already have an AUTORUN.SYS file on the disk, you can append the renumber file to it from the DOS menu. Choose the Binary Save option, then type in AUTORUN.SYS/A,97F4,9BFF. Lightning Renumber will be appended to the existing AUTO-RUN.SYS file and will load automatically when you boot that

If you want to save typing, send a blank disk or tape, a selfaddressed postage-paid mailer, and \$3 to:

Raymond Citak 1514 Park Avenue Laramie, WY 82070

Special thanks to W. A. Bell for his useful line dump routine which appears in COMPUTE!'s First Book of Atari.

# Lightning Renumber

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Pragrams" published bimonthly in COMPUTEL.

- JP 10 DIM DRIVE\$(2),A\$(15):P OKE 709,0:POKE 710,168 :POKE 712,146
- 00 2Ø ? CHR\$(125):? :? " (9 SPACES) RECUMPLE OF SIC "
- H63Ø ? "TO LOAD THIS OBJECT FILE DIRECTLY (5 SPACES) INTO MEMORY AND NOT TO DISK, PRESS
- E 40 ? "KEY "; CHR\$ (34); "L"; CHR\$(34);". REQUIRES 48K MEMORY.":? "PRESS ANY KEY FOR DISK WRITE
- CB 50 OPEN #4,4,0,"K":GET #4 , Z: IF Z=76 THEN 1440
- 00 60 CLOSE #4
- IN 70 ? CHR\$(125):? :? :? " (6 SPACES) RENUMBER OF J - LOADER "
- N 80 ? :? "\*\*REQUIRES 48K M EMORY AND DOS v.2.\*\*"
- ? 1? "To which disk dr ive would you like the file written to (D1, D2
- ,D3,or D4)"; LP100 INPUT DRIVE\$ M0110 GOSUB 1380
- LC 120 ? :? "One moment while I write the file to ":? DRIVE\$; "..."
- IN 130 A\$(1,2)=DRIVE\$:A\$(3,1 5)=":RENUMBER.OBJ"
- #8 140 TRAP 300: OPEN #2, 8, 0, A\$
- 66 15Ø TRAP 18Ø
- OL 160 READ B:PUT #2, B
- 61 17Ø GOTO 16Ø
- BE 180 CLOSE #2 PH 190 OPEN #1, 12, 0, A\$: XIO 3
- 5, #1, Ø, Ø, A\$ FN 200 CLOSE #1
- DF 210 ? CHR\$(125):?
- N 220 ? "File is now writte n to ";DRIVE\$;"." ? "You may now use th PK 230 e DOS menu selection'

- L' to place the renum ber program EK 240 ? "into memory. Retu rn to BASIC, load {3 SPACES}file to be renumbered, and use"
- 0 250 ? "U=USR(38900, start ing line number, (4 SPACES) increment) to renumber your prog ram." @ 260 ? "Or place the USR s
- tatement into your p rogram at line 32767. Watch for"
- PN 270 ? "possible overwrite of the renumber (4 SPACES) program if RUNning a BABIC progr am"
- M 280 ? "that changes GRAPH ICS modes, or uses o
- ther high memory." 6E 290 POKE 709, 202: POKE 710
- ,148:POKE 712, Ø:END HH 300 ? CHR\$(125):?:? "ERR OR #";:? PEEK(195);:? " trying to write the file...":FOR I=1 TO 500:NEXT I:RUN
- KJ310 REM THIS DATA FOR DIS K WRITE ONLY
- CL 32Ø DATA 255, 255, 244, 151, 255,155
- R 330 REM THIS DATA FOR MEM ORY 38900(\$9774) TO 3 9935 (\$9BFF)
- M 340 DATA 76,80,153,165,13 6, 133, 203, 165, 137, 133
- KA 350 DATA 204, 169, 0, 133, 20 5,133,206,133,207,96
- GF 360 DATA 201,14,240,1,96, 152,141,243,151,136 GN 370 DATA 177,203,32,61,15
- 2,165,207,208,10,32 N 380 DATA 101, 152, 165, 207,
- 208, 3, 76, 40, 152, 32 NB 390 DATA 148,152,172,243,
- 151,169,0,133,205,133
- 8A 400 DATA 206,133,207,141, 243,151,200,200,200,2 99
- M 410 DATA 200,200,96,201,1 8,240,1,96,136,152
- JH 420 DATA 201,3,240,249,17 7, 203, 201, 14, 208, 244
- IK 430 DATA 136, 177, 203, 201, 23,240,11,201,24,240 EH 440 DATA 7,201,4,240,3,76
- ,66,152,169,1
- AJ 450 DATA 133,207,96,172,2 43, 151, 136, 177, 203, 20
- CA 460 DATA 10,240,32,201,12 ,240,28,201,23,240
- P 470 DATA 24,201,24,240,20,201,13,240,16,201 HK 480 DATA 4,240,12,201,27,
- 240,8,201,35,240 06 49Ø DATA 1,96,32,22Ø,154,
- 169, 1, 133, 207, 96 D 500 DATA 172,243,151,138, 141,242,151,165,136,1
- CL 510 DATA 205,165,137,133, 206, 200, 177, 203, 133, 2
- CE 520 DATA 200,177,203,133, 213, 200, 177, 203, 133, 2
- W 530 DATA 200,177,203,133,

```
215,200,177,203,133,2
                                                                 6 1230 DATA 46,237,151,144,
                                       5,240,14,201,0,208
                                KC 890 DATA 20,200,177,203,2
                                                                         13,24,14,232,151,46
      1 4
                                       01,128,208,13,76,163
                                                                 AD 1240 DATA 233, 151, 238, 232
MP 54Ø DATA 2ØØ, 177, 2Ø3, 133,
                                                                         ,151,76,134,155,14,2
      217, 32, 198, 154, 32, 210
                                KA 900 DATA 154,200,177,203,
HI 550 DATA 217, 169, 0, 141, 24
                                       201, 127, 208, 3, 76, 163
                                                                         32
      0,151,141,241,151,160
                                                                 F 125Ø DATA 151,46,233,151,
                                      DATA 154,160,0,165,20
                                NJ 910
# 56ø DATA Ø, 177, 205, 200, 19
                                                                         202,208,176,96,169,2
                                       5,145,203,200,165,206
      7,212,208,6,177,205
                                                                         55
                                PL 920
                                      DATA 145, 203, 200, 177,
EC 57Ø DATA 197,213,240,30,3
                                                                 C6 1260 DATA 141,240,151,141,241,151,32,247,151,
                                       203,170,173,230,151,2
      2,90,154,160,2,177
IP 580 DATA 205,24,101,205,1
                                      DATA 101,205,133,205,
      33, 205, 144, 2, 230, 206
                                                                 JJ 1270 DATA 0,177,203,208,7
                                       173, 231, 151, 101, 206, 1
                                                                          200,177,203,201,128
MH 59Ø DATA 238,24Ø,151,173
                                       33
     240,151,208,3,238,241
DATA 151,76,207,152,1
                                                                 JD 128Ø DATA 24Ø, 29, 16Ø, 2, 17
                                JA 94Ø DATA 206,138,24,101,2
                                                                 7,203,24,101,203,133
P6 1290 DATA 203,165,204,105
PP 600
                                       03, 133, 203, 144, 2, 230
      73,240,151,141,234,15
                                AH 95Ø
                                      DATA 204,76,15,154,16
                                                                         ,0,133,204,238,240,1
                                       0,0,177,205,201,0
CK 610 DATA 173, 241, 151, 141,
                                                                         51
                                EL 960 DATA 208,7,200,169,12
                                                                         ,3,238,241,151,76,14
      235, 151, 173, 230, 151, 1
                                                                  NF 1300 DATA 173,240,151,208
                                       B, 209, 205, 240, 1, 96
                                      DATA 162,22,138,72,18
ML 62Ø DATA 236,151,173,231,
                                       9,140,154,32,176,242
      151,141,237,151,32,41
                                                                 FN 1310 DATA 155, 173, 240, 151
                                0A 98Ø
                                      DATA 104,170,202,16,2
                                                                         ,141,234,151,173,241
     DATA 155,24,173,238,1
                                       43, 169, 66, 133, 212, 169
                                                                          151
      51,109,228,151,133,21
                                KJ 99ø DATA 5,133,213,169,85
                                                                 FN 1320 DATA 141,235,151,173
                                        133, 214, 133, 215, 104
                                                                         ,230,151,141,236,151
AI 640 DATA 173,239,151,109,
                                BP 1000 DATA 104,76,43,153,1
      229, 151, 133, 213, 32, 17
                                                                          173
                                55,72,67,84,65,77
JC 1Ø1Ø DATA 83,73,77,32,35,
                                                                 N 1330 DATA 231, 151, 141, 237
D 65Ø DATA 217,172,243,151
                                                                         ,151,32,41,155,24,17
                                        69,78,73,76,32
      174,242,151,200,165,2
                                MI 1020 DATA 45,32,210,207,2
      12
                                        10,210,197,162,18,13
                                                                 HC 134Ø DATA 238, 151, 109, 228
N 660 DATA 145, 203, 200, 165
                                                                         ,151,141,238,151,173
      213,145,203,200,165,2
                                AM 1030 DATA 72,189,179,154
                                                                          239
                                        32, 176, 242, 104, 170, 2
                                                                  AN 1350 DATA 151,109,229,151
CO 67Ø DATA 145,203,200,165,
                                        Ø2
                                                                         ,141,239,151,176,14,
      215, 145, 203, 200, 165, 2
                                 10 1040 DATA 16,243,96,155,1
                                                                         56
      16
                                        55,42,42,32,68,69
                                                                  16 1360 DATA 169,254,237,238
AD 680 DATA 145,203,200,165
                                JP 1050 DATA 82,69,66,77,85,
                                                                         ,151,169,127,237,239
      217, 145, 203, 96, 104, 10
                                        78,69,82,32,42
                                                                          151
                                 NA 1060 DATA 42,155,165,212,
                                                                  BK 137Ø DATA 48, 1, 96, 76, 242,
CD 69Ø DATA 141,229,151,104,
                                        201,66,208,15,165,21
                                                                         154
      141,228,151,104,141,2
                                                                  N 1380 REM CK FOR CORRECT E
                                E 1070 DATA 201,4,208,9,165,214,208,5,104,104
      31
                                                                         NTRY
MH 700 DATA 151,104,141,230
                                                                  W 1390 IF DRIVE$(1.1)<>"D"
      151,173,6,228,170,232
                                DN 1080 DATA 76,43,153,96,13
                                                                         OR LEN(DRIVE$)=1 THE
DC 71Ø DATA 138, 141, 154, 153,
                                        6,152,201,3,240,13
                                                                         N 1410
      141, 114, 154, 141, 171, 1
                                CI 1090 DATA 177,203,201,54,
                                                                  PI 1400 IF DRIVE$(2,2)="1" 0
      54
                                        208, 244, 104, 104, 104,
                                                                         R DRIVE$(2,2)="2" OR
NG 72Ø DATA 141,252,154,173
                                        104
                                                                          DRIVE$(2,2)="3" OR
7,228,141,155,153,141
DF73Ø DATA 115,154,141,172,
                                 J6 1100 DATA 76,40,152,96,10
                                                                         DRIVE$ (2, 2) = "4" THEN
                                        4, 194, 194, 194, 162, 36
                                                                          1430
      154, 141, 253, 154, 173, 2
                                 KH 1110 DATA 138,72,189,4,15
                                                                  PF 1410 POP :? :? "Error in
      30
                                        5, 32, 176, 242, 104, 170
                                                                         entry.
                                                                                  Try again...
E8 74ø DATA 151,208,8,173,23
                                 FD 1120 DATA 202, 16, 243, 96, 1
      1,151,208,3,76,244
                                        55, 155, 46, 83, 84, 78
                                                                  CD 1420 FOR Q=1 TO 300:NEXT
L6 75Ø DATA 154,32,138,155,1
                                 N 113ø DATA 69,77,85,71,82,
                                                                         Q:? CHR$(125):? :GOT
      62, 13, 138, 72, 189, 244
                                        65,32,82,83,85
                                                                         0 70
JN 76Ø DATA 153,32,176,242,1
                                JP 1140 DATA 32,82,85,79,89,
                                                                  KI 1430 RETURN
      04,170,202,16,243,32
                                        32,69,71,78,65
                                                                  PK 1440 REM LOAD DATA INTO M
JN 770 DATA 247, 151, 160, 0, 17
                                                                         EMORY
                                 6) 115Ø DATA 72,67,32,45,32,
      7,203,201,255,240,14
                                                                  IC 1450 CLOSE #4:? :? "Loadi
                                        210, 207, 210, 210, 197
                                                                         ng DATA into memory.
JC 780 DATA 201,0,208,20,200
                                        DATA 155, 169, Ø, 141, 2
                                 PI 1160
       177,203,201,128,208
                                        32, 151, 141, 233, 151, 1
HA 790 DATA 13,76,2,154,200,
                                                                  E 1460 RESTORE 340: FOR I=38
      177,203,201,127,208
                                        4 1
                                                                         900 TO 38900+1035:RE
NB BØØ DATA 3,76,2,154,160,2
                                 NN 1170 DATA 238, 151, 141, 239
                                                                         AD AIPOKE I, AINEXT I
                                        ,151,162,16,24,78,23
                                                                  FD 1470 ? :? "Load complete.
LK B10 DATA 200, 177, 203, 201,
                                                                           NEW this program,
                                 PL 1180 DATA 151, 110, 234, 151
      22,240,22,201,155,240
                                                                         and LOAD or ENTER yo
AD 820 DATA 6,32,8,152,76,20
                                        ,144,40,24,173,238,1
                                                                            BASIC program to"
                                                                         ur
      2,153,152,133,208
                                                                         ? "be renumbered.
                                                                  IE 1480
                                 HB 119Ø DATA 109,236,151,141
KF B3Ø
     DATA 230,208,228,208,
                                                                         hen use U=USR(38900,
                                        ,238,151,173,239,151
      240, 3, 76, 202, 153, 138
                                                                          first line number,
FO 840
     DATA 24,101,203,133,2
                                         109
                                                                         increment) to"
                                 8 1200 DATA 237, 151, 141, 239
      03,144,2,230,204,76
                                                                         ? "renumber the prog
                                                                  DI 1490
                                        ,151,176,153,173,238
KH 850 DATA 164, 153, 155, 155,
                                                                         ram.
                                                                                All error
                                         151
      46, 46, 46, 103, 110, 105
                                                                         (6 SPACES) checking i
                                 DC 1210 DATA 24, 109, 232, 151,
NL 860 DATA 107,114,111,87,1
                                                                         s done by the renumb
      55,125,32,247,151,173
                                        141,238,151,173,239,
                                                                            pro- gram."
                                                                         er
                                        151
N. 870 DATA 228, 151, 133, 205,
                                                                  IP 1500 POKE 709, 202: POKE 71
                                 PM 1220 DATA 109,233,151,141
      173,229,151,133,206,1
                                                                         Ø, 148: POKE 712, Ø: END
                                        ,239,151,24,14,236,1
      60
DI 880 DATA 0,177,203,201,25
                                        51
```



# The World Inside the Computer

Fred D'Ignazio, Associate Editor

# More Adventures Of Junior, The Robot

Last month I described the trials of traveling across the country with a personal robot ("A Robot Toddler," September 1985). Among other things, my Heath HEROjr-nicknamed Junior—had panicked in the coat closet of a jetliner and started screaming for help, alarming some of the passengers.

We finally got Junior quieted down again, but more incidents were to follow. When we reached Chicago's giant O'Hare Airport, I suddenly realized that our connecting flight was at the opposite end of the terminal. Would I have to walk Junior clear across the airport? Luckily, two porters came to my rescue and pointed out a luggage cart I could rent for only a dollar. A moment later Junior and I were sailing along the corridors of O'Hare. Junior was perched high on the front of the cart singing "Summer-time! Summertime! Sum-sumsummertime!" Meanwhile, I was pushing the cart like a good rickshaw boy and warning people, "Watch out for the robot! Please clear the way! The robot's trying to catch a plane!"

# Drinks For Junior

I always tried to keep Junior quiet when loading him on a jet. I felt the best strategy was to keep a low profile so nobody would have second thoughts about flying with a robot. But it was no use. It's like accompanying Michael Jackson and expecting no one to notice. Everyone on board always seems to be aware of Junior. And everyone seems to delight in teasing me about him.

For instance, after stowing Junior in the closet and collapsing in my seat, a man came up and said, "Your robot just woke up and left the plane!" I leaped to my feet, alarmed, and he pushed me gently back down. "Just kidding," he said.

Another time, a flight attendant brought me a soda and a glass of champagne. I had ordered the soda, but not the champagne. "The champagne's for Junior," she explained, "compliments of the captain."

After one long flight, I headed for the men's room as soon as we landed. Naturally, I carried Junior along. Behind me, a number of men who were on the same flight saw us enter the men's room. They began laughing and followed us. "This I've gotta see," said one. I turned around and gave him a look of disapproval, then disappeared into one of the stalls. After all, even a robot deserves his privacy.

# is He Alive Or isn't He?

Often, while waiting around to board a plane, I would set Junior on the floor, wake him up, then step back and quietly observe people's reactions.

It was fascinating. I loved to see the childlike curiosity and playfulness Junior would evoke in adults. And it was amazing to see the paradox Junior created in the adults' minds. I could almost see them wondering, "Is he alive, or isn't he?" And, "If he isn't alive, why does he seem to be alive?" This ambiguity seemed to create a tension in many people's minds that found its outlet in jokes about Junior being my son.

I observed another paradox as well. They seemed to ask themselves, "Is this machine a friend or an enemy? Is he here to help us do our jobs, or will he take our jobs away?"

The person who asked these questions the most simply and eloquently was the elderly cabbie in Roanoke, Virginia, who drove Junior and me back to my house at the end of our journey. The cabbie was fascinated by Junior and drawn to him, but his fascination was

mixed with a pinch of fear. He began speculating about robots like Junior becoming humanlike and driving taxicabs. "If robots can do everything a man can," he said as he spat out the window, "we ought to hang it up." However, after some more thought, he decided: "There are just too many complications for a robot to be a good cab driver." And, referring to the possibility of robots getting out of control and taking over, he remarked, "There's more than one way to shut them off!"

The cabbie's fascination and affection for the robot ultimately won out over his fear. He pulled up in front of my house and turned around to face me and Junior. "You know something?" he said. "I sort of like that old box."

# Time For A Recharge

When the cabbie dropped us off at the end of our trip, we were happy to be home and totally exhausted. We had traveled almost 7,000 miles together, and we had remained the best of friends in spite of crowded airports, grilling from customs officials, and Junior's tendency to wander off when I wasn't looking.

But now our trip was over, and boy, were we tired! The suitcases, computers, and Junior were sprawled across the front yard, and I was so groggy that I reclined on the grass for a little catnap.

I had just closed my eyes when, in a weak little voice, Junior pleaded, "Please charge my battery." Then he began mumbling a song: "All good robots sing this song: Doo Dah! Doooooo....

"Okay, Junior," I said, getting up. "You win." I hefted the little robot on my shoulder and carried him into the house.

Five minutes later the two of us were fast asleep.



### Computers and Society

David D. Thornburg, Associate Editor

#### Of Babbages And Things

Computer jargon and concepts have permeated our language in strange ways. This came home to me one night when I heard a caller on a talk show say that she had trouble "interfacing" with her partner. I guess this is just a reflection of the pervasiveness of computer technology. Every new technology spawns its own vocabulary, and computers are no exception.

In fact, the computer industry has provided us with both a rich assortment of words and a rich collection of concepts that alter how we think about our world. While the words of technology wax and wane in popularity, the concepts are longer-lived. This gives us the chance to misjudge the newness of a concept we have just learned. When this happens, a brief look at history often shows that what we thought was new was known a long time ago. I got caught in one of these historical time warps last spring. I was teaching a graduatelevel computer course at Stanford University and had introduced a model of program design that I called a *microworld*.

To my way of thinking, microworlds are made of two kinds of things—objects and operators. The objects have certain attributes, and the operators work on these objects to create new instances of them. These new instances may inherit some or all of the attributes of the old objects. Sound like gobble-dygook? Read on.

For example, the microworld of arithmetic contains objects we call numbers. These numbers have attributes (they may be integers, decimals, imaginary, etc.). The operators for arithmetic include addition, subtraction, multiplication, and so on. These operators combine the number objects to produce new numbers. Notice that this way of thinking about arithmetic has nothing to do with computers.

#### **Computer Microworlds**

Because we have devised ways to represent both numbers and their operations inside computers, the microworld of arithmetic is a suitable domain for implementation in a computer. Of course, the arithmetic microworld is not the only one we have. For example, word processing is a microworld which contains letters as objects and insert and delete as operators.

What I like about this concept is that it provides a framework for creating flexible computer programs in nearly any domain. To build a microworld, one has to identify the objects and operators, and then build representations of these in the computer using a suitable programming language.

I thought this way of looking at programming was fairly new, but I soon received the shock of my life while reading a collection of papers about Charles Babbage and the Analytical Engine—a nineteenth-century predecessor to the digital computer. At the end of one article translated into English by Ada Augusta, Countess of Lovelace, were some notes added by the Countess:

In studying the action of the Analytical Engine, we find that the peculiar and independent nature of the considerations which in all mathematical analysis belong to operations, as distinguished from the objects operated upon and from the results of the operations performed upon those objects, is very strikingly defined and separated. It is well to draw attention to this point, not only because its full appreciation is essential to the attainment of any very just and adequate general comprehension of the powers and mode of action of the Analytical Engine, but also because it is one which is perhaps too little kept in view in the study of mathematical science in general.

Here was my microworld model, described by Ada Augusta in 1842!

#### So Much For Arithmetic

Lest you think she had only mathematics on her mind, she went on to say:

By the word operation, we mean any process which alters the mutual relation of two or more things, be this relation of what kind it may. This is the most general definition, and would include all subjects in the universe.

In fact, she went on to point out that the Analytical Engine was capable of symbolic computation and was not restricted to numerical analysis. This capability came from the fact that the programs in the Analytical Engine (coded on punch cards) not only contained the values of variables, but also the sequence of commands and operations to be performed. The Analytical Engine had what we call today an instruction set. These primitive instructions allowed values to be read and saved to memory (which Babbage called the store), and a series of basic operations, such as addition, which were carried out in the central processing unit (which Babbage called the mill). The punch cards contained what we would call machine language programs.

The Analytical Engine embodied the basic concepts of today's computers, but nineteenth-century craftsmen lacked the technology to build it. Though it was not constructed in Babbage's lifetime, his dreams and Ada's ideas finally came to light a century later.

So the next time you toss computer jargon into your conversation to be trendy, remember that you might be reflecting on the trends of some British inventors in the 1800s!

0

#### The Latest Developments

AT&T Technologies and Bell Atlantic have been testing a new modem that works at 2400 bits per second (bps) since July of this year. The CTS-1620 will debut some time in 1986 and be pegged between \$1,600 and \$2,600. Why the relatively steep price tag? The CTS-1620 will be the communications giant's first *cellular* modem.

The testing is being conducted in the Baltimore-Washington, D.C. area and includes users in several government agencies, banks, insurance companies, and real estate agencies. The cellular modem requires a cellular telephone and transmitter, as well as an input/display device. While the majority of initial buyers are expected to be lap computer owners, reliable sources within Ford Motor Company report that prototypes of a built-in dash terminal are being readied for trials late next year.

Although the CTS-1620 will be AT&T's first cellular modem, two lower-speed cellular units are already available from other companies. Motorola offers a 300 bps modem for \$195, and Spectrum Cellular has a 1200 bps modem that goes for \$695. Few details are available on the free-wheeling AT&T modem, but you can bet your seatbelt that by definition it will have "auto-answer" and "auto-dial."

#### **Better Than Gorillas**

The Source information service added 2400 bps access in August, with surcharges far lower than had been anticipated by industry watchers. Subscribers with 2400 bps modems pay \$1.80 and \$1.20 premiums for prime and nonprime time, respectively. With 1200 bps service priced at \$25.80 and \$10.80 for the same time periods, users are said to be moving to the higher-speed modems in droves.

Prices for 1200 bps modems continue to plummet. Cermetek of

Sunnyvale, California has announced the Infomate 1200-TPC, an internal "bare minimum" Hayes-compatible modem for the IBM PC priced at \$198. Cermetek isn't alone in the under-\$200 market. A recent issue of a popular electronic hobbyist publication contained several advertisements for stand-alone Hayes compatibles, with prices as low as a \$129 kit version for those bold enough to wield a soldering iron.

And 300 bps modems for under \$50—including software—are springing up like mushrooms after three days of rain. I fully expect them to be given out as party favors at upscale kids' birthday parties. Tacky? It's a definite improvement over singing gorillas with balloons.

The 2400 bps market is heating up as well. With industry leader Hayes at \$895 and the bulk of its competitors at \$795, U.S. Robotics (the manufacturer of Apple's 300 and 1200 bps modems) raised more than a few eyebrows when it dropped the list price of its Courier 2400 to \$695. Hats off to U.S. Robotics not only for lowering prices, but also for a number of "now why hasn't somebody else done that before" features of the Courier.

#### The Speed Of Choice

Here are some examples. Ever lose the "handy" reference card of commands that comes with most modems? The bottom of the Courier is imprinted with a complete command and register summary as well as an RS-232 pin assignment cheat sheet. If you're too lazy to turn the modem over, there are three separate full-screen help displays that can be called up while online. Also directly accessible on the bottom of the unit are DIP switches for changing the default settings, and a sliding volume control that (unlike those on some modems) can actually be manipulated by human beings

to control the internal speaker.

U.S. Robotics is working closely with system operators of computer-based bulletin boards to encourage 2400 bps. A special acquisition deal available to operators of heavily trafficked systems is rapidly making 2400 bps the speed of choice for serious telecomputerists. (If you're a system operator who'd like more information on the U.S. Robotics program, contact the company at 8100 North McCormick Boulevard, Skokie, IL 60076.)

The rapid move to 2400 bps seems to have caught some people unawares, however. During a recent visit to Atari Corp. in Sunnyvale, I was pleasantly surprised to find that the new ST series of computers includes a terminal emulator as a standard desktop accessory. But I was even more surprised when I opened its configuration menu and was presented with choices of 300, 1200, 4800, or 9600 bps. Something was missing—apparently an oversight.

"What happened to 2400?" I asked. The person showing me the ST managed to minimize his look of distress to a few nanoseconds. "Hmmmm...I'll have to write that one down," he said. "Hey, look at

this graphics demo...."

Atari's 4800 and 9600 bps options indicate that some companies are looking far beyond 2400 bps, though. If 2400 bps isn't fast enough for you, how about 10,000 bps—over regular phone lines? Digital Communications Associates of Alpharetta, Georgia has unleashed both internal (\$1,995) and external (\$2,395) modems, dubbed DCA Fastlinks. Even more of a mouthful than the Fastlink's speed is the proprietary DCA protocol it uses, called Dynamically Adaptive Multicarrier Quadrature Amplitude Modulation, or DAMOAM for short. And I thought that was an engine problem.



### IBM Personal Computing

Donald B. Trivette

#### Games People Play

In February I wrote about a new adventure game called *King's Quest*—and about a million of you wrote back asking me for the dwarf's name. Now the sequel is out. Sierra On-Line has just published *King's Quest II: Romancing the Throne*, and it is every bit (sorry) as challenging as the original game.

Playing the role of Sir Graham—now King Graham in the sequel-you can move through 93 three-dimensional animated screens looking for your true love, the fair maiden Valanice. But before you can find and rescue her, you must swim with a mermaid, bargain with an antique dealer, pray with a monk, and defy the curse of Dracula. Yes, there's even a mushy kissing scene at the end. To accumulate points, you have to solve such problems as crossing the poison lake surrounding Dracula's castle—although the points are secondary to rescuing Valanice. Like the original King's Quest, the game is full of hidden goodies: If you visit the entrance to the Hag's cave often enough, occasionally a Batmobile comes roaring out. (If you keep falling through the bridge, write and I'll tell you why.)

Ken and Roberta Williams, the husband-and-wife founders of Sierra On-Line, live in the foothills of the Sierra mountains in a real stone castle-complete with spiral stairs, three hot tubs, and a racquetball court. (Incidentally, the most technically difficult part of Kings Quest II was to program King Graham realistically winding his way up the castle's spiral stairs.) Roberta writes and draws the storyline on a giant sheet of paper, and Ken works with a group of programmers to turn her ideas into computer language and a finished game. Then Ken's brother John helps promote the product he's the director of public relations (and he lives in a conventional house).

If you've never played an adventure game, and are reluctant to part with \$49.95 to try King's Quest II, check around for a free demonstration disk. Instead of spending a lot of money running advertisements, Sierra On-Line has produced 15,000 incomplete versions of KQII and shipped them to dealers and computer clubs across the country. If you like the demo, you'll love the game.

King's Quest II runs on all IBM PCs, PCjrs, and most compatibles with 128K RAM, one disk drive, and a color monitor. (An Apple II version is under construction.) This is one game that no PCjr owner will want to be without; the color and sound are excellent.

#### **Climbing The Money Tree**

If galloping around 93 screens in search of a maiden isn't your idea of fun, then how about slogging through 77 weeks' worth of financial data in an attempt to make a million dollars?

Blue Chip Software creates games for the Walter Mitty in us. *Millionaire* is for wheelers and dealers on the New York Stock Exchange; *Tycoon*, for the commodity speculators; and *Baron*, for those who believe that the only sure way to millions is real estate. These games are available for the IBM PC family of computers, most compatibles, the Apple II series, Macintosh, and Commodore 64/128. The IBM version costs \$49.95; the others a little less.

Which of these games you'll want to play depends on your perspective and experience. I bought my first stock when I was 12 years old. The company promptly went bankrupt and my three-share certificate now graces my wall. How to invest in real estate has become the biggest TV-ad fad since how to grow hair on a bald head—and about as successful, I imagine. The

only thing I know about commodity speculation is that I shouldn't. Therefore, *Tycoon* was the game I chose to test my financial acumen.

Before you can begin *Tycoon*, the computer takes about four minutes to generate a unique trading environment from 300,000 possibilities. Once the environment is set, you are given \$10,000 and a list of 15 commodities to buy and sell.

Although I've never seen a soybean, and can't stand soy sauce, I selected them as a likely vehicle for my fortune. Somewhere I read that the way to play commodities is to pick one and stick with it—not to jump from wheat to pork bellies (yuck!) to heating oil. Apparently that is sound advice. By ignoring all other commodities and concentrating on soybeans, I parlayed my \$10,000 into \$1,082,598 in just 60 weeks. (If only I were so lucky in real life!)

But Tycoon is more than a game for those of us too chicken to buy real soybeans. Like Millionaire and Baron, it is an educational game which closely simulates actual economic situations and the workings of real markets. Blue Chip Software says these programs are used at all levels of instruction—from fifthgrade economics classes in the Chicago Public Schools to college courses at Penn State and Southern Illinois University.

It's true, you will learn about interest, commissions, taxes, margins, short-selling, and options, but these games may not make you a more successful investor. They may have just the opposite effect. Once you see how easy it is to make money, once you think you've mastered the technique, you may be tempted to mortgage the house and play in the real world. But before you do, give me a call. I've got a tonic guaranteed to grow hair.... ©

#### Atari Disk Drive Compatibility

Way back in 1978, when Atari announced the double-density 815 disk drive, Percom Data Corporation saw the prototypes displayed at several shows and decided it could easily build a better drive which would sell for less.

Because Percom produced both single- and double-sided disk drives using both single and double density, and because it wanted to maintain compatibility with both the single-density 810 and doubledensity 815 drives, Percom invented the configuration block (more on this below). With some cooperation from a small, brand-new software company (wonder who that could be) which had inherited the source code rights to Atari's File Management System (FMS), Percom succeeded in establishing standards which have been adhered to by all other Atari-compatible drive manufacturers. All Atari-compatible drive manufacturers except one, that is: Atari. Before the 815 even hit the market, Atari dropped it from the product line. Years later, in 1984, Atari introduced the "enhanced density" 1050, which is actually somewhere between singleand double-density. Sigh.

As of this writing, the following drives and/or modification kits are known to be capable of understanding the Percom-standard double-density mode and configuration table: Percom, Indus, Amdek, Astra, Trak, Rana, SWP (ATR-8000), Happy Doubler, and ICD's US Doubler.

#### The Percom Config Block

As defined by the Percom standard, a config block is a set of 12 bytes within the memory of the disk control microprocessor—which is inside your disk drive(s). You read a drive's config block by passing "N" to it as an SIO command. You can write a new config block to a drive via an "O" command. The "N" and

"O" commands closely parallel the "R" and "W" sector input/output commands, except the data length is always 12 bytes and no sector number is needed. The 12 bytes in the block are shown in the table.

Byte #	# of Bytes	Description
0	1	Number of Tracks
1	1	Step Rate
2-3	2	Sectors per Track
4	1	Number of Sides or Heads
5	1	Density (0=Single,
		4=Double)
6-7	2	Bytes per Sector
8	1	Drive Selected?
9	1	Serial Rate Control
10-11	2	Miscellaneous (reserved)

This table requires some explanation. First, all the double-byte values are in high-byte/low-byte order, the opposite of normal 6502 practice (because that's how the microprocessor Percom used in their drives worked). Also, not all these values have meaning to all manufacturers. In fact, some don't allow you to change more than two or three of the values listed here.

The Step Rate controls the speed of a drive's head stepping motor, and the values used here have no universal meaning. A step rate of 2 may mean 6 milliseconds per track to one drive, 20 milliseconds per track to another, or be illegal to yet another.

Number of Sides is actually one less than the actual number. So most drives use a zero here, meaning one head.

Changing the value of Drive Selected may turn the drive off as far as the computer is concerned. Percom must have had its reasons for this, but I don't know what they were.

#### Changing The Config Block

For the Density byte of the config block, I don't know of any drives which use values other than 0 (FM mode, single density) or 4 (MFM mode, double density). If you find a drive that actually *uses* some other value (not just ignores it), let me know.

The Serial Rate Control value and Miscellaneous bytes have no universal meanings. Some drives will remember these values if you change them; other drives ignore your values.

So that leaves Number of Tracks, Sectors per Track, and Bytes per Sector, all of which should be self-explanatory. Again, though, many drives ignore values outside certain legal ranges. Indus drives, for example, reject any changes to the number of tracks or sectors. In fact, Indus pays attention only to the Bytes per Sector and the Density bytes. Experiment with your own drive(s). See what they will and will not allow. And even if they seem to allow a change, do they execute it or ignore it? (Fun, if you're a masochist, right?)

And just how do you read and/or change the config block? Have a look at the BASIC program following this column. It should be pretty much self-explanatory. You can use the subroutines at 8010, 8210, and 9010 in your own programs. Remember what we said at the beginning, however: Atari drives do not follow the Percom config block standard. As a result, this program works only on Ataricompatible disk drives, not on the Atari 810 or 1050.

#### **Configuration Block Modifier**

For instructions on entering this listing, please refer to "COMPUTEI's Guide to Typing In Programs" published bimonthly in COMPUTEI.

```
KG 1010 REM
NP 1020 REM CONFIGURE FROM B
ASIC
KI 1030 REM
DJ 1050 DIM TEMP$(20),TBL$(1
2),CMD$(1)
GK 1060 GRAPHICS 0:PRINT "
*** DISK CONFIGURATI
ON PROGRAM ***"
```

M0 1070 PRINT : PRINT : PRINT

PM 1420 PRINT "BYTES PER SEC KP 8300 POKE TBL+6. INT (BYTES "What disk drive wil PERSECTOR/256) TOR";:TEMP=BYTESPERS 1 we work with"; FG 8310 POKE TBL+7, BYTESPERS NO 1080 INPUT DRIVE ECTOR PK 143Ø GOSUB 7ØØØ: BYTESPERS ECTOR-PEEK (TBL+6) #25 EA 1090 IF DRIVE<1 OR DRIVE> 8 OR DRIVE<>INT(DRIV FCTOR=TEMP NA 144Ø PRINT "NUMBER OF SID CN 8320 POKE TBL+8, SELECT E) THEN RUN ES";:TEMP=SIDES HN833Ø POKE TBL+9, ACIA NL 1100 GRAPHICS Ø: PRINT "DR MM 834Ø POKE TBL+1Ø, INT (MISC 06 145Ø GOSUB 7ØØØ: SIDES=TEM IVE #"; DRIVE; /256)AL 1110 GOSUB 8000 P8 1120 IF SIOSTATUS< 128 THE HE 146Ø PRINT "DENSITY";:TEM N8350 POKE TBL+11, MISC-PEE P\*DENSITY K(TBL+1Ø) \*256 N 1170 CMD\$="0":GOSUB 9000: DI 113Ø PRINT " won't let me GOSUB 7000: DENSITY=T GA 1470 REM ---WRITE BLOCK-read" **EMP** IJ114Ø PRINT "(3 SPACES)the FK 1480 PRINT PRINT "STEP RATE";:T LC 837Ø RETURN FH 1490 configuration block REM DISK DENSITY CHA HE 9000 **EMP**=STEPRATE NGE ROUTINE 01 1150 PRINT : PRINT "It gav C 1500 GOSUB 7000:STEPRATE= e me error #";SIOSTA LA 9030 REM TEMP AA 1510 PRINT "SELECT"; : TEMP LN 9040 **REM ENTER:** DRIVE NU THS MBER IN DRIVE AU 116Ø STOP =SELECT 00 9050 REM . (5 SPACES) buffe CA 1170 PRINT " looks like t # 1520 GOSHB 7000: SELECT=TE his:":PRINT r address in ADDR MP CI 1180 PRINT TRACKS;" TRACK S of ";SECTORSPERTRA CK;" SECTORS each" REM . {12 SPACES} comma IP 9060 PRINT "ACIA";:TEMP=A JO 153Ø nd in CMD\$ CIA LE 9070 REM MM 1540 GOSUB 7000:ACIA=TEMP MA 1550 PRINT "MISCELLANEOUS 6H 9Ø8Ø REM (ONLY "N" AND "O JB 1190 PRINT :PRINT "each s ector has ";BYTESPER ARE VALID FOR CMD\$ WORD"; : TEMP=MISC SECTOR; " BYTES, & de ON 1560 GOSUB 7000:MISC=TEMP L6 9Ø9Ø REM nsity" 8H 157Ø GOSUB 82ØØ 6M 9100 REM EXIT: status in is "; DENSIT N8 1200 PRINT " PE 1580 IF SIOSTATUS(128 THE SIOSTATUS considered "; Y;", N 1100 IF DENSITY=Ø THEN PR KP 911Ø REM CO 159Ø PRINT : PRINT TRAP 9190:REM activa 61 1600 PRINT "Unable to set "SINGLE density, OL 9130 INT ted if SIOCALL\$ alre that configuration! ady DIM'd MM 1220 IF DENSITY=4 THEN PR IL 914Ø DIM SIOCALL\$ (16) INT "DOUBLE density, JH 1610 PRINT " drive issue d error #";SIOSTATUS MF 915Ø RESTORE 918Ø JM 9160 FOR CNT=1 TO 14: READ 8P 162Ø PRINT :PRINT "(hit R OH 1230 IF DENSITY<>0 AND DE BYTE NSITY<>4 THEN PRINT ETURN to continue)" F0 917Ø SIOCALL\$ (CNT) = CHR\$ (B "UNKNOWN DENSITY," MF 163Ø GOTO 11ØØ YTE): NEXT CNT JN 124Ø PRINT " with ";SIDE CH 7000 REM ENTER DATA OR NO S: " SIDE(s).' CHANGE MI 9180 DATA 104,32,89,228,1 16 1250 PRINT : PRINT "the ST LN 7Ø3Ø PRINT " ["; TEMP; "] ? 73,3,3,133,212,169,ø EP RATE setting is ,133,213,96 FH 9190 TRAP 40000: REM turn STEPRATE INPUT TEMP\$ LF 7Ø4Ø off TRAP Al 1260 PRINT "other setting BF 7Ø5Ø IF LEN(TEMP\$) THEN T s are SELECT=":SELEC EMP=VAL (TEMP\$) ML 9200 POKE 768, ASC ("1"): RE KN 7060 RETURN M don't ask me why T: " FP 921Ø POKE 769, DRIVE: REM m NN 127Ø PRINT " ACIA="; ACIA IP8000 REM EXTRACT INFO FRO ust be 1 through 8 and MISC=";MISC M TABLE EJ 1280 PRINT : PRINT "SELECT TBL=ADR(TBL\$):ADDR=T 06 922Ø POKE 77Ø, ASC (CMD\$) MA 923Ø POKE 771,128:REM ass BL A CHOICE: " CMD\$="N":GOSUB 9000: ume output 8H 129Ø PRINT "{3 SPACES}Ø -NJ 8Ø4Ø REM ---READ BLOCK--LI 924Ø IF CMD\$="N" THEN POK quit and save confi TRACKS=PEEK (TBL+Ø) E 771,64 IF 8Ø5Ø ouration' CH8060 STEPRATE=PEEK (TBL+1) 6N 925Ø POKE 773, INT (ADDR/25 0F1300 PRINT "{3 SPACES}1 -018070 SECTORSPERTRACK=PEEK 6): REM buffer addres change drive settin (TBL+2) \*256+PEEK (TBL a (s) " PC 926Ø POKE 772, ADDR-256\*PE HP 1310 PRINT "(3 SPACES)2 -+3) JI 8080 SIDES=PEEK (TBL+4)+1 EK(773) work with another d FH 9270 POKE 774, 3: REM short 06 8 Ø 9 Ø DENSITY=PEEK (TBL+5) rive' EI 1320 PRINT :PRINT "your KJ8100 BYTESPERSECTOR=PEEK ( timeout hoice ";: INPUT CHOIC TBL+6) #256+PEEK(TBL+ KA 928Ø POKE 775, Ø:REM (high byte of timeout) 81 9290 POKE 776, 12: POKE 777 6K 133Ø IF CHOICE=Ø THEN JUN IC 811Ø SELECT=PEEK (TBL+8) ,Ø:REM assume std co NC 812Ø ACIA=PEEK (TBL+9) K=USR (58484) JF 1340 IF CHOICE=2 THEN RUN PA 813Ø MISC=PEEK(TBL+1Ø) \*25 nfig block 6+PEEK(TBL+11) H6 9300 SIOSTATUS=USR (ADR (SI KN 814Ø RETURN OCALL\$)) E01350 GRAPHICS 0:PRINT "En KN 931Ø RETURN FP8200 REM PUT NEW INFO INT ter new values. Hit RETURN to" O TABLE 0 TBL=ADR(TBL\$):ADDR=T AB 136Ø PRINT " leave a val ue unchanged." BL 08240 POKE TBL+0, TRACKS FI 1370 PRINT BF 1380 PRINT "TRACKS"; : TEMP NA 8250 POKE TBL+1, STEPRATE P8 8260 POKE TBL+2, INT (SECTO =TRACKS RSPERTRACK/256) IJ 1390 GOSUB 7000: TRACKS=TE JF 8270 POKE TBL+3, SECTORSPE MP HM 1400 PRINT "SECTORS PER T RTRACK-PEEK (TBL+2) #2 RACK";:TEMP=SECTORSP 54 E 8280 POKE TBL+4, SIDES-1 ERTRACK JA 8290 POKE TBL+5, DENSITY N 1410 GOSUB 7000: SECTORSPE RTRACK=TEMP

#### Clearing Up Variable Cloudiness

If you're just learning to program, variables can be confusing at first especially because there are so many varieties of variables. Last month's column introduced the concept of numeric variables. But, depending on your computer's BASIC, there are also integer variables, double-precision variables, string variables, numeric array variables, and string array variables. This month we'll cover integer variables and tackle the rest later.

Numeric variables, you'll recall, represent ordinary numbers. For instance, you can store the number 10 in the variable X with the BASIC statement X = 10. Numeric variables can represent fractions just as easily, as in X = 98.6. An integer variable is similar, but with one important difference. As the term implies, integer variables can only represent integers—whole numbers. Fractions like 98.6 aren't allowed. There's one other limitation, too. In most BASICs which allow integer variables, the value cannot range beyond a maximum of 32,767 or a minimum of -32,768.

At first, these restrictions may seem odd. What's the advantage of limiting a variable to a whole number, and especially a whole number within a relatively narrow range?

The answer has to do with the way computers manipulate numbers. Internally, they use the binary numbering system instead of our everyday decimal system. Translating decimal numbers into binary gets tricky when the decimal number is a fraction, or floating point number (so-called because the decimal point can "float" to the left or right, as in 98.6 or 9.86). The conversion process requires a few valuable microseconds, and it takes several bytes of memory just to store a single floating point number.

#### Are Integers Faster?

Integer variables can greatly simpli-

fy matters for a computer. Because fractions aren't allowed, the operating system doesn't have to spin its wheels performing lengthy floating point conversions. And when the integers are limited to a range of -32,768 to 32,767, each number can be stored in only two bytes of memory.

Saving a few bytes of memory isn't a terribly important consideration anymore, now that nearly all personal computers come with at least 64K of RAM. But on certain computers, integer variables can help your programs run fasteroften significantly faster.

In Commodore BASIC, Applesoft, and IBM BASIC, you declare an integer variable by appending a percent symbol (%) to the variable name, as in X% = 10. (Integer variables are not available in TI BASIC or Atari BASIC, but are supported in Atari Microsoft BASIC.) A common mistake is to accidentally omit the % symbol in a statement somewhere, often leading to a mysterious error or unexpected result. Keep in mind that two variable names such as X and X% are treated by the computer as completely separate variables—they can store independent values and are as different as A and Z.

To test the performance of integer variables versus regular variables on your computer, enter this simple program:

10 FOR X=1 TO 32000

20 Y = Y + 1

30 NEXT X

40 PRINT Y

Use a watch to measure how long this program takes to execute. Jot down the result, then change all three occurrences of Y to integer variables by adding the % symbol. Now run the program and time it again.

#### Surprising Results

What happened? If you have an

IBM PC or PCjr, the program should run measurably faster. But if you have a Commodore or Apple, the program actually runs slower. What's going on?

Integer variables are indeed faster and more memory-efficient on IBM computers. But on Commodore and Apple computers, integer variables actually execute slower and consume just as much memory as regular variables. This is true even though all three computers have versions of Microsoft BASIC. The reason is that the math routines in the Commodore and Apple are designed to handle floating-point numbers only. Therefore, the computer must convert integer variables into floating-point values, perform the math requested by the program, and then convert the results back into integers. All this conversion takes so long (in computer terms) that integer variables really aren't any faster than regular variables on Commodore or Apple computers.

It would seem, then, that integer variables are useless if you have a Commodore or Apple. But in fact, they can speed up your programs and save memory when used to construct arrays—a future column topic.

In the meantime, let's clear up another mystery raised by the above program. If you examine it closely, you might wonder why converting Y to Y% makes it run faster even on the IBM. Since the FOR-NEXT loop is incrementing Y by steps of one, Y is never a fraction, anyway—it's always a whole number. But computers handle all numeric variables as floating point numbers, even when the value is a whole number and not a fraction. Defining a variable as an integer variable forces the IBM to treat it as an integer.



### The Computer Book Glub®

Recognized as the authoritative source for micro users!

#### **Superior Performance Practical Price!**

More programs, projects, ways to use your micro for home, hobby, education, and business!

### Select 5 Books for Only \* 2 95









1540

1000P List \$8.25 (paper)

1750 List \$19,95



#### Making Money With Your Microcomputer FREE!



1906 List \$18.95



List \$14.50 (paper)



1533P List \$11.95 (paper)





1849



1811 List \$21.95



List \$15.50 (paper)



1748P List \$10.95 (paper)



1169P List \$14.50 (paper)



1822 List \$24.95




1702 List \$15.95



995P List \$6.95 (paper)





1251













List \$11.50 (paper)



1882 List \$19.95





#### 7 very good reasons to join The Computer Book Club®

- Big Savings. Save 20% to 75% on books sure to increase your computer know-how
- No-Risk Guarantee. All books returnable within 10 days without obligation
- Club News Bulletins. All about current selections-mains, alternates extras-plus bonus offers. Comes 13 times a year with hundreds of up-tothe-minute titles you can pick from
- "Automatic Order." Do nothing and the Main selection will be shipped automatically! But . . . if you want an Alternate selection—or no books at all-we'll follow the instructions you give on the reply form provided with every News Bulletin
- Bonus Books. Immediately get a Dividend Certificate with every book purchased and qualify for big discounts of 60% to 80%
- Extra Bonuses. Take advantage of added-value promotions, plus special
- Exceptional Quality. All books are first-rate publisher's editions selected by our Editorial Board and filled with useful up-to-the-minute information



1295P List \$10.25 (paper)







**Making Money With** Your Microcomputer **FREE** when you join!

> Publisher's List \$8.25 (paper)-No. 1506P

						S	ystem	ıs	
This Month	Last Month	TWARE:	Software Publisher	Best Sellers Remarks	Apple	Atari	Commodore	IBM	Macintosh
1. 2. 3. 4. 5.	4. 3. 1. 5. 2.	The Hitchhiker's Guide To The Galaxy F-15 StrIke Eagle Flight Simulator II Flight Simulator Karateka	Infocom  MicroProse SubLogic Microsoft Brøderbund	Comic adventure strategy game Air combat simulation Aircraft simulation Alrcraft simulation Action karate game	•	•	•	•	•
Educat	ion								
1. 2. 3.	3. 2. 1. 4.	New Improved MasterType Typing Tutor III Math Blaster!  Early Games	Scarborough Simon & Schuster Davidson Springboard	Typing instruction program  Typing instruction program Introductory math program, ages 6-12 Educational games, ages 2-6	•	•	•	•	•
5.		Music Construction Set	Electronic Arts	Music composition program	•	•	•		
Home	Manage	ement							
1. 2. 3.	1. 2.	Print Shop Print Shop Graphics Library Print Shop Graphics	Brøderbund Brøderbund Brøderbund	Do-it-yourself print shop 100 additional graphics	•	•	•		
3. 4.	5.	Library II The Newsroom	Springboard	More graphics  Do-it-yourself newspaper		•			
5.	3.	HomePak	Batteries Included	Word processing, telecommunications, & data management		•	•	•	

CAPUTE

Copyright 1985 by 8illboord Publications, Inc. Compiled by the 8illboord Research Deportment and reprinted by permission. Data as of 7/27/85.

Modifications or Corrections To Previous Articles

#### Commodore Disk 64 Commander

A character was smudged in the listing for this disk utility program from the September issue. Line 3315 (p. 82) should read as follows:

3315 :168,160,000,177,098,153,231

Also, the DOPEN command example for relative files (p. 81) is incorrect. The record length must be specified *outside* the quotes surrounding the filename, not within the quotes as shown. Thus, the example for opening a relative file named TEST with a record length of 20 characters should read:

DOPEN#1,"TEST",L20

#### Commodore 64 Headliner

The large characters displayed by this program from the August issue

(p. 72) do not have the desired color on newer 64s, and are invisible on older 64s which do not fill color memory. This is because the variable G, which is defined in line 100 as the address of the start of color memory and intended for use in line 530 to color the large characters, is redefined when it is used for another purpose in lines 200 and 220. There are several possible solutions to this problem, the simplest of which is to change the G in lines 200 and 220 to some other variable:

200 PRINTCHR\$(147)TAB(125)"DOW NLOADING THE CHARACTER SET ":C=53248:GN=12288:rem 114

22Ø POKE 56333,127:POKE1,51:FO R Q=ØTO1Ø23:POKEGN+Q,PEEK( C+Q):NEXT :rem 85

When adding the "Headliner" routine to your own programs, you

should make sure that your program does not use any of the variables in the main subroutine (lines 500–550) for any other purpose. The variables are P, L, X\$, G, CC, and SL.

#### **COMPUTE!**

TOLL FREE Subscription Order Line **800-334-0868** In NC

919-275-9809

114 COMPUTEI October 1985

### Machine Language Entry Program For Commodore 64 Charles Brannon, P

MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COM-PUTE!. You need to know nothing about machine language to use MLX—it was designed for everyone. At least 8K expansion memory is required.

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that Iooks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file.

#### Using MLX

Type in and save the appropriate version of MLX (you'll want to use it in the future). When you're ready to type in an ML program, run MLX. MLX for the 64 asks you for two numbers: the starting address and the ending address. These numbers are given in the article accom-

panying the ML program.

When you run MLX, you'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers-six actual data numbers plus a checksum number. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the space bar or RETURN key to advance to the next number. The checksum automatically appears in inverse video for emphasis.

To simplify your typing, MLX redefines part of the keyboard as a numeric keypad (Iines 581-584):

	U	I	0			7	8	9
Η	J	K	L	become	0	4	5	6
	M					1	2	3

#### **64 MLX Commands**

When you finish typing an ML listing (assuming you type it all in one session), you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you've made a typo when entering the MLX program itself.

You don't have to enter the whole ML program in one sitting. MLX lets you enter as much as you want, save it, and then reload the file from tape or disk later. MLX recognizes these commands:

> SHIFT-S: Save SHIFT-L: Load SHIFT-N: New Address SHIFT-D: Display

When you enter a command, MLX jumps out of the line you've been typing, so we recommend you do it at a new prompt. Use the Save command to save what you've been working on. It will save on tape or disk, as if you've finished, but the tape or disk won't work, of course, until you finish the typing. Remember what address you stop at. The next time you run MLX, answer all the prompts as you did before, then insert the disk or tape. When you get to the entry prompt, press SHIFT-L to reload the partly completed file into memory. Then use the New Address command to resume typing.

To use the New Address command, press SHIFT-N and enter the address where you previously stopped. The prompt will change, and you can then continue typing. Always enter a New Address that matches up with one of the line numbers in the special listing, or else the checksum won't work. The Display command lets you display a section of your typing. After you press SHIFT-D, enter two addresses within the line number range of the listing. You can abort the listing by pressing any key.

#### 64 MLX: Machine Language **Entry**

10 REM LINES CHANGED FROM MLX {SPACE} VERSION 2.00 ARE 750 ,765,770 AND 860 :rem 50 20 REM LINE CHANGED FROM MLX V ERSION 2.01 IS 300 :rem 147 100 PRINT"{CLR} [6]"; CHR\$(142); CHR\$(8);:POKE53281,1:POKE5 :rem 67

s Bro	annon, Program Editor
1Ø1	POKE 788,52:REM DISABLE RU
11ø	<pre>N/STOP</pre>
120	:rem 176 PRINT"{RVS}{14 SPACES} {RIGHT}{OFF}[**]£{RVS}
13Ø	<pre>{RIGHT} {RIGHT}{2 SPACES} E*3{OFF}E*3±{RVS}±{RVS} {14 SPACES}"; :rem 250</pre>
140	114 SPACES}"; :rem 35 PRINT"[RVS][41 SPACES]" :rem 120
200	PRINT" {2 DOWN } { PUR } { BLK } M ACHINE LANGUAGE EDITOR VER
210	SION 2.02(5 DOWN)":rem 238 PRINT"[53](2 UP)STARTING AD DRESS?[8 SPACES][9 LEFT]"; :rem 143
215	INPUTS:F=1-F:C\$=CHR\$(31+11 9*F) :rem 166
22Ø	IFS<256OR(S>40960ANDS<4915 2)ORS>53247THENGOSUB3000:G OTO210 :rem 235
225 23Ø	PRINT:PRINT:PRINT :rem 180 PRINT"[5]{2 UP}ENDING ADDR ESS?{8 SPACES}{9 LEFT}";:I NPUTE:F=1-F:C\$=CHR\$(31+119 *F) :rem 20
240	IFE < 256 OR (E > 40960 ANDE < 4915 2) ORE > 53247 THENGOSUB 3000: G
25Ø	OTO23Ø :rem 183 IFE <sthenprintcs;"{rvs}end ING &lt; START{2 SPACES}":GOS UB1000:GOTO 230 :rem 176</sthenprintcs;"{rvs}end 
26Ø 3ØØ	PRINT:PRINT:PRINT :rem 179 PRINT"{CLR}"; CHR\$(14):AD=S :rem 56
31Ø	A=1:PRINTRIGHT\$("0000"+MID \$(STR\$(AD),2),5);":"; :rem 33
315	FORJ=ATO6 :rem 33
32Ø	GOSUB570:IFN=-1THENJ=J+N:G OTO320 :rem 228
39Ø	IFN=-211THEN 710 :rem 62
400 410	IFN=-204THEN 790 :rem 64 IFN=-206THENPRINT:INPUT"
410	{DOWN}ENTER NEW ADDRESS"; Z Z :rem 44
415	IFN=-206THENIFZZ <sorzz>ETH ENPRINT" { RVS } OUT OF RANGE" :GOSUB1000:GOTO410:rem 225</sorzz>
417	IFN=-206THENAD=ZZ:PRINT:GO TO310 :rem 238

420 IF N<>-196 THEN 480

,2),5);":";

2),3);",";

430 PRINT: INPUT "DISPLAY: FROM";

440 IFF < SORF > EORT < SORT > ETHENPR

450 FORI=FTOTSTEP6:PRINT:PRINT

451 FORK=ØTO5:N=PEEK(I+K):PRIN TRIGHTS("ØØ"+MID\$(STR\$(N),

INT "AT LEAST"; S; " {LEFT }, N OT MORE THAN"; E: GOTO 430

RIGHT\$("ØØØØ"+MID\$(STR\$(I)

F:PRINT, "TO";:INPUTT

:rem 133

:rem 234

:rem 159

:rem 66

460	GETA\$:IFA\$>""THENPRINT:PRI
	NT:GOTO310 :rem 25 NEXTK:PRINTCHR\$(20);:NEXTI :PRINT:PRINT:GOTO310
480	:rem 50 1FN<0 THEN PRINT:GOTO310 :rem 168
490 500	
510	)AND255:NEXT :rem 200 PRINTCHR\$(18);:GOSUB570:PR
511	
515	
520	N530 :rem 122 PRINT:PRINT"LINE ENTERED W RONG: RE-ENTER":PRINT:GOS
530 540	UB1000:GOTO310 :rem 176 GOSUB2000 :rem 218 FORI=1TO6:POKEAD+I-1,A(I): NEXT:POKE54272,0:POKE54273
550	.Ø :rem 227 AD=AD+6:IF AD <e 212<="" 31ø="" :rem="" th="" then=""></e>
56Ø 57Ø	GOTO 710 :rem 108
58Ø 581	PRINT" [£1]"; :rem 81
582	AV=-(A\$="M")-2*(A\$=",")-3* (A\$=".")-4*(A\$="J")-5*(A\$= "K")-6*(A\$="L") :rem 41
583	AV=AV-7*(A\$="U")-8*(A\$="I")-9*(A\$="O"):IFA\$="H"THENA
584	\$="0" :rem 134 IFAV>ØTHENA\$=CHR\$(48+AV)
585	:rem 134 PRINTCHR\$(20);:A=ASC(A\$):I FA=13ORA=44ORA=32THEN670
590	:rem 229 IFA>128THENN=-A:RETURN :rem 137
6ØØ 61Ø	
	=-1:PRINT"{OFF}{LEFT} {LEFT}";:GOTO690 :rem 62
620 630	GOTO570 :rem 109 IFA<480RA>57THEN580
640	:rem 105 PRINTA\$;:N=N*10+A-48 :rem 106
650	IFN>255 THEN A=20:GOSUB100 0:GOTO600 :rem 229
66Ø 67Ø	Z=Z+1:IFZ<3THEN580 :rem 71 IFZ=0THENGOSUB1000:GOTO570
68Ø 69Ø	:rem 114 PRINT",";:RETURN :rem 240 S%=PEEK(209)+256*PEEK(210)
691	+PEEK(211) :rem 149 FORI=1TO3:T=PEEK(S%-I)
695	:rem 67 IFT<>44ANDT<>58THENPOKES%-
700	I,32:NEXT :rem 205 PRINTLEFT\$("{3 LEFT}",I-1)
71Ø	;:RETURN :rem 7 PRINT"{CLR}{RVS}*** SAVE *
715	**{3 DOWN}" :rem 236 PRINT"{2 DOWN}(PRESS {RVS}) RETURN{OFF} ALONE TO CANCE
720	L SAVE) {DOWN}" :rem 106 F\$="":INPUT" {DOWN} FILENAM E";F\$:IFF\$=""THENPRINT:PRI
730	NT:GOTO310 :rem 71 PRINT:PRINT"{2 DOWN}{RVS}T {OFF}APE OR {RVS}D{OFF}ISK
740	: (T/D)" :rem 228 GETA\$:IFA\$<>"T"ANDA\$<>"D"T
750	HEN740 :rem 36 DV=1-7*(A\$="D"):IFDV=8THEN

	F\$="Ø:"+F\$:OPEN15,8,15,"S"
	+F\$:CLOSE15 :rem 212
760	T\$=F\$:ZK=PEEK(53)+256*PEEK
	(54)-LEN(T\$):POKE782,ZK/25
	6 :rem 3
762	POKE781, ZK-PEEK(782)*256:P
	OKE780, LEN(T\$):SYS65469
	:rem 109
763	POKE78Ø,1:POKE781,DV:POKE7
703	82,1:SYS65466 :rem 69
765	02,1:51505400 :[em 09
765	K=S:POKE254,K/256:POKE253,
	K-PEEK(254)*256:POKE780,25
	3 :rem 17
766	K=E+1:POKE782,K/256:POKE78
	1,K-PEEK(782)*256:SYS65496
	:rem 235
770	IF(PEEK(783)AND1)OR(191AND
775	ST)THEN78Ø :rem 111 PRINT"{DOWN}DONE.{DOWN}":G
	OTO310 :rem 113
780	PRINT" {DOWN }ERROR ON SAVE.
700	{2 SPACES}TRY AGAIN.":IFDV
	=1THEN720 :rem 171
781	OPEN15,8,15:INPUT#15,E1\$,E
/81	OPENIO, 8, 10: INPUT#15, E15, E
	2\$:PRINTE1\$; E2\$:CLOSE15:GO
	TO720 :rem 103
790	PRINT"{CLR}{RVS}*** LOAD *
	**{2 DOWN}" :rem 212
795	PRINT"{2 DOWN}(PRESS {RVS}
	RETURN {OFF } ALONE TO CANCE
	L LOAD)" :rem 82
800	F\$="":INPUT"[2 DOWN] FILEN
	AME"; F\$:IFF\$=""THENPRINT:G
	OTO310 :rem 144
810	
	{OFF}APE OR {RVS}D{OFF}ISK
	: ('T/D)" : rem 227
82Ø	
02.0	HEN82Ø :rem 34
	:1em 34

830 DV=1-7\*(A\$="D"):IFDV=8THEN F\$="Ø:"+F\$ :rem 157 840 T\$=F\$:ZK=PEEK(53)+256\*PEEK (54)-LEN(T\$):POKE782,ZK/25 :rem 2 841 POKE781, ZK-PEEK (782) \* 256: P OKE780, LEN(T\$):SYS65469 :rem 107 845 POKE780,1:POKE781,DV:POKE7 82,1:SYS65466 :rem 70 850 POKE780,0:SYS65493 :rem 11 86Ø IF(PEEK(783)AND1)OR(191AND ST) THEN870 :rem 111 865 PRINT" [DOWN] DONE. ":GOTO310 :rem 96 870 PRINT" { DOWN } ERROR ON LOAD. {2 SPACES}TRY AGAIN.{DOWN} ":IFDV=1THEN800 :rem 172 88Ø OPEN15,8,15:INPUT#15,E1\$,E 2\$:PRINTE1\$; E2\$:CLOSE15:GO TO8ØØ :rem 102 1000 REM BUZZER :rem 135 1001 POKE54296,15:POKE54277,45 :POKE54278,165 :rem 207 1002 POKE54276,33:POKE 54273,6 : POKE54272,5 :rem 42 1003 FORT=1TO200:NEXT:POKE5427 6,32:POKE54273,Ø:POKE5427 2,0:RETURN :rem 202 2000 REM BELL SOUND :rem 78 2001 POKE54296,15:POKE54277,0: POKE54278,247 :rem 152 2002 POKE 54276,17:POKE54273,4 Ø:POKE54272,Ø :rem 86 2003 FORT=1T0100:NEXT:POKE5427 6,16:RETURN :rem 57 3000 PRINTC\$;"[RVS]NOT ZERO PA GE OR ROM":GOTO1000 :rem 89 0




Switch selectable Commodore graphics mode for Epson, StarMicronics, C. Itoh. Prowriter, Okidata, Seikosha, Banana. BMC, Panasonic, Mannesman Talley & others

#### Universal Input/Output Board for C-64 & C-128

- 16 Channel 8-bit A/D converter with 100 microsecond sampling time.
- 16 high voltage/high current discrete output
- 1 EPROM socket
- Use multiple boards for additional channels up to 6 boards

CBM-64 used MW-611 ..... \$225.00

Dealer Inquiries invited



\$50 for your old

interface

Micro World Computers, Inc. (303) 987-9531 3333 W. Wadsworth Blvd. #C105

NEW!

Universal Parallel **Graphics Interface** 

with popular software

tranparent mode

 Built-in self-test with status report Optional RAM printer buffer · Provides virtually total emulation of Commodore printers for compatability

ASCII conversion, total test, Emulate &

· Fully intelligent interface that plugs into

standard Commodore printer socket

Exclusive graphic key-match function

Micrografix MW-350 ..... \$129

..... \$79.00 with any trade in

Lakewood, CO 80227



#### Sprites In TI Extended BASIC

Since this month's COMPUTE! is a game issue, let me remind you that COMPUTE!'s First Book of TI Games is still available. It offers a variety of games that do not require TI Extended BASIC.

Eventually, however, game programmers usually want the Extended BASIC command module because it adds several programming features, including up to 28 sprites (smoothly moving screen objects). With one statement you can define a sprite and set it in continuous motion. For example, try this short program:

```
100 REM TI EXTENDED BASIC
110 REM SPRITE DEMO
120 DEF R(X)=INT(X*RND)
13Ø CALL CLEAR
140 FOR S=1 TO 28 :: RAND
    OMIZE
150 CALL SPRITE (#S, 64+S, R
    (15)+2,9Ø,128,R(255)-
    127,R(255)-127)
160 NEXT S
17Ø GOTO 17Ø
18Ø END
```

This month's main program, "Sprite Tester," offers a way to test your sprites before putting them into a program of your own. After it displays a sprite on the screen, it lets you change various characteristics of the sprite by entering different numbers. You may experiment as much as you wish. When you have the sprite moving as you want, simply jot down the CALL SPRITE statement shown at the bottom of the screen.

#### **Designing The Sprite**

To get started, type in and run Sprite Tester. Choose a magnification factor from 1 to 4. (A regularsize character is magnification 1 and a four-times size is magnification 2. Magnification 3 is made up of four regular-size characters, and magnification 4 is four large characters.)

Next choose a character number from 33 to 95—one of the characters from the regular ASCII character set. If you prefer to use your own graphic character, insert a CALL CHAR statement to redefine a character.

You may then choose a sprite color. Since 1 is transparent (the screen color), you must choose a color number from 2 to 16. If you choose color 8, the screen changes so you'll be able to see the sprite. All other colors use the cyan background screen.

Next choose a dot row and dot column position from which the sprite should start moving. Then, to move the sprite, select a row velocity and column velocity. Since these may be positive or negative numbers, first choose + or -, press ENTER, then pick the number and press ENTER again. If you want to experiment with the position of the sprite, keep the row velocity and column velocity at +0. Otherwise, the sprite will be in motion, and you may not be able to see the dot row and dot column changes.

As you enter parameters, the CALL MAGNIFY and CALL SPRITE statements at the lower part of the screen show the sprite's present conditions. The program continues until you press FCTN-CLEAR.

#### Extended BASIC Features

Extended BASIC contains a number of statements which make programs such as Sprite Tester easier to write. The DISPLAY AT statements, for instance, allow you to print at a specified row and column. USING helps to format output, right-justifying numbers in this case.

The ACCEPT statement is quite versatile for accepting input. BEEP sounds a tone when the computer is waiting for the input. AT() lets you receive the input starting at a certain row and column on the screen, and SIZE limits the input to

a specified number of characters. VALIDATE allows you to specify what characters are acceptable as input. To erase or change before you press ENTER, you can press FCTN-ERASE. Unfortunately, if you enter something wrong, an error message appears and the printing on the screen starts to scroll. Afterward, the cursor may not be lined up with the original question.

Unlike Console BASIC, Extended BASIC lets you follow THEN and ELSE in IF statements with either a line number or a command.

The CALL SPRITE statement specifies the sprite number, the character number for the sprite, the foreground color, the beginning dot row and dot column positions, and the row velocity and column velocity.

CALL MAGNIFY sets the magnification factor. You can change characteristics of the sprite either by using another CALL SPRITE statement or CALL PAT-TERN for the character number, CALL COLOR for color, and CALL MOTION for the velocities.

If you prefer to save typing effort, you can obtain a copy of this program by sending a blank cassette or disk, a stamped, selfaddressed mailer, and \$3 to:

C. Regena P.O. Box 1502 Cedar City, UT 84720

Please be sure to specify that you want Sprite Tester.

```
100 REM TI EXTENDED BASIC
11Ø REM SPRITE TESTER
12Ø CALL CLEAR
13Ø CALL SCREEN(8)
140 CALL CHAR (96, "080402F
    FØ2Ø4Ø8")
150 CALL COLOR(9,10,1)
160 CALL CHAR(95, "10107C1
    Ø1ØØØ7C")
17Ø CH=42
18Ø COLOR=2
```

19Ø DROW=96 200 DCOL=128 210 VROW-Ø 22Ø VCOL≃Ø 23Ø M=1 240 CALL MAGNIFY(M) 25Ø DISPLAY AT (20,1): "CAL L MAGNIFY(1)" DISPLAY AT(22,1): "CAL L SPRITE(#1,42, 2, 96 {3 SPACES}128, {3 SPACES}Ø. (3 SPACES)Ø)" 27Ø CALL SPRITE(#1,CH,COL OR, DROW, DCOL, VROW, VCO 280 CALL HCHAR(1,3,96) 29Ø DISPLAY AT(1,2): "MAGN IFY 1-4:" 300 ACCEPT AT(1,16) VALIDA TE("1234")BEEP SIZE(1 ): M 310 CALL MAGNIFY(M) 320 CALL HCHAR (20, 16, M+48 330 CALL HCHAR(1,3,32) 340 CALL HCHAR (3, 3, 96) DISPLAY AT(3,2): "CHAR ACTER 33-95:" ACCEPT AT (3, 20) VALIDA TE(DIGIT) BEEP SIZE(2) : CH 37Ø IF (CH<33)+(CH>95)THE N 36Ø 380 CALL PATTERN(#1,CH) 390 DISPLAY AT (22, 16): USI NG "##": CH; 400 CALL HCHAR(3,3,32) 410 CALL HCHAR (5, 3, 96) 420 DISPLAY AT(5,2): "COLO R 2-16:" 43Ø ACCEPT AT (5, 15) VALIDA TE(DIGIT) BEEP SIZE(2) : COLOR 44Ø IF (COLOR<2)+(COLOR>1 6) THEN 43Ø 45Ø IF COLOR<>8 THEN 48Ø 460 CALL SCREEN(16) 47Ø GOTO 49Ø 480 CALL SCREEN(8) 490 CALL COLOR(#1, COLOR) 500 DISPLAY AT(22,19):USI NG "##": COLOR: 510 CALL HCHAR (5, 3, 32) 520 CALL HCHAR (7,3,96) 53Ø DISPLAY AT(7,2): "DOT ROW 1-196: " 540 ACCEPT AT (7, 18) VALIDA TE(DIGIT)BEEP SIZE(3) : DROW 550 IF (DROW(1)+(DROW>196 ) THEN 540 CALL SPRITE (#1, CH, COL DR, DROW, DCOL, VROW, VCO L) 570 DISPLAY AT(22,22):USI NG "###": DROW; 580 CALL HCHAR (7, 3, 32) 590 CALL HCHAR (9, 3, 96) 600 DISPLAY AT (9,2): "DOT COLUMN 1-256: ACCEPT AT (9, 21) VALIDA TE(DIGIT) BEEP SIZE(3) : DCOL IF (DCOL<1)+(DCOL>256 ) THEN 610 630 CALL SPRITE(#1,CH,COL

OR, DROW, DCOL, VROW, VCO 640 DISPLAY AT (23, 1): USIN G "###": DCOL; 650 CALL HCHAR (9, 3, 32) 66Ø CALL HCHAR(9,3,32) 670 CALL HCHAR(11,3,96) 68Ø DISPLAY AT(11,2): "ROW VELOCITY \_127: 69Ø ACCEPT AT(11,22) VALID ATE("+-")BEEP SIZE(1) 700 ACCEPT AT(11,23) VALID ATE (DIGIT) SIZE (3): VRO 71Ø IF VROW>127 THEN 68Ø 72Ø IF S\$="-" THEN VROW=-VROW CALL MOTION(#1, VROW, V COL) 74Ø DISPLAY AT(23,5):USIN G "####": VROW; 750 CALL HCHAR(11,3,32) 760 CALL HCHAR(13,3,96) 77Ø DISPLAY AT(13,2): "COL UMN VELOCITY \_127: 780 ACCEPT AT(13, 25) VALID ATE("+-") BEEP SIZE(1) 790 ACCEPT AT (13,26) VALID ATE (DIGIT) SIZE (3): VCO 800 IF VCOL>127 THEN 770 IF S\$="-" THEN VCOL=-VCOL

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of

the magazine.

820 CALL MOTION(#1, VROW, V

830 DISPLAY AT(23,10):USI

0

NG "####": VCOL:

840 CALL HCHAR(13,3,32)

COL)

85Ø GOTO 28Ø

86Ø END

#### Save Your Copies of COMPUTE!



Each binder or case is custom-made in flag-blue binding with embossed white lettering. Each holds a year of COMPUTE!. Order several and keep your issues of COMPUTE! neatly organized for quick reference. (These binders make great gifts, too!)

Cases: \$6.95 each; 3 for \$20.00; 6 far \$36.00

Please allaw 4-6 weeks far delivery.

**Binders** \$8.50 each; 3 far \$24.75; 6 for \$48.00

(Please add \$2.50 per unit for orders outside the U.S.)

Send in your prepaid order with the attached coupon

Mail to: Jesse Jones Industries, P.O. Box 5120, Dept. Code COTE, Philadelphia, PA 19141 \_ COMPUTE! 🗆 cases 🔲 binders. Enclosed is my check or money order for \$ \_  $_{-}$  . (U.S. funds only.) Name Address . City\_ Zip. Satisfaction augranteed or maney refunded.

ATARI is a trademark of ATARI INC.

The state of the s
Atari 520 ST-
Monochrome System Call
Atari 520 ST-RGB System . Call Call for latest ST Software and Accessories
Call for latest ST Software and Accessories
SUPERPRINTER PACKAGES
SG-10 Printer and U-Print A 289
Panasonic 1091 and U-Print A 318
Legend 880 & U-Print A 287
Citoh 8510AP + & U-Print A
Powertype & U-Print A379
Super Printer Packages have no extra charges when

Super Printer Packages ha shipped in Continental US		wher
ATARI INTERFACES	INDUS GT	21

U-Print A/32K Buffer U-Print A/64K Buffer 109.95 R-Verter Adaptor

for Atari	219
MPP 1000E Modem 89	9.95

NEW U-Call Modem Adapter 44.95
--------------------------------------

#### ATARI SUPER SPECIALS

Epvx™					
Rescue on Fractalus-D 24.95 World's Greatest	Koronis Rift-D 24.95 Ballblazer-D 24.95 Pitstop II-D 24.95				
Football-D 24.95 The Eidolon-D 24.95	Summer Games-D 24.95				
Winter Games 24.95 Super Special Prices Effective I					
ATADL COFTWADE					

ATARI SOFTWARE				
BROOERBUNO	MISC. ATARI (cont'd.)			
Bank Street Writer-D 34.95	On-Track Racing-D 20.95			
Loderunner-D 23.95	Bounty Bob-Cart 29.95			
Spelunker-D 20 95	Bounty Bob-Cart 29.95 Ramrod XL 79.95			
Stelth-D 20.95	Alien Voice Box 99.95			
Print Shop-D 34.95	B.I. 80 Column Card 49.95			
Serpent's Star-D 27.95	OSS			
Print Shop Paper 16.95	Basic XL-Cart 52.95			
Print Shop Graphics-D 19 95	MAC 65XL-Cart 49 95			
ELECTRONIC ARTS	Action-Cart 49.95 Basic XL-Cart 39.95 DDS XL/Bug 65 27.95 MAC 65 Tool Kit-D 20.95			
Archon 19.95 Archon II 24.95 Mule 19.95 Realm:Impossibility 19.95 Murder/Zinderneur 19.95	Basic XL-Cart 39.95			
Archon II 24 95	DDS XL/Bug 65 27.95			
Mule 19 95	MAC 65 Tool Kit-D 20.95			
Realm/Impossibility . 19.95	Action 1001 Kit-U 20.95			
Murder/Zinderneuf 19_95	Basic XL Tool Kit-D 20.95			
Music Construction . 19.95 Pinball Construction . 19.95	SSI			
Pinball Construction . 19.95	Carrier Force-D 37.95			
Dne on One 24 95	Combat Leader-D 24.95			
Seven Cities of Gold 24.95	Cosmic Balance-D 24.95			
Dne on One 24 95 Seven Cities of Gold 24.95 Financial Cookbook 29 95	Broadsides-D 24.95			
INFOCOM	50 Mission Crush-D . 24.95			
Enchanter-D 24.95	Rails West-D 24.95 Computer Ambush-D 37.95			
Enchanter-D 24.95 Zork I-D 24.95 Hitchiker-D 24.95 Cutthroats-D 24.95 Wishbringer-D 29.95	Computer Ambush-D 37.95			
Hitchiker-D . 24.95	Computer Baseball-D 24.95			
Cutthroats-D 24.95	Breakthrough/			
Wishbringer-D . 29.95	Ardennes-D 37.95 Imperium Galatium-D 24.95			
MICROPROSE	Imperium Galatium-D 24.95			
F-15 Strike Eagle-D . 23 95	Dper. Market Garden-D 32.95			
Crusade in Europe-D 27.95	Kampfgruppe-D 37.95			
Decision in Desert-D 27.95	Computer			
Kennedy Approach-D 23.95	Duarterback-D 24.95			
MISCELLANEOUS	Duarterback-D 24.95 Colonial Conquest-D . 24.95			
ATARI	Gemstone Warrior-D 21.95			
Flight Simulator II-D 34.95	Six Gun Shootout-D . 24.95			
Megafont II + -D 19.95	SYNAPSE			
Monkey Wrench II-Cart 23.95	Syncalc-D 34 95			
Beachhead-D 21.95	Synfile-D 34.95			
Net Worth-D 49 95	Syntrend-D . 27.95			
Omnitrend Universe-D 69 95	Syncalc-D         34.95           Syntile-D         34.95           Syntrend-D         27.95           Syncom-D         27.95           Synchron-D         27.95           Synstock-D         27.95           Syncalc Templates-D         16.95			
MMG Compiler-D 69 95	Synchron-D 27.95			
Summer Games-D 27.95	Synstock-D 27.95			
Ultima I-D	Syncalc Templates-D 16 95			
Ultima II-D 37.95	Relax Stress			
Ultima III-D	Reduction-D			
Letter Portest D 20.05	Blue Max-D 23.95			
Letter Perfect-D 39.95 Data Perfect-D 39.95	Mindwheel-D 27.95			
Micro-Leag. Baseball-D 29.95	Loderunner's			
mioro-Leag. Dasobair D 25.55	Loger utiliter 5			

Paper Clip-D ..... 39.95

SEGIE THE POWER SENING THE PRINTED WORD	MODEMS           Volksmodem 300         59           Volksmodem 1200         189           Hayes 1200         Call
SG-10 219 SG-15 369	Hayes 300 169 Micromodem IIE Call
SD-10 339 SD-15 449	PRINTERS Citoh 8510AP + 329
SR-10 Call SR-15 Call	Legend 1080 239 Citoh 7500AP 219
PRINTER BUFFERS Microfazer Call	Epson Call Toshiba 1351 Call Toshiba 1340 Call
U-Print-16K	Legend 880
U-Print-64K 109.95	Powertype 309

#### With The Purchase Of Any Printer

#### **APPLE**

BROOERBUND		INFOCOM	
Print Shop-D	33.95	Hitchiker	29 95
Karateka-D	21.95	Zork I, II or III	29.95
Champ Loderunner-D	21.95	Enchanter	29 95
Bank Street Writer-D	44 95	Deadline	34.95
Print Shop Graphics-D	17 95	Wisbringer-D	29 95
Dazzle Draw	39.95	<b>ELECTRONIC A</b>	RTS
SSI		Skytox .	29 95
Gemstone Warrior	21 95	Skytox One on One	29 95
Kampfgruppe	39 95	Seven Cities/Gold	29 95
Phantasie	25 95	Archon	24.95
Ouestron	33.95	Adv Construction Kit	37.95
APPLE	MISC	ELLANEOUS	
Ghostbusters	25.95	Conan	25.95
	25.95		
Ghostbusters	25.95 34.95	Conan Sargon III	33.95 64.95
Ghostbusters Flight Simulator II . F-15 Strike Eagle Summer Games	25.95 34.95 21.95 25.95	Conan	33.95 64.95 79.95
Ghostbusters	25.95 34.95 21.95 25.95 29.95	Conan Sargon III Sargon III Service Sense	33.95 64.95 79.95 79.95
Ghostbusters Flight Simulator II F-15 Strike Eagle Summer Games Micro League Baseball Star League Baseball	25.95 34.95 21.95 25.95 29.95 23.95	Conan Sargon III Dollars & Sense PFS File PFS Write PFS Report	33.95 64.95 79.95 79.95 79.95
Ghostbusters Flight Simulator II F-15 Strike Eagle Summer Games Micro League Baseball Star League Baseball Wizardry Proving	25.95 34.95 21.95 25.95 29.95 23.95 33.95	Conan Sargon III Dollars & Sense PFS File PFS Write PFS Report Multiplan	33.95 64.95 79.95 79.95 79.95 84.95
Ghostbusters	25.95 34.95 21.95 25.95 29.95 23.95 33.95 39.95	Conan Sargon III Dollars & Sense PFS File PFS Write PFS Report Multiplan Supercalc III	33.95 64.95 79.95 79.95 79.95 84.95 124.95
Ghostbusters Flight Simulator II F-15 Strike Eagle Summer Games Micro League Baseball Star League Baseball Wizardry Proving Ultima III Bruce Lee	25.95 34.95 21.95 25.95 29.95 23.95 33.95 39.95 25.95	Conan Sargon III Dollars & Sense PFS File PFS Write PFS Report Multiplan Supercalc III Sideways	33.95 64.95 79.95 79.95 79.95 84.95 124.95 39.95
Ghostbusters Flight Simulator II F-15 Strike Eagle Summer Games Micro League Baseball Star League Baseball Wizardry Proving Ultima III Bruce Lee Millionaire	25.95 34.95 21.95 25.95 29.95 23.95 33.95 39.95 25.95 33.95	Conan Sargon III Dollars & Sense PFS File PFS Write PFS Report Multiplan Supercalc III Sideways Crosstalk	33.95 64.95 79.95 79.95 79.95 84.95 124.95 39.95 129.95
Ghostbusters Flight Simulator II F-15 Strike Eagle Summer Games Micro League Baseball Star League Baseball Wizardry Proving Ultima III Bruce Lee	25.95 34.95 21.95 25.95 29.95 23.95 33.95 39.95 25.95 33.95 21.95	Conan Sargon III Dollars & Sense PFS File PFS Write PFS Report Multiplan Supercalc III Sideways	33.95 64.95 79.95 79.95 84.95 124.95 39.95 129.95

### Comput Ability

P.D. Box 17882, Milwaukee, WI 53217 ORDER LINES OPEN Mon-Fri 11 a.m. - 7 p.m. CST • Sat. 12 p.m. - 5 p.m. CST

To Order Call Toll Free

800-558-0003

For Technical Info, Order Inquiries, or for Wisc. Orders

414-351-200

ORDERING INFORMATION: Please specify system. For fast delivery send cashier's check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Drders welcome. In CDNTINENTAL USA, include \$3.00 shipping per software order. Include 4% shipping on all Hardware orders, minimum \$4.00. Mastercard & Visa please include card # and expiration date Wiseldents please add 5% sales tax HI. AK, FPD, APD. Canadian orders — add 5% shipping, minimum \$5.00. All other foreign orders, please add 15% shipping, minimum \$0.00. All goods are new and include factory warranty. Due to our low prices, all sales are final. All defective returns must have a return authorization number. Please call 414-351-2007 to obtain an RA# or your return will NDT be accepted for replacement or repair. Prices and return will NDT be accepted for replacement or repair. Prices and availability are subject to change without notice.

#### COMMODORE 64 E

SUPER PRINTER PA SG-10 & G-WIZ Panasonic 1091 & G-WIZ Panasonic 1090 & G-WIZ	Z
Legend 880 & G-WIZ Legend 1080 & G-WIZ Citoh 8510AP + & G-WI Super Printer Packages	
added when shipped	
MODEMS Westridge AA.AD 69.95 Total Tele Modem 49.95 Mighty Mo 69.95 1660 Modem 49.95	Animation Station for C-64 49.95 PRINTER INTERFACES Axiom 69.95
INOUS Indus GT for C-64 239	G-Wiz 59.95 Data Share PPI 49.95 Cardco G + Call

#### C-64 SUPER SPECIALS

Ępy	X'''
Fast Load-Cart 24.95	Temple of Apshai
Rescue on	Trilogy-D 24.95
Fractalus-D 24.95	Summer Games
World's Greatest	II-D 24.95
	Koronis Rift-D 24.95
The Eidolon-D 24.95	
Winter Games 24.95	Pitstop II-D 24.95

Super Special Prices Ettective Now Through October 31, 1985

COMMODORE SOFTWARE					
ACCESS		INFOCOM Enchanter-D			
Beachhead-D Beachhead II-D	21.95	Enchanter-D	24 95		
Beachhead II-D	24 95	Planetfall-D	24.95		
Raid/Moscow-D	24.95	Sorcerer-D	29.95		
Raid/Moscow-D Mach V-Cart	21.95	Hitchiker-D	24.95		
BATTERIES INCL	UOEO	Hitchiker-D	29 95		
Consultant-D Paperclip w/Spellpak-D Super Busscard II Home Drganizer Items-D	52.95	MISC. COMMOO			
Paperclip w/Spellpak-D	79 95	Illtima III.D	37 05		
Super Busscard II .	129 95	Ultima III-D	34 95		
Home Drganizer Items-D	16.95	Castle Wolfenstein-D	20.95		
B.I. 80 Card	109.95	Superbase 64-D	47.95		
Cal-Kit	34.95	Strip Poker-D	23 95		
Cal-Kit	34 95	Slap Shot Hockey-D	14 95		
COMMISSIONOR		Strip Poker-D Slap Shot Hockey-D Mastertype-D	27 95		
Easy Calc-Cart Easy Mail-D Easy Script-D Easy Spell-D Logo-D The Manager-D Suspended-D Starcross-D Deadline-D Cutthroats-D The Suspect-D Zork I, II or III-D	34.95	Star League Baseball-D			
Easy Mail-D .	19 95	Baseball-D	20.95		
Easy Script-D	44.95	S.A.MD	41.95		
Easy Spell-D	19.95	Alien Voice Box	99 95		
Logo-D	49.95	Sargon III-D	34 95		
The Manager-D	34 95	Uftima IV-D	41.95		
Suspended-D	29 95	Typing Tutor III-D	34.95		
Starcross-D	29.95	Dn Field Football-D	20 95		
Deadline-D	29 95	Ultima II-D	37 95		
Cutthroats-D	29.95	Blue Max-U	23 95		
The Suspect-D	29.95	Blue Max 2001-D	20 95		
Zork I.II or III-D	29.95	Baseball-U S. A. M D Alien Voice Box Sargon III-D Ultima IV-D Typing Tutor III-D On Field Football-D Ultima II-D Blue Max-D Blue Max-D Morceleague	79.95		
ELEGI DUNG A	וח	Raceball-D	29 95		
Sky Fox-D Mail Order Monster-D	24 95	Stunt Flyer-D Expedition Amazon-D Xyphus-D	27 95		
Mail Order Monster-D	24.95	Expedition Amazon-D	23.95		
Adv. Construction-D . Racing Destruction-D	29 95	Xvphus-D	27 95		
Racing Destruction-D	24.95	Transylvannia-D Halley Project-D Bounty Bob-Cart Fleet System II-D	23 95		
INSTA		Halley Project-D	29.95		
Insta-Calc/Graph Comb	ın-D	Bounty Bob-Cart	29.95		
24.05		Fleet System II-D	44 95		
Insta-Ledger-D	39.95	Space Shuttle-D	20.95		
Insta-Writer-D	14.95	Ghostbusters-D Batter-Up-D	24.95		
Insta-Ledger-D Insta-Writer-D Management					
Combo-D	39 95	Amer Cross Country	00.05		
Insta-Speed-D	39.95	Race-D	20.95		
SSI		Amer Cross Country Race-D Syncalc-D Superbowl Sunday-D Railroad Works-D VIP Terminal D Compuserve Starter	34 95		
Duestron-D	24.95	Supercowl Sunday-D	24 95		
Phantasie-D	24 95	VID Torminal D	20.05		
Germany 1985-D	37.95	Compuearya Starter	29.93		
Wings of War-D	24 95	Kit	21 05		
Duestron-D Phantasie-D Germany 1985-D Wings of War-D Fighter Command-D Mech Brigade-D Norway 1985-D	37 95	Reach for the Stars-D	20 95		
Mech Brigade-D	37.95	Carriers at War-D	34 95		
Norway 1985-D	21.95	Compubridge-D	19.95		
See Alan Section for n	est of	Compubridge-D Grand Master Chess-D	19 95		
Items and Prices		Voice Messenger-D	44.95		

T-Cassette

Cart-Cartridge

Main Event Boxing-D

On Court Tennis-D

20.95

# What the world really needs is a 99 cent Double Sided, Double Density Diskette with a LIFETIME WARRANTY!

#### And DISK WORLD! has it.

Introducing Super Star Diskettes: the high quality diskette with the lowest price and the best LIFETIME WARRANTY!

In the course of selling more than a million diskettes every month, we've learned something: higher prices don't necessarily mean higher quality.

necessarily mean higher quality.

In fact, we've found that a good diskette manufacturer simply manufactures a good diskette...no matter what they charge for it. (By way of example, consider that none of the brands that we carry has a return rate of greater than 1/1,000th of 1 percent!)

In other words, when people buy a more expensive diskette, they aren't necessarily buying higher quality. The extra money might be going toward flashier adver-

tising, snazzier packaging or simply higher profits.
But the extra money in a higher price isn't buying better

quality.

All of the good manufacturers but out a good diskette

All of the good manufacturers put out a good diskette. Period.

#### How to cut diskette prices ...without cutting quality.

Now this discovery posed a dilemma: how to cut the price of diskettes without lowering the quality.

There are about 85 companies claiming to be "diskette" manufacturers.

Trouble is, most of them aren't manufacturers.

Rather they are fabricators or marketers, taking other company's components, possibly doing one or more steps of the processing themselves and pasting their labels on the finished product.

The new Eastman Kodak diskettes, for example, are one of these. So are IBM 5¼" diskettes. Same for DYSAN, Polaroid and many, many other familiar diskette brand names. Each of these diskettes is manufactured in whole or in part by another company!

So, we decided to act just like the big guys. That's how we would cut diskette prices...without lowering the

We would go out and find smaller companies to manufacture a diskette to our specifications...specifications which are higher than most...and simply create our own "name brand" diskette.

Name brand diskettes that offered high quality at low prices.

DISKETTE STORAGE CASES

# SUPER STAR DISKETTES 5¼" SSDD DSDD .91 ea. Qty. 50 Qty. 50

Super Star diskettes are sold in multiples of 50 only. Diskettes are shipped with white Tyvec sleeves, reinforced hubs, user 10 labels and write-protect tabs.

#### Boy, did we get lucky. Our Super Star Diskettes are the same ones you've been using for years...without knowing it.

In our search for the low priced, high quality diskette of our dreams, we found something even more interesting.

We found that there are several manufacturers who

We found that there are several manufacturers who don't give a hoot about the consumer market for their diskettes. They don't spend millions of dollars in advertising trying to get you, the computer user, to use their diskettes.

Instead, they concentrate their efforts on turning out the highest quality diskettes they can...because they sell them to the software publishers, computer manufacturers and other folks who (in turn) put their name on them...and sell them for much higher prices to you!

After all, when a software publisher or computer manufacturer or diskette marketer puts their name on a diskette, they want it to work time after time, everytime. (Especially software publishers who have the nasty habit of copyprotecting their originals!)

#### Super Star Diskettes. You already know how good they are. Now you can buy them...cheap.

Well, that's the story.

Super Star diskettes don't roll off the boat from Pago-Pago or emerge from a basement plant just east of Nowhere.

Super Star diskettes have been around for years...and you've used them for years as copy-protected software originals, unprotected originals. Sometimes, depending on which computer you own, the system master may have been on a Super Star diskette. And maybe more than once, you've bought a box or two or more of Super Star diskettes without knowing it. They just had some "big" company's name on them.

Super Star Diskettes are good. So good that a lot of major software publishers, computer manufacturers and other diskette marketers buy them in the tens or hundreds of thousands.

We buy them in the millions. And than we sell them to you.

Cheap.

#### When every little bit counts, it's Super Star Diskettes.

You've used them a hundred times...under different names.

Now, you can buy the real McCoy, the same diskette that major software publishers, computer manufacturers and diskette marketers buy...and call their own.

We simply charge less.

#### **Super Special!**

Order 50 Super Star Diskettes and we'll be happy to sell you an Amaray Media-Mate 50 for only \$8.75, shipping included...a lot less than the suggested retail price of \$15.95.



Regular DISK WORLD! price: \$9.69 ea + \$2.00 Shpng.

#### The Super Star LIFETIME WARRANTY!

Super Star Diskettes are unconditionally warranted against defects in original material and workmanship so long as owned by the original purchaser. Returns are simple: just send the defective diskettes with proof of purchase, postage-paid by you with a short explanation of the problem, and we'll send you the replacements. (Incidentally, coffee stained diskettes and diskettes with staples driven through them don't qualify as "defective".)

WE WILL MEET OR BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES SUBJECT TO THE SAME TERMS AND CONDITIONS

#### HOW TO ORDER:

ORDERS ONLY: 1-8DD-621-6827 (In Illinois: 1-312-256-7140) INQUIRIES;

INQUIRIES: 1-312-256-7140

FOR FASTEST SERVICE, USE NO-COST MCI MAIL: Our address is DISKWORLD. It's a FREE MCI MAIL letter. No charge to you. (Situation permitting, we'll ship these orders in 24 hours or less.)

SHIP these orders in 24 nours or less.)

SHIPPING: 5¼" & 3½" DISKETTES—Add \$3.00 per each 100 or fewer diskettes. OTHER ITEMS: Add shipping charges as shown in addition to other shipping charges. PAYMENT: VISA, MASTERCARO and Prepaid orders accepted. COO ORDERS: Add additional \$3.00 special handling charge. APD, FPD, AK, HI & PR ORDERS: Include shipping charges as shown and additional 5% of total order amount to cover PAL and insurance. We ship only to United States addresses, except for those listed above. TAXES: Illinois residents, add 8% sales tax.

MINIMUM ORDER: \$35.00 or 20 diskettes.

only. \$1.65 ea. + .20 Shpng. DISKETTE 70 STORAGE

Dust-free storage for 70 5¼' diskettes. Six dividers included. An excellent value.

**DISK CADDIES** 

The original flip-up holder for 10 5¼" diskettes. Beige or Grey

\$11.95 ea. +\$3.00 Shpng.



HOURS: Human: 8AM-6PM Central Time, Monday through Friday Answering Machine: 6PM-8AM, All Times MCI MAIL: 24 hours a day.

DISK WORLD!, Inc.

629 Green Bay Road Wilmette, Illinois 60091

## T LIQUIDAT Personal Col



Sorry, we're not permitted to PRINT the famous brand-name. BUT, we CAN "tell all" if you call us TOLL FREE: 1-800-328-0609!

#### THE COMPUTER

Snap-on computer keyboardl 64K RAM, 20K ROM. Fullsize typewriter keyboard. Upper and lower case letters, numerals, symbols, reverse characters, 2 cursor control keys, 4 function keys, programmable to 8. Music synthesizer with 3 independent voices, each with 9 octave range. Input/output ports accommodate . . . user, serial, ROM cartridge, joysticks, external monitor, phone modem.

Built-in disk drive! Intelligent high speed unit with 51/4" floppy disk recorder, 170K formatted data storage; 35 tracks. 16K ROM. Uses single sided, single density disk. Serial interface. Second serial port to chain second drive or printer.

Built-in color monitor I Displays 40 columns x 25 lines of text on 5" screen. High resolution, 320 x 200 pixels. 16 background, character colors.

Built-in ROM cartridge port! Insert ROM program cartridge. Multitude of subjects available in stores across the nation!

Mfr. List Price ..... Liquidation Priced At Only .......... Item H-621-63631-00 Ship, handling: \$20.00

#### THE PRINTER

Print method: Bi-directional impact dot matrix.

Character matrix: 6 x 7 dot matrix.

Characters: Upper and lower case letters, numerals and symbols. All PET graphic characters.

Graphics: 7 vertical dots — maximum 480 columns.

Dot addressable.

Character codes: CBM ASCII code.

Print speed: 60 characters per second.

Maximum columns: 80 columns.

Character spacing: 10 characters per inch.

Line feed spacing: 6 lines per inch in character mode or 8 lines per inch selectable. 9 lines per inch in graphics mode.

Line feed speed: 5 lines per second in character mode. 7.5 lines per second in graphics mode.

Paper feed: Friction feed.

Paper width: 4.5" to 8.5" width.

Multiple copies: Original plus maximum of two copies. Dimensions: 13"W x 8"D x 31/4"H. Wt.: 61/2 lbs. Power: 120V AC, 60 Hz.

Mfr. List: \$200.00

Liquidation Priced At ...

Item H-621-63831-00 Ship, handling: \$7.00

Compatible with above Computer System (Not included in package price.)

JOYSTICKS (Set of 2)

Mfr. List: \$59.90 pr. Liquidation Price . . . .

16 pr. Item H-621-63622-01 S/H: \$6.00 pr.

64 MODEM

Mfr. List: \$124.95

Liquidation Price . .

Item H-621-63646-00 S/H: \$4.00

#### THE SOFTWARE

"Easy Script" One of the most powerful word processors at any price! Cut re-typing, create documents from standard paragraphs, do personalized letters, see and change a document before it is printed. Instruction manual has extensive training section that simplifies use ... even for someone who has never used a computer or word processor before!

"The Manager" A sophisticated database manager for business or home use. Business uses: accounts payable/receivable, inventory, appointments, task manager. Home uses: mailing lists, home inventory, recipes, collection organizer, investment tracking, checkbook balancing School uses; research article index, gradebook.

Mfr. List: \$73.98

Liquidation Price . . . . Item H-621-64011-03 Ship, handling: \$3.00

**BUY INDIVIDUAL UNITS OR GET THIS ULTRA-FAMOUS** SYSTEM AT ONE LOW PACKAGE PRICE!

**TOTAL Personal Computer System** available at FAR BELOW dealer cost!

Mfr. Sug. Retail .. \$1,268.98


TOTAL **PACKAGE** 

PRICE . . . Item H-621-64011-02 Ship, handling: \$24.00



Credit card mambars can ordar by phona, 24 hours a day, 7 days a week.

Toll-Free: 1-800-328-0609



Your chack is walcoma!

14605 28TH AVENUE NORTH MINNEAPOLIS, MINNESOTA 55441-3397

								_
SEND	ME TI	HE ITE	MS I	HAVE	LIST	ED E	BELO'	W
Price s	ubject	to chan	ge afte	er 60 d	ays. Sa	les o	utside	,

continental U.S. are subject to special conditions.

Please call or write to inquire.

Item No.	How Many	Item	Price	Ship/ Handl.
1				1 1

							_	_	_
C.O.M.B.	CO.	·R				- 1	tem	H-6	621
14605 28th	Ave.	N./M	inneap	olis.	MN	5544	41-3	339	7

Send the items indicated at left. (Minnesota residents add 6% sales tax. Please allow 3-4 weeks delivery. Sorry, no C.O.D.)

My check or money orders is enclosed. (No delays in processing orders paid by check, thanks to TeleCheck.)

oning orders pare at a tree in			•	
Charge: ☐ MasterCard® ☐ 1	VISA □	Am. E	Ex. 🗆 Diners	Club
Acct. No.			Exp	
PLEASE PRINT CLEARLY				

PLEASE PRINT CLEARLY
Name
Address

City \_ State ....

Phone \_

### **DISK WORLD!** is proud to introduce the lowest-priced, LIFETIME-WARRANT **NAME PRODUCT to boot! And they're BRAND** 5.25'' DSDD-HD $\rightarrow$ \$2.35 ea. 3.50'' SSDD $\rightarrow$ \$2.25 ea. 3.50'' DSDD $\rightarrow$ \$2.65 ea. Based on multiples of 100 each

Boxed in 10's with heavy-duty cardboard sleeves, user ID labels reinforced hubs (where appropriate) and write-protect tabs.

#### Introducing Wabash Pinnacle Series Diskettes.

Two years ago, if you'c told me I'd be writing this ad, I would

have laughed.

At that time, Wabash diskettes were synonymous with

Just saying that quality control was poor would be charitable

So much was wrong that DISK WDRLD wouldn't sell them.

#### That was yesterday.

Kearney-National Inc., a \$202-million division of a much larger company, came into Wabash.
Out went the old management, the old methods, the old

production techniques...and in went a lot of new people, ideas, production lines and some really imaginative thinking.

#### The end result.

Today, I'm proud to offer you the Wabash Pinnacle Series of

diskettes at the prices shown.

This isn't evolution in diskette manufacturing: it's revolution.

#### Here's what you get.

Wabash Pinnacle diskettes are

...certified 100% Error Free .are coverd by a LIFETIME WARRANTY

meet or exceed all industry specifications (by quite some distance)

and are simply the best value in diskettes available today.

#### The torture test.

Considering Wabash's earlier dubious reputation, I wasn't exactly a true believer when their Director of Marketing came into my office with samples.

So I took a box at random, selected a disk, bent the thing every which way and slipped it into my I8M-PC.
It formatted. It booted. It stored and retrieved data.

#### That wasn't enough.

I gave samples of the diskettes to Curt Rostenbach and, in turn, to Tom Streit, both hackers of long experience and members of the Waukegan (Illinois) Apple Users Group.

Tom really went at it. He took a quartz-halogen lamp, aimed it at the diskette until it started to smoke (and melt)...and then formatted, booted the diskette and stored and retrieved data!

The same terribly (and intentionally) mutilated diskette ran on an ITT, Corona and IBM.

Curt was nicer

He simply bent the diskette every which way...and it still formatted, booted and ran on his Apple.

#### The best buy I've ever seen.

DISK WDRLD!, Inc. sells more flexible magnetic media by mail-order than anyone else in the world.

I, as President of the corporation, won't tolerate a product with a failure rate of more than 1/1000th of 1 percent.

I also don't like companies who try to milk a "quality" or "premium" image for a higher price like Dysan and Verbatim did...until they failed. As President of DISK WDRLD!, Inc., my motto is simple: "the

#### Wabash is it.


best diskette for the least amount of money.

Right now, there is no better value than the Wabash Pinnacle Series of diskettes

Granted, you have to buy a hundred at a time, but so what? Split the order with friends, relatives, co-workers or even your

The key thing is to get the most diskette for the money

(Incidentally, as a corporation, we put our money where our



mouth is. Dur first order for Wabash Pinnacle Diskettes was 1.5-million units.

That's an awful lot of faith and confidence.

8ut, then again, I have the diskette that Tom Streit literally melted...and kept on running.

#### The truth about \$1.00 or less diskettes.

More and more ads are popping up offering diskettes for \$1.00 or less.

By the same token, more and more people who were selling used cars a few months ago are now selling diskettes by mail.

We did a little survey of current ads for diskettes advertised

ACTUAL

for a dollar or less and did some analysis of the market and here's what we found as it applies to 5.25" DSDD diskettes 'supposedly" selling for a dollar or less.

		ACIUAL	
WEND OD.	ADVERTISED	PRICE	ACTUAL
VEND OR:	LOW PRICE:	PER 100:	
Unitech	.89 ea.		Unspecified.
Datatech	.99 ea.	.99 ea.	Unspecified.
Computer Club	.95 ea.	.98 ea.	Unspecified.
	.99 ea.	1.02 ea.	Unspecified.
Communications			·
& Electronics	.49 ea.	.80 ea.	Unspecified.
Precision Data	.89 ea.	.93 ea.	Unspecified.
Diskette Connec.	.93 ea.	.93 ea.	Unspecified.
Comp Soft Serv.	.77 ea.	.77 ea.	Unspecified.
		+ shpq.	•
Computer/Computer	.99 ea.	.99 ea.	Unspecified.
DISK WDŔLD	.89 ea.	.92 ea.	Wabash
			Datatech

#### The real truth about \$1.00 or less diskettes.

It costs all diskette manufacturers about the same to produce a diskette. Some may charge more because they want to project a "premium quality" image, ala the late, lamented Dysan who bought their basic media from 3M. Some charge less because they sell a sub-standard product...and we're not foolish enough to name names here. But here's the truth about the \$1.00 or less diskette market.

It falls into four categories:

1. The DISK WDRLD's of the universe who simply are so big that they can buy first quality product in massive quantities and choose to pass on the savings to you. (Precision Data and Diskette Connection on BRAND NAME products also fall into this category.)

2. The people who buy "cosmos"...stuff from major manufacturers that usually hits quality control standards, but is cosmetically blemished and thus can't be packaged and sold under the manufacturer's own name.

3. "Duplicator Duality". Uncertified media, usually below manufacturer's own standards and frequently below ANSI and IDM standards Sold as ""oo in" beach with boundards.

IBM standards. Sold on an "as-is" basis with the understanding that the manufacturer's name will never be divulged. Usually about a 20% reject rate...as compared to DISK WDRLD's standard of less than 1/1000th of 1% reject/return rate. Next to garbage, this is the source of most diskettes advertised at a dollar or less.

They may work...and then again they may not. (Frankly, the odds at the Blackjack table in Las Vegas are more in your favor.)
4. Garbage. Stuff that shouldn't be sold at all. But some

4. Garbage. Stuff that shouldn't be sold at all. But some manufacturers are hurting for cash, so they sell it anyway. (After all, they want to meet their payroll. Look what happens when you don't: you become a Dysan or Verbatim. Lots of history, but no money.) More and more garbage is being dumped into the market as manufacturers become pressed for cash and are motivated into selling anything and everything they can manufacture. (Read the article in FDRBES about Verbatim and its "Bonus" brand.)

Finally, the Taiwanese counterfeiters are moving into the act. Perfect duplicates of the packaging of major manufacturers with one exception: the quality isn't there.

#### The Critical Factor.

Dnly DISK WDRLD!, Inc. offers fully brand-identified, LIFETIME-WARRANTY product for less than a dollar. Every one else offering 5.25" product for less than a buck

doesn't tell you who makes it.

And that ought to tell you a lot right there.

#### Ordering & Shipping Instructions

SHIPPING: Wabash Pinnacle Diskettes are sold in multiples of 100 only. Shipping charges are \$3.00 per 100, regardless of type or size.

PAYMENT: VISA, MASTERCARD and PREPAID orders accepted. Corporations rated 3A2 or better and govern-

ment and quasi-government open accounts are accepted on a NET 15 basis.

C.D.D. orders are subject to a \$5.00 special handling C.D.D. orders are subject to a \$5.00 special handling charge. (Sorry for the increase, but too many people have been refusing C.D.D. orders or using bad checks. It's a classic example of a few "bad eggs" making life more expensive for everyone else.)

APD, FPO, AK, HI & PR ORDERS: Include shipping as shown and an additional 5% of the total amount of the order to cover PAL and insurance.

No other non-continental U.S. orders are accepted.

TAXES: Illinois residents only, add 7%

All orders subject to acceptance. Not responsible for typographical errors.

ORDERS ONLY: 1-800-621-6827 (In Illinois: 1-312-256-7140) **INQUIRIES & INFORMATION** 1-312-256-7140

FOR FASTEST SERVICE. USE MCI MAIL:

Just address "DISKWORLD" (24-hour shipping on any item in stock if you order via MCI MAIL.)

K WORLD!,

629 Green Bay Road Wilmette, Illinois 60091 Incredible value!

### Nashua...

51/4" SSDD

51/4" DSDD

These are poly-bagged diskettes packaged with Tyvek sleeves, reinforced hubs, user identification labels and write-protect tabs. NASHUA Corporation is a half-billion dollar corporation and a recognized leader in magnetic media.

SOFT SECTOR ONLY! Sold in multiples of 50 only!

FOR ORDERS ONLY: 1-800-621-6827 INQUIRIES: (In Illinois: 1-312-256-7140) 1-312-256-714 HOURS: 8AM-5PM Central Time, Monday-Friday

INFORMATION & INQUIRIES: 1-312-256-7140

WE WILL BEAT ANY NATIONALLY AOVERTISEO PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc. 629 Green Bay Road • Wilmette, Illinois 6DD91

DISK **WORLD!** 

**Authorized Distributor** 

NASHUA MAGNETIC MEDIA

#### ATHANA DISKETTES The great unknown!

-- 51/4" SSDD

51/4" DSDD →

Oty. 5D

You've used these diskettes hundreds of times...as copy-protected originals on some of the most oppular software packages. They're packed in poly-bags of 25 with Tyvek sleeves, reinforced hubs, user identification labels and write-protect tabs

#### LIFETIME WARRANTYI

SOFT SECTOR ONLY! Sold in multiples of 50 only.

FOR ORDERS ONLY: 1-800-621-6827 (In Illinois: 1-312-256-7140)

INFORMATION & INOUIRIES: 1-312-256-7140

HDURS: 8AM-5PM Central Time, Monday-Friday WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc. 629 Green Bay Road • Wilmette, Illinois 6DD91

DISK **WORLD!** 

**Authorized Distributor** 

MAGNETIC MEDIA

#### **DISKETTE STORAGE CASES**

#### AMARAY MEDIA-MATE 50: A REVOLUTION IN DISKETTE STORAGE



Every once in a while, someone takes the simple and makes it elegant! This unit holds 50 5%" diskettes, has grooves for easy stacking, inside nipples to keep diskettes from slipping and several other features. We \$9.69 ea Shpng

DISKETTE 70 STORAGE: STILL A GREAT BUY.

Dust-free storage for 70 5 %" diskettes.
Six dividers included, An excellent value.

\$11.68 \$ \$5.00

DISK CADDIES \$11.68 \$ \$5.00

DISK CADDIES \$10.00

The original flip-up holder for 10 5%" diskettes. Beige or grey only. \$1.65 ea

1-800-621-6827 (In Illinois: 1-312-256-7140)

INFORMATION & INQUIRIES: 1-312-256-7140

HDURS: BAM-5PM Central Time, Monday-Friday
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE
ON THE SAME PRODUCTS AND QUANTITIES!
DISK WORLD!, Inc.
629 Green Bay Road • Wilmette, Illinois 60091





4 5¼" SSDD Oty. 2D

Oty. 2D DSDD

5¼" DSDD-96TPI --- \$1.75 ea.

PACKED IN CAROBOARO CASES!

BASF DUALIMETRIC DISKETTES have a LIFETIME WARRANTY with Typek sleeves, reinforced hubs, user identification labels and write-protect tabs.

SOFT SECTOR ONLY! MINIMUM DRDER: 20 DISKETTES

BASF 3.5" MICRD-FLDPPIES BASF 5%"HIGH DENSITY

BASF 5¼"HIGH DENSITY FDR IBM PC-AT DSDD-HD ---- \$3.14 ea.

5SSDD-135 TPI --- \$2.34 ea.

FOR ORDERS ONLY: 1-800-621-6827 (In Illinois: 1-312-256-7140)

**INFORMATION &** INOUIRIES: 1-312-256-7140

HOURS: 8AM-5PM Central Time, Monday-Friday
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE
ON THE SAME PRODUCTS AND QUANTITIES!

WORLD! Media

Authorized Reseller Information Processing 7 BASF

### **DISK WORLD!**

#### **Ordering & Shipping** Instructions

Shipping: 5%" & 3.5" DISKETTES—Add \$3.00 per each 100 or fewer diskettes. Other Items: Add shipping charges as shown in addition to other shipping charges. Payment: VISA and MASTER-CARD accepted. COO Orders: Add additional \$3.00 Special Handling charge. APO, FPO, AK, HI & PR Orders: Include shipping charges as shown and additional 5% of total order amount to cover PAL and insurance. Taxes: Illinois residents only, add 7% cales tax. sales tax

Prices subject to change without notice.
This ad supercedes all other ads
Not responsible for typographical errors.
MINIMUM TOTAL ORDER: \$35.DD

FOR ORDERS ONLY: 1-800-621-6827 (In Illinois: 1-312-256-7140)

INFORMATION & INOUIRIES: 1-312-256-7140

HDURS. 8AM-5PM Central Time

Monday-Friday
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

DISK WORLD!, Inc. 629 Green Bay Road • Wilmette, Illinois 6DD91

DISK WORLD!

#### **PRINTER RIBBONS:**

#### at extraordinary prices!

Brand new ribbons, manufactured to Driginal Equipment Manufacturer's specifications, in housings. (Not re-inked or spools only.)

LIFETIME WARRANTY!

**Epson MX-70/80** . . **\$3.58** ea. + 25¢ Shpng. **Epson MX-100** . . . . \$4.95 ea. + 25¢ Shpng. Okidata Micro83.. \$1.48 ea. + 25¢ Shpng. Okidata Micro84 . . \$3.66 ea. + 25¢ Shpng. INFORMATION & FOR ORDERS ONLY:

1-800-621-6827 (In Illinois: 1-312-256-7140)

I-BUU-02 I-082/
Illinois: 1-312-256-7140)
HDURS: 8AM-5PM Central Time, Monday-Friday
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE
ON THE SAME PRODUCTS AND QUANTITIES! DISK WORLD!, Inc.

629 Green Bay Road • Wilmette, Illinois 60091



The best deal on 3M diskettes vou've ever seen!

FLIP N' FILE 15 with every order for 5.25" SSDD and DSDD.



\$1.42 ea. — 5.25" SSDD with FREE Flip n' File 15 5.25" DSDD with FREE Flip n' File 15 - \$1.74 ea.

#### 100% LIFETIME WARRANTY

This is a Super Special promotion. It was supposed to end around the end of May.

But we decided to buy more than 1.000,000 3M diskettes packed in the FREE Flip n' File 15's...and give you the benefits of this terrific value.

One word of warning: this offer is limited only to supplies on hand. Once these supplies are used up, the prices stay the same...but there's no free Flip n' File.

The last time we ran an offer like this, everything was sold out in about six weeks.

So don't wait. Order now.

#### Other 3M diskettes:

(Flip n' File offer does not apply.) 5.25" SSDD-96TPI ..... \$2.06 ea. 5.25" DSDD-96TPI ..... \$2.57 ea. 5.25" DSDD-HD for IBM PC/AT . . . . . . . . . \$3.93 ea. 3.50" SSDD-135TPI for Apple Mac . . . . . . . \$2.86 ea.

#### DATA CARTRIDGES

100% certified 3M data cartridges. DC-1000 . . . . . . . . . . . . \$13.90 ea. DC-300XLP..... \$19.83 ea. DC-600A.....\$22.13 ea.

> Sold in cases of 10 only. Add \$5.00 shipping per 10.

DISK

### WHITE HOUSE COMPUTER P.O. Box 4025, Williamsport, PA 17701

"Where Prices Are Born, Not Raised"

#### TOLL FREE 1-800-351-3442

PA CALL 1-717-322-7700

- PA Residents FREE Shipping -

PRINTERS	COMMODORE MPS 801
EPSON LX 80239.00	803
FX 80	SG 10214.00
JX 80 479.00	SG 15379.00
RX 100359.00	SD 10345.00
FX 100	SD 15450.00
LQ 1500995.00	SR 10 485.00
ATARI	SR 15 585.00
XTM 201 Non-Impact	Powertype+307.00
Dot Matrix 99.95	LEGEND
XTC 201 Color Non-	1380269.00
Impact Matrix109.95	<b>1385 305.00</b> 1080 229.00
XDM 121 Daisy	880199.00
Wheel209.95	000199.00
XMM 801 Dot Matrix Impact169.95	CITIZEN
STC 504 Color Non-	MSP 10 305.00
tmpact 139.95	MSP 15 450.00
STD 121 Daisy	MSP 20 450.00
Wheel	MSP 25 575.00
SMM 801 Dot Matrix	CARDCO
Impact 279.95	LO 1 365.00
	LQ 3209.00
OKIDATA	PANASONIC
Okimate 10179.95	1090 187.00
<b>182219.95</b> 84640.95	1091 237.00
192349.95	1092
193 525.95	3151 455.00
323.33	455.00

INTERFACE	S
850 (Atari)	.108.95
UPrint/port	49.95
UPrint/16k Buffer	
UPrint/64k Buffer	89.95
Cardco G	39.95
G-Wiz	. 48.95
Apple Dumpling GX	.59.95
PRINTER PAP	_
	_
PRINTER PAP 2500 Sheets	ER
PRINTER PAP 2500 Sheets Lazor Edge	ER . 24.95
PRINTER PAP 2500 Sheets	ER 24.95 14.95

SOFTWARE	
Print Shop	
Graphics Library I	
Graphics Library II	17.50

**Assorted Pastels** 2500 Shts Lazor.....42.95 1000 Shts Lazor..... 23.95 500 Shts Lazor ....

14.95

VIDEO CASSETTE RECORDER \$279.00

#### **MONDAY - FRIDAY 9 AM - 6 PM** VISA & MC ACCEPTED 4%

POLICY: No deposit on COD orders. Free freight on all prepaid cash orders over \$300 in the continental USA. APO & FPO add \$5.00 per hundred. For priority mail add \$8.00 per hundred. PA residents add 6% sales tax. Defective products must have Prior RA number. Schools net 15.

DISK DRIVES	MONITORS
ATARI	ZENITH
ndus GT 205.95	122 A 82.95
1050 164.95	123 G 75.95
Happy 1050335.95	AMDEK
Happy Enhancer 160.95	300 G
MSD Dual 459.00	300 A 129.00
	Color 300229.00
C-64	Color 500 339.00
ndus GT 229.00	Color 600 399.00
1541 195.00	Color 700 469.00
1571249.95	Color 710 539.00
1572 375.95	310A 145.00
	ATARI
MODEMS	XC 141199.95
C-1650 54.95	SM 124135.95
C-1670 300/1200185.95	SC 1224335.95
MPP 1064 54.95	TEKNIKA
ele Learning39.95	MJ-10185.95
layes 300 149.95	MJ-22 RGB269.95
Hayes 1200 385.95	SAKATA
Mitey Mo 59.95	SC-100179.00
Vestridge 59.95	00 100
Compusarve 19.95	COMMODORE
Micro Stuffer 95.95	C-1702185.95
MPP 1000E69.95	C-1902 RGB 259.95
	C-1901129.95
DISKETTES	
SKC	COMPUTERS
SS/DD10.95	COMMODORE
DS/DD14.95	C-64139.95
	C-128 275.95

ATARI

800 XL

130 XF

& More . . .

520 ST Monochrome

& More ......870.00

promenade

JASON-RANHEIM

520 ST Color RGB

... 139.95

.... 749.00



#### PROFESSIONA L HANDICAPPING SYSTEMS



PRESENTED BY PROFESSOR JONES

GLD. Thoroughbred "Gold" Edition™ A 'Full' featured thoroughbred analysis designed for the pro

 $\sqrt{11}$ \$159.95 complete

EGLD. Enhanced ''Gold'' Edition TM
'Gold' Edition with complete Master Bettor'" system integrated onto the same dock This powerful program will transfer all horses and scores to the bet analysis with a "single keystroke" (Master Bettor" included) \$199.95 complete

GLTD. Limited "Gold"™

GLTU. LIMITED "LOUIT"

Finables Professional Handicappers to assign specific values to the racing variables "they" feel are important. Create program weight based on a particular track and fine tune it for maximum win percentage. This program is designed for ease of use." The user needs no programming experience.

(contains Integrated Bettor "") \$299.95 complete

GD. Gold Dog Analysis™



The "DNLY" professional greyhound analysis available that evaluates ALL variables \$149.95 w/integrated Bettor \$199.95 Limited Version \$299.95

MHH. Master Harness Handicapper™



Professional software designed to provide a thorough analysis of all trotter and pacer races in North America and Canada. \$159.95 complete Professional software designed to provide a muruugh analysis or an norter and pacer races in North America and Canada. \$159.95 complete \$199.95 w/Integrated Bettor Limited \$299.95

Professor Pix Football™

Complete STATISTICAL ANALYSIS on Data Base allowing "Designated" previous games to be evaluated Statistical Series \$99.95 w/Win-Loss Power Ratings \$149.95

NBA. Basketball™

NBA \$99.95 w/college \$129.95 w/power ratings \$149.95

LDT. Lottery Analysis™

Statistical comparison program designed to detect subtle patterns in winning numbers and digits. Lottery (3-4 digit) \$79.95 w/Lotto (Max. 99 Digit) \$99.95

PC-3 Portable Computer (4k) with choice of Thoroughbred, Grey-\$249.95 (includes portable computer and program.)

M-100 Portable (24k) w/choice of Thoroughbred, Greyhound, or Trotter. \$649.95 (includes portable computer and program.)

BROCHURE AVAILABLE

**IBM<sup>TM</sup> APPLE<sup>TM</sup>** TRS-80TM CPM TM **COMMODORE™** 

Prof. Jones 1940 W. State St. Boise, ID 83702





48 HR. FREE SHIPPING



TERMS: FREE SHIPPING ALL SOFTWARE. Add \$6 00 hard-ware / \$6.00 C O D. / UPS Blue \$6.00 / Out of Country \$9.00 / ID Residents 4% / 3 weeks personal checks / Cash price only, add 2% Visa, MC / Prices subject to change.

#### **Program Your Own EPROMS**

➤ VIC 20 C 64

D

ğ

BONUS

SS/DD ..... 9.50

DS/DD......13.50

MD 1 . . . . . . . . . . . . . . . 15.95

\$99.50

PLUGS INTO USER PORT. NOTHING ELSE NEEDED. EASY TO USE. VERSATILE.

 Read or Program. One byte or 32K bytes!

OR Use like a disk drive. LOAD, SAVE, GET, INPUT, PRINT, CMD, OPEN, CLOSE-EPROM FILES!

> Our software lets you use familiar BASIC commands to create, modify, scratch files on readily available EPROM chips. Adds a new dimension to your computing capability. Works with most ML Monitors too.

Make Auto-Start Cartridges of your programs.

- The promenade<sup>™</sup> C1 gives you 4 programming voltages, 2 EPROM supply voltages, 3 intelligent programming algorithms, 15 bit chip addressing, 3 LED's and NO switches. Your computer controls everything from software!
- Textool socket. Anti-static aluminum housing.
  - EPROMS, cartridge PC boards, etc. at extra charge.
- Some EPROM types you can use with the promenade™ 2758 2516 2716 27C16 2532 2732 27**C**32 2732A 462732P 2564 2764 27C64 5133 5143 2815 2816 27128 27256 48016P1 "Commodore Business Machines \*Denotes electrically eraseabl types

Call Toll Free: 800-421-7731 In California: 800-421-7748



JASON-RANHEIM 580 Parrott St., San Jose, CA 95112



### presenting ... CAPTURE

- CAPTURE IS A CARTRIDGE THAT PLUGS INTO YOUR COMPUTER'S EXPANSION PORT.
- CAPTURE DOES NOTHING UNTIL YOU PRESS ITS CAPTURE BUTTON. UNTIL THEN, A RUNNING PROGRAM CANNOT DETECT ITS PRESENCE.
- CAPTURE THEN TAKES CONTROL NO IFS, ANDS OR BUTS AND PRESENTS A MENU.
- CAPTURE WILL NEATLY SAVE EVERYTHING IN YOUR COMPUTER TO YOUR 1541 OR COMPATIBLE DISK DRIVE — ALL 64K OF RAM, CPU, VIC AND SID CHIP REGISTERS — EVERYTHING. IN EASY TO VIEW CHUNKS.
- CAPTURE WILL, IF YOU WANT, PRE-CONFIGURE YOUR COMPUTER'S RAM SO THAT ONLY MEMORY ALTERED BY YOUR PROGRAM NEED BE SAVED.
- CAPTURE WILL WRITE A BOOT ON YOUR DISK SO YOU CAN RELOAD AND BEGIN EXECUTION RIGHT WHERE YOU LEFT OFF.
- CAPTURE DOES ALL THIS AT A COST OF JUST \$39.95

#### **BUT HERE'S THE BEST PART**

CAPTURE WILL MAKE AN AUTO-START CARTRIDGE OF YOUR PROGRAM. IT'S EASY!
 JUST FOLLOW THE DIRECTIONS ON THE SCREEN. NOW PLUG IN YOUR
 CARTRIDGE AND TURN ON YOUR COMPUTER. IN LESS THAN TWO SECONDS
 YOUR PROGRAM BEGINS AGAIN AT PRECISELY THE POINT WHERE YOU
 CAPTURE'D IT. MAGIC!

BESIDES **CAPTURE**, YOU NEED A *promenade* C1 AND A SUPPLY OF CPR3 CARTRIDGE KITS.

#### ORDERING INFORMATION

• CAPTURE CARTRIDGE — COMPLETE WITH INSTRUCTIONS \$ 39.9	5 -
• promenade C1 — EPROM PROGRAMMER WITH DISK SOFTWARE 99.5	0
• CPR3 CARTRIDGE KIT — PC BOARD, CASE AND 3 EPROMS	15
• DR-EPROM ERASER, TWO AT A TIME, 3 TO 10 MINUTES	5
• STARTER SET — CAPTURE, promenade C1 AND 1 CPR3 149.5	15
• DELUXE SET — CAPTURE, promenade C1, DR AND 2 CPR's	5

SHIPPING AND HANDLING — USA: UPS SURFACE \$3.00
BLUE LABEL \$5.00 NEXT DAY AIR \$13.00
CANADA: AIR MAIL \$7.00 OTHER FOREIGN AIR \$12.00

CALIFORNIA RESIDENTS ADD APPLICABLE SALES TAX COD ORDERS, USA ONLY, ADD \$3.00

COD ORDERS, OSA ONET, ADD \$5.00

C64 AND C128 TM COMMODORE ELECTRONICS, LTD. \*WHEN OPERATING IN 64 MODE

TO ORDER: TOLL FREE 800-421-7731 FROM CALIFORNIA 800-421-7748

TECHNICAL SUPPORT AND 408-287-0259 FROM OUTSIDE THE US: 408-287-0264







23 PARK ROW, NEW YORK, N.Y. 10038

ORDER

800-221-8180 & CANADA CALL:

Shop at home and save 10% to 50% and more...on quality merchandise —fully guaranteed

maxell GOLD STANDARD FLOPPY DISKS

102 MAXELL MD1D Single sloed louble Single sibedi double density 10-pack \$1995 MAXELL MD2D Double sided double density 10-pack \$2495

'TOP 10' COMPUTER HARDWARE ATARI 130XE 128K COMPUTER

COMMODORE 64 COMPUTER
Creat Graphics Box RAM
COMMODORE 1541 OISK DRIVE 179.95

M PC PERSONAL COMPUTER \$1799.95

Controlle Induit
ZENTH ZVM-123 AMBER MONITOR
S99.95

XTRON IA-12X RGB MONITOR 109.95 TOP 10' APPLE SOFTWARE CATO Spectrum Holobyte
Supriamne similation ISAP CATOX
FLIGHT SIMULATOR III SUD Logic
Florit simulation poscope size Florital
Florit Simulation poscope size Florital
Florital Strategy Strategy Strategy
74,95
BANK STREET WRITER Broderound
\$74,95
BANK STREET WRITER Broderound
\$79,95

IANK STREET THE LEW BRANCH 1993. 30.55 COMPUTER BASEBALL MICTO LONGUE PASSES ALL PROPERTY OF THE BASEBALL 194.95 CONTROLLED BASEB

F 15 STRIKE EAGLE MICROPROSE 24.95

'TOP 10' ATARI SOFTWARE ATARIWRITER Atari
ROM word processor lata Rx80360
SYNFILE PLUS Synapse
Parabase manager merge w SYN senes
529.95

F-15 STRIKE EAGLE MICROPROSE \$24.95

SARGOR II CHESS THE MAR SARGORAD 12.39 Apply feeting or combusier MAR SARGORAD 12.49.5 BALL BLAZER EDYD MALLS BALLBLAZER 24.95 PAPEACLIP BALTERIES ACTIVISION MOVE AN ACCIDENT ACCIDENT

COMPUTER BASEBALL MICTO LEAGUE \$24.95

'YOP 10' MACINTOSH SOFTWARE

ew powerful versatile \$37995 (cintos)

Creative graphics IHDM BÖDYSHÖP: ... '34.95
ENSEMBLE HAYDEN
integrated package IHDM ENSEMBLE
FILEVISION Telos
\$4.30.0E THE PROPERTY OF THE PROPERTY O

MAC VISION Koala Technologies \$199.95

FACTFINDER Forethought

ART GRABBER BODYSHOP Hayden rearive graphics IHDM BODYSHOP

RESCUE DN FRACTELUS EDYX

CELOPIC Adventure IAUS FRACTEUS
SARCON II CHESS Hayden
SARCONIE CELEBRA SARCONIE

PRINTSHOP Broderbund

TYPING TUTOR III SIMON & Schuster

KARATEKA Broderbund

579.95

969 95

189.95

\$29.95

\$24.95

524.95

°1369.95

\$13995

ATARI 800XL CDMPUTER

ARI 1050 DSIK DRIVE

256K RAM Dual 360K drives APPLE Ne PRO SYSTEM 128K dual drives Inonitor COMMODORE 1702 COLOR MONITOR



TOP 10' COMPUTER PR

\$24995

BOA IMPACT MATRIX \$279.95 AXIOM ELITE S LETTER QUALITY \$199.95 AXIOM ELITE'S LETTER (1994)
GG4 interface clusy, wheel JUKI 61DO LETTER QUALITY Trube pitch clusy wheel problem (2004)
Commodore MPS803 DOT MATRIX 139.95 ATARI 1027 LETTER QUALITY \$239.95 TOSHIBA P1340 DOT MATRIX \$529.95 \$349.95 EPSON SPECTRUM LX-80 MATRIX \$219.95 EPSON SPECTRUM LA-SU MALTIN 219.95
SOCQUEITO 100 COS NEW MODEL
OKIDATA OKIMATE-10 4-COLOR \$179.95
CGS interface included CGS interface CGS inter

FASTLDAD EDYX DMX inhity IAUG FASTLOADI SUPER HUEY COSMI 14.95 BASEBALL MICRO League PRINTSHOP Broderbund 529 95 Create unit foats lake laker/rever on 129,95
CRAPHICS LIBRARY Broderbund
100 foats i junishing lake Cazerics in 14,95
SUMMER CAMES II Epvx
Overhold everts also subsidies on 100,000
INDIANA JONES MINDSCAPE
Per lost kingdom white librahan in 19,95 19.95 PAPERCLIP Batteries included
Will spelicheck 1816 PAPERCLIP 579 95 24.95 Disk drive infity (ASS MACHS)

\*24.95

\*24.95

\*34.95

TOP 10' IBM COMPATIBLE SOFTWARE LDTUS 1-2-3 Lotus Development 279,95 The effect abecage LCC 128 FLIGHT SMULATOR MICROSOFT 29,95 SMULATOR MICROSOFT 39,95 THERO PASCAL BOYLAND THERO PASCAL BOYLAND SMULATOR MICROSOFT 39,95 TYPING TUTOR & SIMON A SCHUSTER 129,95 Learn John Tumping LKS TPANGER 29,95 HITCHHIKERS GUIDE INFOCOM \$29.95 HITCHINGEN AND HITCHINGS OUEST SIETRA FAIRASY Adventure IONI INVOST OBASE III ASINON-Tate ANUMERO COLORS SYSTEM IAS DE ANUMERO COLOR SYMPHONY Lotus Development \$389.95
FRAMEWORK Ashton-Tate
Infectional Institute August 1999.95

MATH BLASTER Davidson Assoc. \$29.95 TOP 10' COMPUTER ACCESSORIES

discwasher' SPIKEMASTER SURGE SUPRESSOR

\$4995

SURGE SUPRESSOR MIC DISK DRIVE CLEANING KIT Head 914.95 5.25 drives reuseable COMPUTER PAPER Perforated 1000 sheets 81-1×C11 PARALLEL PRINTER INTERFACE Cardco G-WIZ 14.95 Cor CEA with graphics
DISKETTE STORAGE Ring King
Smoked black plattic holds 50 5 25
80-COLUMN PRINTER STAND
Ring King 514.95 Ring King
Universal smoked plastic
SM2400 SMART MODEM Hayes
SM2400 SMART MODEM Hayes
V1660 MODEM Commodore \$59.95 SMALL COMPUTER TABLE BUSH 579.95

Remember this is only a sampling of our stock of computers, software, peripherals and accessories if what you need is not listed please call or write for prices and availability

5119 95

34.95

WE CARRY A FULL LINE OF AUDIO, VIDEO, AND COMPUTERS IN EVERY MAJOR BRAND, THIS LISTING IS JUST A SMALL SAMPLE IN OUR "10,000,000 INVENTORY, PLEASE CALL US TOLL FREE OR WRITE TO US FOR PRICES ON ITEMS NOT LISTED IN THIS AD.

ALL PRODUCTS CARRY U.S. WARRANTIES ALL DEFECTIVE PRODUCTS EXCHANGED WITHIN 30 DAYS

NOW TO GROPE BY MINLE DO DECOUT AND COURTEDUS SHIPMENT SHOW ONCE ORDER OF CHEEK CANEES CHECK MISTERCOOP AND COURTEDUS SHIPMENT SHOW ONCE ORDER OF CHEEK CANEES CHECK MISTERCOOP AND ORDER OF CHEEK CHECK MISTERCOOP AND ORDER OF CHEEK CHECK MINT CLEAR ONE ARMS PROCESSING \$13 MINIMAN BOOKE SHIPPORT HANDING BY INVESTIGATION OF ARMS PROCESSING \$13 MINIMAN BOOKE SHIPPORT HANDING BY INVESTIGATION OF ANY AND AND CHEEK CHEEK MINT CLEAR OF CHEEK CHEEK

ALL NEW FOR 1985



AGDIO COMPUTER RECORD CASSETTE 23 PARK ROW, DEPT. C10, NYC, NY 10038

ADDRESS:

STATE: PLEASE SEND \$1 00 FOR SHIPPING AND HANDLIS **MEMOREX FLEXIBLE DISCS** 

WE WILL NOT BE UNDER-SOLD!! Call Free (800)235-4137 for prices and information. Dealer inquiries invited and C.O.D.'s accepted



V/SA

**EXCHANGES** 100 Foothill Blvd. San Luis Obispo, CA 93401. In Cal. call (800)592-5935 or (805)543-1037

#### FREE CATALOG!

**Features Precision Tools and Equipment for Computers** 



Jensen's new catalog features hard-tofind precision tools, tool kits, tool cases, test equipment and computer accessories used by sophisticated hobbyists, scientists, engineers, laboratories and government agencies. Call or write for your free copy today.

JENSEN | 7815 S. 46th Street Phoenix, AZ 85040 TOOLS INC. (602) 968-6231



LIFETIME REPLACE GUARANTEE HUB RINGS, TYV. EPS. WRITE PROTECTS

in huge volume to supply software manufacturers, our prices can't be beat.

50+ 250+ 500+ 1000+ .90 .85 .80 .75 5.25" DSDD 1.15 ORMATTED 1.45 1D (For Mac) 2.70 1.05 1.00 85 1.35 1.25 1.15 1.10 2.60 2.45 CALL CALL 3.25 3.15 CALL CALL PC FORMATTED 3.5" 1D (For Mac) 3.5"2D (For HP) 3.50



**BLACKSHIP** COMPUTER SUPPLY

P.O. Box 883362 • San Francisco, CA 94188 Inquiries + No. Cal. orders 415-550-0512 So. Cal. orders 800-235-6647 x31 USA orders 800-431-6249

Add \$3.00 shipping and handling (CA residents add 6.5% sales tax) VISA/MC/CQD

#### maxell disks LIFETIME WARRANTY

TIRED OF WAITING FOR SERVICE AND PRICE? 9 out of 10 SURVEYED DISK BUYERS PREFERRED

NORTH HILLS #1 IN SERVICE AND PRICE 1-800-328-3472

Formatted and hard sectored disks in stock-Dealer inquiries invited. COD, VISA, MASTERCARD All orders shipped within 24 hrs.



M

NORTH HILLS CORP. INTERNATIONAL

3564 Rolling View Dr. White Bear Lake, MN. 55110 MN. call collect—612-770-0485

#### 3M Diskettes Lifetime Warranty

TIRED OF WAITING FOR SERVICE AND PRICE? 9 out of 10 SURVEYED DISK BUYERS PREFERRED

NORTH HILLS #1 IN SERVICE AND PRICE 1-800-328-3472

Formatted and hard sectored disks in stock-Dealer inquiries invited. COD, VISA, MASTERCARD All orders shipped within 24 hrs.



NORTH HILLS CORP. INTERNATIONAL

3564 Rolling View Dr. White Bear Lake, MN. 55110 MN. call collect—612-770-0485



Solve your disc problems, buy 100% surface tested Dysan diskettes. All orders shipped from stock, within 24 hours. Call toll FREE. (800) 235-4137 for prices and information. Visa and Master Card accepted. All orders sent postage paid.



#### LEARN PROGR4



MASTER COMPUTERS IN YOUR OWN HOME

Now you can write programs and get a computer to do just what you want. Get the most out of any computer, and avoid having to pay the high price of pre-packaged

#### LEARN AT YOUR OWN PACE IN YOUR SPARE TIME

Our independent study program allows you to learn about computers, operations, applications and programming in your spare time, at home. Our instructors provide you with one-on-one counseling

LEARN EVEN BEFORE YOU DECIDE ON A COMPUTER Everything is explained in simple language. You will enjoy learning to

use a computer-EVEN IF YOU DON'T OWN ONE. Learn to program on any personal computer; IBM, APPLE, COMMODORE, TRS, and more.

#### BE YOUR OWN COMPUTER EXPERT

Programming is the best way to learn to use computers, and we can show you the best—and most economical—way to learn programming! Send today for your free information package. No obligation. No

ha	lix

CENTER FOR COMPUTER EDUCATION

INSTITUTE 1543 W Olympic # 226 Los Angeles, CA 90015-3894

HALIX INSTITUTE CENTER FOR COMPUTER EDUCATION DEPT 61 A 1543 W OLYMPIC # 226 LOS ANGELES, CA 90015-3894	i I
YES! Send me information on how I can learn about computers and programming at home!	
NameAge	.
Address	

#### COMPUTE! **Subscriber Services**

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

#### **COMPUTEI Magazine**

P.O. Box 10955 Des Moines, IA 50950

or call the Toll Free number listed below.

Change Of Address. Please allow us 6-8 weeks to effect the change; send your current mailing label along with vour new address.

Renewal. Should you wish to renew your **COMPUTEI** subscription before we remind you to, send your current mailing label with payment or charge number or call the Toll Free number listed below.

**New Subscription.** A one year(12 month) US subscription to **COMPUTEI** is \$24.00 (2 years, \$45.00; 3 years, \$65.00. For subscription rates outside the US, see staff page). Send us your name and address or call the Toll Free number listed below.

Delivery Problems. If you receive duplicate issues of COMPUTEL, if you experience late delivery or if you have problems with your subscription, please call the Toll Free number listed below.

> COMPUTE! 800-334-0868 in NC 919-275-9809

### MUST LIQUIDAT LIMITED INVENTORY OF ULTRA FAMOUS **Factory**



Millions sold at regular prices . . . and STILL being sold at regular prices!

Sorry, we're NOT permitted to print the brand name. But if you phone us, all details can be divulged.

#### Phone Toll-Free: 1-800-328-0609

PLENTY OF SOFTWARE AVAILABLE! Thousands upon thousands of programs are available for it from computer stores across the nation.

FOR BUSINESSI This is an ideal entry level business computer. Use the computer for word processing, data base, accounts payable/receivable, general ledger, payroll, inventory, tax accounting, spreadsheets, mailing lists . . . and much, MUCH more!

FOR EOUCATION! Perfect for everyone from Ph.D. candidates to preschool youngsters. A vast number of programs are available to challenge and educate the mind.

FOR HOME! Use for analysis of personal investments, income tax planning, storage of recipes and household data. And of course, there are hundreds of exciting, fast-paced arcade games available!

Units sold SINGLY or in any combination you desire.	Original List Price	YOUR COST
64K COMPUTER	\$200.00	\$99
DISK DRIVE	\$269.00	\$148
PRINTER Item H-622-63831-00	\$200.00	\$118
We reserve the right to limit quantity purchases.	§669.00	\$365

COMPUTER

64K RAM. 20K ROM standard (includes operating systems and BASIC interpreter). Text characters. High resolution graphics. 320 x 200 pixels. Music synthesizer produces 3 independent voices, each with a range of 9 octaves.

Typewriter keyboard with 66 keys for upper and lower case keys for upper and lower case letters, numerals, symbols, re-verse characters. 2 cursor con-trol keys. 4 function keys, pro-grammable to 8. Input/output ports for user, serial, ROM car-tridge, 2 joystick/paddles, vi-deo, cassettedrive interface. 16 beckground, border, character

#### **DISK DRIVE**

Intelligent, high-speed. External 5½" floppy diskette recorder. 2K RAM, 16K ROM. Maximum storage of 170K formatted date; 35 tracks. Uses single sided, single density disk. Seriel interface. Second serial port for chaining second drive or printer. Data transfer rate of 400 bytes

#### **DOT MATRIX** PRINTER

Bi-directional 6x7 dot matrix impact printer. 60 characters per second. Has upper and low-er case letters, numerals and symbols. All PET graphic char-acters. Standard friction feed. Maximum of 80 columns width, dot addressable. CBM ASCII character codes. Original plus maximum of two copies. Paper width: 4.5" to 8.5". Size: 13"W x 8"D x 3¼"H. Weight: 6½ lbs. Power requirements: 120 volts

#### **Factory Reconditioned** With Factory Warranty.

\*NOTE: If you do not have a monitor, you can use your TV as e display unit. The computer comes already to be hooked up to your TV.

Credit card customers can order by phone.

4 hours a day, days a week







Toll-Free: 1-800-328-0609

Your check is welcome! No delays in orders peid by check.

Authorized Liquidator 14605 28TH AVENUE NORTH MINNEAPOLIS, MINNESOTA 55441-3397

C.O.M.B.	CO.®
14605 28th	Ave. N./

Item H-622

Minneapolis, MN 55441-3397 Send the following items: (Indicate quantity of each):

Get the following tenhs. (mincate quantity of each plus \$8 each for shipping, handling.
Disk Drive(s) Item H-622-63553-01 at \$148 each plus \$8 each for shipping, handling.
Printer(s) Item H-622-63831-00 at \$118 each plus \$7 each for shipping, handling.

(Minnesote residents edd 6% seles tax. Allow 3-4 weeks for delivery. Sorry, no C.O.D. orders.)

My check or money order is enclosed. (No deleys in processing orders peid by check, thenks to TeleCheck.)

Cherge: ☐ MesterCerd® ☐ VtSA ☐ Am. Ex. ☐ Diners Club Acct. No. -

PLEASE PRINT CLEARLY	
Name	
Address	
Cine	

7IP n Stete

Sign here .

### **Classified**

#### COMPUTE! Classified is a low-cost way to tell over 350,000 microcomputer owners about your product or service.

**Rates:** \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines.)

**Terms:** Prepayment is required. Check, money order, American Express, Visa, or MasterCard is accepted. Make checks payable to COMPUTE! Publications.

**Form:** Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.

**General Information:** Advertisers using post office box numbers in their ads must supply permanent address and telephone numbers. Orders will not be acknowledged. Ad will appear in next available issue after receipt.

**Closing:** 10th of the third month preceding cover date (e.g., June issue closes March 10th). Send order and remittance to: Harry Blair, Classified Manager, COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. To place an ad by phone, call Harry Blair at (919) 275-9809.

**Notice:** COMPUTE! Publications cannot be responsible for offers or claims of advertisers, but will attempt to screen out misleading or questionable copy.

#### SOFTWARE

Mailing Label/Address File Program for IBM PC and compatibles. Creates, updates, alphabetizes. Print options include by zip or city. Prints up to 4 across or continuous form index cards with phone #, \$19.95 plus \$2 s/h. TX residents add \$1.22 tax. D & L Software, 4636 Ringgold, Plano, TX 75075 (214) 867-5695

JDC Workstation—Word processor, typing service billing, & form letters all in one. Coded in ACTION! for easy customizing. Works with all 48K Ataris. Machine & ACTION listing & manuals on Disks \$100. JDC Software, P.O. Box 941, Bryte, CA 95605

COMMODORE OWNERS. Now create your own games, graphics and music in minutes instead of hours. Preprogrammed so everything is fast & easy. Create a game. Write a song. Sell it! Send \$29.95 to: FreeSpirit, 5836 S. Mozart, Chicago, IL 60629. (312) 476-3640

ATARI 800/XL/XE: Complete business program. All accounting, forms, mail, point of sale, word processing, etc. 8000+ records/disk. Demo disk \$3. MICROMISER, 1635-A Holden Ave., Orlando, FL 32809

TI-99/4A NEW STATES AND CAPITALS GAME Hi-Res map of USA. Send \$12 for cass. or \$1 for more info to: TRINITY SYSTEMS, 1022 Grandview, Pittsburgh, PA 15237

SPORTS POOL runs your football pool for the office or friends the fast & easy way. Handles all pool requirements for any sport and can be easily custom tailored. C64 disk \$29.95, IBM-PC \$39.95 plus \$2 s.h. Bancom Systems, Inc., P.O. Box 1783, Dept. A2, Kankakee, IL 60901

POSTMASTER! Finally, a simple, efficient mailing list program for C64 or C128. Print mailing lables. File up to 1600 on a single disk. Throw away your roladex! Sort, recall by name, zip, phone, etc. Send \$19.95 to: FreeSpirit Software, 5836 S. Mozart, Chicago, IL 60629

The "Eight Puzzle," an A.I. program that tests your skills against the computer or another player, \$10. E.C. 6287 Wall Triana Hwy., Madison, AL 35758, (205) 837-3158.

APPLE II SERIES, COMMODORE 64, TI-99/4A Discount Entertainment Software. Free Catalog. Newest Titles. The Adventure Store, P.O. Box 320, Roscoe, IL 61073-0320

#### HARDWARE

Trade in your used Commodore or Atari on a brand new C-128 or Atari ST. This offer may not be available through retail outlets. Brochure \$1.50 and SASE. NEW WEST TECHNOLOGY, 4B Monroe Pkwy., Box 200, Ste. 134, Lake Oswego, OR 97034

#### **MISCELLANEOUS**

DISK SALE! SS/DD 35-trk for Apple w/sleeve & label-10/\$7.20, bulk-100/\$64. Standard SS/DD w/sleeve, label-10/\$8.20, bulk-100/\$74. DS/DD w/sleeve & label-10/\$9.10, bulk-100/\$83. PREMIUM QUALITY, LIFETIME WNTY! Money-back satisfaction guarantee! Min. order \$15. Send check or MC/V/AE + \$3 p+h, \$2 if C.O.D. UNITECH, 20 Hurley St., Cambridge, MA 02141 (800) 343-0472, in Mass. (617) 864-8324

EARN MONEY, PART OR FULL TIME, AT HOME with your computer. 50 page manual with forms. Money back guarantee, \$9.95, JV Tech, P.O. Box 563, Ludington, MI 49431

Online Usage: Do you have a message to share with other computer users (50,000)? Weekly rate: \$4.50/line. State Category, Title (32 char.), message (38 char./line, max. 60 lines). Send check and copy to: E. YEE, FDR Sta., P.O. Box 7729, NY, NY 10150

TI-99/4A Software/Hardware bargain, Hard-to-find items. Huge selection. Fast service, Free catalog. D.E.C., Box 690, Hicksville, NY 11801

FREE TO C64 AND 99/4A USERS! Brochure of new game and educational software. Send SASE to: Exelon Software, 20910 7th Pl. So., Seattle, WA 98148

IS YOUR ORIGINAL SOFTWARE GOOD enough to sell? We can find a publisher for you! International Software Agents, Inc., 76 Milbank Ave., Greenwich, CT 06830

Maxell MD1, \$1.39 - MD2, \$1.99. Dysan 104/1D, \$1.79 - 104/2D, \$2.39. Shipping \$3.75. Also Verbatim, IBM, 3M, BASF. TAPE WORLD, 220 Spring St., Butler, PA 16001, 1-8009-245-6000, Visa, MC.

### Advertisers Index

Reader Service Number/Advertiser Page
102 Abocus Softwore       41         103 American PEOPLE/LINK       39
Apple Computer, IncIFC, 1
Atori Corp 20–21
<b>104</b> Bosix
<b>105</b> Bosix
Botteries Included
106 Blockship Computer Supply 126
107 Cordeo, Inc IBC
CBS Softwore
108 Comork, Inc 63
C.O.M.B. Co
C.O.M.B. Co
Commodore BC 109 CompuServe 11
ComputAbility
Comput Ability
Computer Centers of
Americo 44~45
<b>111</b> Computer Direct
112 Computer Moil Order 50–51
113 Comspec Communications, Inc. 75
114 Dovidson & Associotes, Inc 89
Disk World!, Inc
Disk World!, Inc 122-123
<b>115</b> Elek-Tek, Inc
116 EPYX
117 EPYX
The Fomily Softwore Spectoculor 14
Holix Institute 127
118 Infocom
Inmoc         69           119 J & R Music World         126           120 Joson-Ronheim         124
120 Joson-Ronheim
121 Joson-Ronheim       125         122 Jensen Tools, Inc.       126
122 Jensen Tools, Inc
Lyco Computer 60-61
Lyco Computer 60-61 Micro World Computers, Inc 116
North Hills Corp. 126 North Hills Corp. 126
North Hills Corp 126
NRI Schools
123 Pocific Exchonges 126
123 Pocific Exchanges
Systems 104
Systems
Spinnoker Softwore Corp 12–13
<b>126</b> Storpoint Softwore
127 Storpoint Softwore
128 Strotegic Simulotions, Inc 25
129 subLOGIC Corporation 7
Time-Life Books 16–17
<b>130</b> Timeworks, Inc 4
131 White House Computer 124
The Wholesole Outlet 83
COMPUTE! Books' New Foll
Peleosos

COMPUTE! Books' New Foll
Releoses
COMPUTE!'s Apple Applications
Special49
COMPUTE!'s Commodore 64 Gomes
Book
COMPUTE!'s Second book of Apple
ond MocOffice9
COMPUTEI's Subscription33
COMPUTE!'s VIC-20 Collection 27
COMMOTERS VIC-20 COMBCHOTT2/

### SMORE FOR YOUR 64

61,183 delicious bytes for your Commodore 64



#### S'MORE Memory, S'MORE Power, S'MORE Fun!

Now, 61K available memory S'MORE frees up 61,183 bytes of C-64 RAM memory for un-restricted Basic programming (57% more than the standard C-64).

#### A bridge to C-128

The S'MORE command structure is similar to the C-128's new Basic 7.0, providing C-64 users advanced programming techniques.

#### S'MORE features for progremming power

- Over 60 new and enhanced basic commands & functions
- No peeks or pokes (direct access to normally peeked/poked items)
- Full error trapping and automatic error helps
- Full up/down scrolling through program listings.
- Structured programming
- Relative files
- Print using
- Formatted inputs
- Print at...and much, much more.



cardeo, inc.

The Wizards from the Land of Oz Have done it Again!

CARDCO, Inc./300 S. Topeka/Wichita, KS 67202

# "Thanks for, the memory."



#### INTRODUCING THE COMMODORE 128.™

It's here. And it's going to make a lot of own versatility. And then, even take it Commodore 64<sup>™</sup> owners very happy. A personal computer with a 128K memory and 80-column capability that's still compatible with all the peripherals and over 3,000 programs designed for the Commodore 64.

In fact, the new 128 is almost like getting three computers in one. That's because it can run as a 64, a 128 and in a CP/M® mode. Or it can even be expanded to a full 512K memory. And that's about as "personalized" as a personal computer can get. It's intelligence that can match your

to a higher level.

#### There's more than a bigger memory.

There are a lot of extra features we didn't forget. Like a handy numeric keypad for data-entry efficiency and accuracy.

An expanded keyboard that puts more commands at your fingertips for easier programming. So you can be a whiz at using more varied graphics and text. Or a musical genius playing full three-part melody in any tempo you set. And there's even a "help" key

that comes to your rescue, listing programming errors on-screen with the error in reverse field.

There's also a new faster disk drive. With a separate "Burst" mode that can transfer up to 3,000 characters per second. Just in case you're a speed demon.

"Thanks for the memory!" You're welcome. And for the expandability. And compatibility. And versatility. And for making it all very affordable. After all, one of the other things that should go into a more intelligent computer is a price that makes sense.

#### **COMMODORE 128** PERSONAL COMPUTER

A Higher Intelligence

## RETROMAGS

Our goal is to preserve classic video game magazines so that they are not lost permanently.

People interested in helping out in any capacity, please visit us at www.retromags.com.

No profit is made from these scans, nor do we offer anything available from the publishers themselves.

If you come across anyone selling releases from this site, please do not support them and do let us know.

Thank you!

